

Selection of Scientific Publications made by Eurofins Scientific Laboratories October 2017

Table of contents

1	Food & Feed Testing.....	1
2	BioPharma Products Testing.....	28
3	Pharma Central Laboratory.....	32
4	Pharma Discovery Services and Bioanalytical Service.....	32
5	Pharma Early Development.....	40
6	Clinical Diagnostics.....	42
7	Environment Testing.....	50
8	Agroscience Services.....	56
9	Forensic Services.....	57
10	Genomic Services.....	64

1 Food & Feed Testing

Aamodt K., Abel N., Abeysekara U., Quintana AA., Abramyan A., Adamova D., Aggarwal MM., Rinella GA., Agocs AG., Salazar SA., and Ahammed Z., (2010). Two-pion Bose-Einstein correlations in pp collisions at $\sqrt{s}=900$ GeV. *Physical Review D* **82** (5), 82.

Aamodt K., Abel N., Abeysekara U., Quintana AA., Abramyan A., Adamová D., Aggarwal MM., Rinella GA., Agocs AG., Salazar SA., and Ahammed Z., (2010). Transverse momentum spectra of charged particles in proton–proton collisions at $\sqrt{s}=900$ GeV with ALICE at the LHC. *Physics letters B* **693** (2), 53–68.

Aamodt K., Abel N., Abeysekara U., Quintana AA., Acero A., Adamova D., Aggarwal MM., Rinella GA., Agocs AG., Salazar SA., and Ahammed Z., (2010). First proton–proton collisions at the LHC as observed with the ALICE detector: measurement of the charged-particle pseudorapidity density at $\sqrt{s}=900$ GeV. *The European Physical Journal* **65** (1–2), 111.

Aamodt K., Quintana AA., Achenbach R., Acounis S., Adamová D., Adler C., Aggarwal M., Agnese F., Rinella GA., Ahammed Z., and Ahmad A., (2003). The ALICE experiment at the CERN LHC. *Journal of Instrumentation* **3** (08), S08002.

Abraham K., Pöpke O., Gross A., Kordonouri O., Wiegand S., Wahn U and Helge H., (1998). Time course of PCDD/PCDF/PCB concentrations in breast-feeding mothers and their infants. *Chemosphere* **37** (9–12), 1731–1741.

Abraham K., Pöpke O., Wahn U., and Helge H., (2000). No measurable changes of biological parameters in breast-fed infants due to POP background exposure. *Organohalogen Compounds* **48**, 143–144.

Abraham K., Pöpke O., Wahn U., and Helge H., (2000). POP Accumulation in infants during breast-feeding. *Organohalogen Compounds* **48**, 25–26.

- Abraham K., Pöpke O., Wahn U., and Helge H., (1999). Changes of biological parameters in breast-fed infants due to PCDD/PCDF/PCB background exposure. *Organohalogen Compounds* **44**, 59–60.
- Air V., Pless-Mulloli T., Schilling B., Pöpke O., and Foster K., (2002). Follow-up assesment of PCDD/PCDF in eggs from allotments in Newcastle upon Tyne, England. *Organohalogen Compounds* **57**, 237–240.
- Asfaha DG., Quételet CR., Thomas F., Horacek M., Wimmer B., Heiss G., Dekant C., Deters-Itzelsberger P., Hoelzl S., Rummel S., and Brach-Papa C., (2011). Combining isotopic signatures of $n(^{87}\text{Sr})/n(^{86}\text{Sr})$ and light stable elements (C, N, O, S) with multi-elemental profiling for the authentication of provenance of European cereal samples. *Journal of Cereal Science* **53** (2), 170–177.
- Behnisch PA., (2005). Dioxins and dioxin-like PCBs – the show goes on in Europe. *Food* **1**, 13–17.
- Behnisch PA., (2005). Rapid methods for dioxins in food and feed. In *Rapid methods for biological and chemical contaminants in food and feed*, edited by A. van Amerongen, D. Barug, M. Lauwaars, 309–319.
- Behnisch PA., and Hoogenboom R., (2004). Rapid methods for dioxins and dioxin-like PCBs in food and feeding stuffs: State of the art. *Organohalogen Compounds* **66**, 668–676.
- Biselli S., (2006). Analytische Methoden für die Kontrolle von Lebens- und Futtermitteln auf Mykotoxine. *Journal für Verbraucherschutz und Lebensmittelsicherheit* **1** (2), 106–114.
- Biselli S., (2005). Vorkommen von Deoxynivalenol, Zearalenon und HT-2/T-2 Toxin in Getreide und Getreideerzeugnissen. *Mycotoxin Research* **21** (4), 241–245.
- Biselli S., Schwalb U., Meyer A., and Hartig L., (2013). A multi-class, multi-analyte method for routine analysis of 84 veterinary drugs in chicken muscle using simple extraction and LC-MS/MS. *Food Additives & Contaminants: Part A* **30** (6), 921–939.
- Biselli S., Wegner H., and Hummert C., (2005). A multicomponent method for Fusarium toxins in cereal based food and feed samples using HPLC-MS/MS. *Mycotoxin Research* **21** (1), 18–22.
- Bolm-Audorff U., Bienfait HG., Knecht U., Woitowitz HJ., Pöpke O., Turcer E., and Menzel HM., (1998). Dioxin exposition beim Schneidbrennen, Schweißen und Hartlöten. *Arbeitsmed, Sozialmed, Umweltmed* **24**, 28–34.
- Bonas G., Zervou M., Papaeoannou T., and Lees M., (2003). 'SoftCRM': A new software for the certification of reference materials. *Accreditation and Quality Assurance* **8** (3–4), 101–107.
- Bordajandi LR., Scaravelli E., Bergman Å., Boobis A., Ceccatelli S., Cravedi JP., Fürst P., Johansson N., Knutsen HK., Machala M., Merletti F., Pöpke O., Schrenk D., Van Leeuwen FXR., VanLeeuwen S., and Zeilmaker M., (2011). EFSA's risk assessment on Brominated flame retardants (Bfrs). *Organohalogen Compounds* **73**, 2028–2031.
- Brandt-Rauf P., Pöpke O., and Schechter A., (1998). Plasma epidermal growth factor receptor as a biomarker of dioxin exposure. *Organohalogen Compounds* **38**, 83.
- Brouwer A., Botschuijver S., Veerhoek D., Besselink HT., Hamm S., Traag W., and Zimpfer M., (2005). Observation of an extremely high dioxin level in a human serum sample from Ukraine by DR CALUX® which was confirmed to be 2,3,7,8-Tetrachlorodibenzo-p-dioxin by GC-HRMS. *Organohalogen Compounds* **67**, 1705–1708.

- Brunt K., and Sanders P., (2013). Improvement of the AOAC 2009.01 total dietary fibre method for bread and other high starch containing matrices. *Food Chemistry* **140** (3), 574–580.
- Bunge M., Lorenz A., Kraus A., and Opel M., (2003). Reductive dehalogenation of chlorinated dioxins by an anaerobic bacterium. *Nature* **421** (6921), 357–360.
- Bussy U., Thibaudeau C., Thomas F., Desmurs JR., Jamin E., Remaud GS., Silvestre V., and Akoka S., (2011). Isotopic finger-printing of active pharmaceutical ingredients by ¹³C NMR and polarization transfer techniques as a tool to fight against counterfeiting. *Talanta* **85** (4), 1909–1914.
- Camin F., Wietzerbin K., Cortes AB., Haberhauer G., Lees M., and Versini G., (2004). Application of multi-element stable isotope ratio analysis to the characterisation of French, Italian and Spanish cheeses. *J. Agric. Food Chem* **52** (21), 6592–6601.
- Camon E., Magrane M., Barrell D., Lee V., Dimmer E., Maslen J., Binns D., Harte N., Lopez R., and Apweiler R., (2004). The Gene Ontology Annotation (GOA) Database: sharing knowledge in Uniprot with Gene Ontology. *Nucleic Acids research* **32**, 262–266.
- Chao HR., Wang SL., Lee CC., Yu HY., Lu YK., and Pöpke O., (2004). Level of polychlorinated dibenzo-p-dioxins, dibenzofurans and biphenyls (PCDD/Fs, PCBs) in human milk and input to infant body burden. *Food and Chemical Toxicology* **42** (8), 1299–1308.
- Chao HR., Wang SL., Lee WJ., Wang YF., and Pöpke O., (2007). Levels of polybrominated diphenyl ethers (PBDEs) in breast milk from central Taiwan and their relation to infant birth outcome and maternal menstruation effects. *Environment International* **33** (2), 239–245.
- Chao HR., Wang SL., Su PH., Yu HY., Yu ST., and Pöpke O., (2005). Levels of polychlorinated dibenzo-p-dioxins and dibenzofurans in primepara breast milk from Taiwan: estimation of dioxins and furans intake for breastfed infants. *Journal of Hazardous Materials* **121** (1–3), 1–10.
- Cockcroft C., (2017). Testing for emerging organisms of concern; *Journal of the IFST* **31** (1), 50.
- Cockcroft C., (2017). To Test or Not to Test. *The Analytical Scientist*.
<https://theanalyticalscientist.com/issues/0717/to-test-or-not-to-test/>
- Couthinho M., Rodrigues R., Düwel U., Pöpke O., Borrego C., and Schröder H., (2000). The DG ENV European dioxin emission inventory – Stage II: Characterization of the emissions of 2 hospital waste incinerators and a steel mill plant in Portugal. *Organohalogen Compounds* **46**, 287–290.
- Coutinho M., Calheiros JM., Borrego C., Santos R., and Pöpke O., (2002). PCDD/PCDF in human blood and breast milk in the Region of Oporto, Portugal. *Organohalogen Compounds* **55**, 279–282.
- Crews C., Hough P., Godward J., Brereton P., Lees M., Guiet S., and Winkelmann W., (2006). Quantitation of the main constituents of some authentic sesame seed oils of different origin. *J. Agric. Food Chem* **54** (17), 6266–6270.
- Crews C., Hough P., Godward J., Brereton P., Lees M., Guiet S., and Winkelmann W., (2005). Study of the main constituents of some authentic hazelnut oils. *J. Agric. Food Chem* **53** (12), 4843–4852.
- Crews C., Hough P., Godward J., Brereton P., Lees M., Guiet S., and Winkelmann W., (2005). Study of the main constituents of some authentic walnut oils. *J. Agric. Food Chem* **53**, 4853–4860.
- Cuny M., Le Gall G., Colquhoun IJ., Lees M., and Rutledge DN., (2007). Evolving window zone selection method followed by independent component analysis as useful chemometric tools to

discriminate between grapefruit juice, orange juice and blends. D. N. *Analytica Chimica Acta* **597** (2), 203–213.

Cuny M., Vigneau E., Le Gall G., Colquhoun I., Lees M., and Rutledge DN., (2008). Fruit juice authentication by ¹H NMR spectroscopy in combination with different chemometrics tools. *D. N. Analytical and Bioanalytical Chemistry* **390** (1), 419–423.

Dahlgren J., Schechter A., Harpreet T., and Pöpke O., (2007). Persistent organic pollutants in 9/11 world trade centre rescue workers. *Chemosphere* **69** (8), 1320–1325.

Dahlgren J., Schechter A., Pöpke O., Pavuk M., and Warshaw R., (2001). Dioxin and Dibenzofuran congeners in Blood of neighbors of a wood treatment plant 25 years after ending Pentachlorophenol (PCP) use. *Organohalogen Compounds* **52**, 310–314.

Dahlgren J., Schechter A., Phillips DH., Hewer A., Takhar H., Pöpke O., and Warshaw R., (2004). Biomonitoring for creosote and pentachlorophenol in nearby residents of a wood treatment plant. *Organohalogen Compounds* **66**, 2504–2508.

Dahlgren J., Schechter A., Takhar H., and Pöpke O., (2003). Photolysis of PBDEs in solvents by exposure to daylight in routine laboratory procedure. *Organohalogen Compounds* **63**, 361–364.

De Felip E., Pöpke O., Herrmann T., Cardelli M., Ingelido AM., Porpora MG., and Di Dimenico A., (2003). PBDE levels in Italian Nulliparous women of reproductive age. *Organohalogen Compounds* **61**, 287–290.

Deconinck E., Van Nederkassel AM., Stanimirova I., Daszykowski M., Bensaid F., Lees M., Martin GJ., Desmurs JR., Smeyers-Verbeke J., and Vander Heyden Y., (2008). Isotopic ratios to detect infringements of patents or proprietary processes of pharmaceuticals: Two case studies. *Journal of Pharmaceutical and Biomedical Analysis* **48** (1), 27–41.

Dubin E., Spiteri M., Dumas AS., Ginet J., Lees M., and Rutledge DN., (2016). Common components and specific weights analysis: A tool for metabolomic data pre-processing. *Chemometrics and Intelligent Laboratory Systems* **150**, 41–50.

Eckrich C., Jager E., and Jager J., (1996). Keimemissionen im Umfeld von Kompostierungsanlagen. *Abfallbehandlung, Heft* **32**, 253–273.

Eriksson S., Karlsson P., and Törnqvist M., (2007). Measurement of evaporated acrylamide during heat treatment of food and other biological materials. *LWT – Food Science and Technology* **40** (4), 706–712.

Fauhl C., Wittkowski R., Lofthouse J., Hird S., Brereton P., Versini G., Lees M., and Guillou C., (2004). Gas Chromatographic/Mass Spectrometric Determination of 3-Methoxy-1,2-Propanediol and Cyclic Diglycerols, by-products of technical glycerol, in wine: Interlaboratory study. *Journal of AOAC International* **87** (5), 1179–1188.

Ferguson J., Baxter A., Young P., Kennedy G., Elliott C., Weigel S., Gatermann R., Ashwin H., Stead S., and Sharman M., (2005). Detection of chloramphenicol and chloramphenicol glucuronide residues in poultry muscle, honey, prawn and milk using a surface plasmon resonance biosensor and Qflex® kit chloramphenicol. *Analytica Chimica Acta* **159** (1–2), 109–113.

Fliedner A., Rüdell H., Jürling H., Müller J., Neugebauer F., and Schröter-Kermani C., (2012). Levels and trends of industrial chemicals (PCBs, PFCs, PBDEs) in archived herring gull eggs from German coastal regions. *Environmental Sciences Europe* **24** (7), 2190–4715.

Forouzanfar MH., Alexander L., Anderson HR., Bachman VF., Biryukov S., Brauer M., Burnett R., Casey D., Coates MM., Cohen A., and Delwiche K., (2015). Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. *The Lancet* **386** (10010), 2287–2323.

Fromme H., Otto T., Pilz K., and Neugebauer F., (1999). Levels of synthetic musks; bromocyclene and PCBs in eel (*Anguilla anguilla*) and PCBs in sediment samples from some waters of Berlin/Germany. *Chemosphere* **39** (10), 1723–1735.

Funcke W., Balfanz E., Fuchs J., Luthardt P., and Theisen J., (1993). Polychlorinated biphenyls (PCBs), polychlorinated dibenzofurans (PCDFs) and polychlorinated dibenzo(p)dioxins (PCDDs) in mineral oil-based insulation oils – correlations between PCB content in accordance with German DIN/LAGA and PCDF/D threshold value in accordance with German GefStoffV. *Chemosphere* **27** (4), 555–563.

Funcke W., Hemminghaus HJ., Mark FE., and Vehlow J., (1997). PXDF/D in Flue Gas from an Incinerator Charging Wastes Containing Cl and Br and a Statistical Description of the Resulting PXDF/D Combustion Profiles. *Organohalogen Compounds* **31**, 93–98.

Funcke W., Hovemann A., and Luthardt P., (1991). Einfluß des Elektrofilters von Verbrennungsanlagen auf Abgaskonzentrationen organischer Substanzen. *Organohalogen Compounds* **7**, 171.

Funcke W., Hovemann A., and Luthardt P., (1993). Influence of the electrostatic precipitator on concentrations of organic compounds in flue gas. *Chemosphere* **26** (5), 863–870.

Funcke W., Hovemann A., Luthardt P., and Manske E., (1993). Influence of the electrostatic precipitator and the flue gas temperature on concentrations of organic compounds. *Chemosphere* **27** (4), 547–553.

Funcke W., Hovemann A., Philipp C., Mark FE., Kerber G., and Dresch H., (1996). PCDF/D in input material, solid residues and flue gas from a municipal waste incinerator during the co-combustion of mixed separated plastic waste. *Organohalogen Compounds* **23**, 461–466.

Funcke W., and Linnemann H., (1992). Sampling of polychlorinated dibenzofurans (PCDF) and dibenzo(p)dioxins (PCDD) in emissions from combustion facilities using an adsorption method. *Chemosphere* **24** (11), 1563–1572.

Funcke W., Luthardt P., and Philipp C., (1997). Co-combustion of alternative fuel in a coal-fired power plant. *Organohalogen Compounds* **31**, 497–501.

Funcke W., Luthardt P., Philipp C., Ledebur H., and Staberow P., (1993). PCDF/D concentrations below 0.1 ng I-TE/m³ in the stack gas of a municipal waste incinerator without tertiary flue gas cleaning device. *Organohalogen Compounds* **12**, 43–44.

Fürst P., and Pöpke O., (2002). PCDDs, PCDFs and dioxin-like PCBs in human milk and blood from Germany. *Organohalogen Compounds* **55**, 251–254.

Garnier M., Martin-Gros G., and Bové JM., (1987). Monoclonal antibodies against the bacterial-like organism associated with citrus greening disease. *Annales de l'Institut Pasteur/Microbiologie* **138** (6), 639–650.

- Gass H., Jager E., Menke D., and Lüder K., (1998). Long term study of minimization of the PCDD/PCDF-emission of a municipal solid waste incinerator in Germany. *Organohalogen Compounds* **34**.
- Gass H.C., Kolenda J., and Sünderhauf W., (2001). Comparison of European EN 1948 and German VDI 3499/2E Emission sampling methods for PCDD/F on a municipal solid waste incinerator. *Organohalogen Compounds* **50**, 464–467.
- Gass H.C., Kolenda J., and Sünderhauf W., (2006). Comparison of PCDD/F, PCB and PAH in flue gas: Clean gas and stack emission in dependence of post combustion temperature at a municipal waste incinerator. *Organohalogen Compounds* **68**, 1228–1231.
- Gass H.C., Lüder K., Sünderhauf W., and Wilken M., (2004). Comparison of dioxins and related compounds in the emission during the start-up procedures at a municipal waste incinerator. *Organohalogen Compounds* **66**, 935–940.
- Gass HC., Charles W., Wolfgang S., Jana M., and Shulte J., (2005). Dioxin emission after failure in activated carbon injection at a steel plant. *Organohalogen Compounds* **67**, 2265–2267.
- Gass HC., and Lüder K., (2002). PCDD/F-Untersuchungen während des Anfahrbetriebes nach Kurz- und Langzeitrevisionen an einer thermischen Abfallverwertungsanlage. *Fachtagung Thermische Abfallbehandlung, Band 20*, 87–96.
- Gass HC., Lüder K., and Wilken M., (2002). PCDD/F-Emissions during cold start-up and shut-down of a Municipal Solid Waste Incinerator. *Organohalogen Compounds* **56**, 193–196.
- Gass HC., and Neugebauer F., (1999). Change of PCDD/PCDF profiles in the wet scrubber system of a fluidized-bed incinerator used for municipal solid waste. *Organohalogen Compounds* **43**.
- Gass HC., Sünderhauf W., Rotard W., and Jager J., (2000). Secondary analysis of dioxin emission data of a municipal solid waste incinerator. *Organohalogen Compounds* **46**, 154–157.
- Gass HC., Wilken M., and Lüder K., (2003). Optimization of the start-up procedures in a Municipal Waste Incinerator-Impact on the emissions of dioxins and related compounds. *Organohalogen Compounds* **63**, 25–28.
- Gaus C., Brunskill GJ., Connell DW., Prange J., Müller JF., Pöpke O., and Weber R., (2002). Transformation processes, pathways, and possible sources of distinctive polychlorinated dibenzo-*p*-dioxin signatures in sink environments. *Environmental Science and Technology* **36** (16), 3542–3549.
- Gaus C., O'Donohue M., Connell D., Mueller J., Haynes D., and Pöpke O., (2004). Exposure and Potential Risks of Dioxins to the Marine Mammal Dugong. *Organohalogen Compounds* **66**, 1559–1566.
- Gaus C., Pöpke O., Blanchard W., Haynes D., Connell DW., and Müller JF., (2001). Bioaccumulation and pathways of PCDDs in the lower trophic marine system. *Organohalogen Compounds* **52**, 95–99.
- Gaus C., Pöpke O., Brunskill GJ., and Müller JF., (2000). Historical PCDD/F records in dated marine sediment cores from Queensland Australia. *Organohalogen Compounds* **46**, 15–18.
- Gaus C., Pöpke O., Dennison N., Haynes D., Shaw GR., Connell DW., and Müller JF., (2001). Evidence for the presence of a widespread PCDD source in coastal sediments and soils from Queensland, Australia. *Chemosphere* **43** (4–7), 549–558.

Gaus C., Prange JA., Connell DW., Brunskill G., Pöpke O., Müller JF., and Weber R., (2002). Transformation of Dioxins in environmental sinks – formation of the distinctive “Natural PCDD Signature”. *Organohalogen Compounds* **57**, 463–466.

Gaus C., Prange JA., Pöpke O., Müller JF., and Weber R., (2002). Alternative hypothesis to natural PCDD formation. *Organohalogen Compounds* **59**, 243–246.

Gaus C., Weber R., Connell DW., Brunskill G., Prange JA., Pöpke O., and Müller JF., (2001). Depositional Processes and their source implications from temporal PCDD Distributions in Queensland (Australia). *Organohalogen Compounds* **50**, 346–349.

Geusau A., Meixner M., Sandermann S., Tschachler E., Stingl G., Valic E., Wolf C. Rüdiger H., Webb R., Pöpke O., and McLachlan M., (1999). Fecal and percutaneous elimination of TCDD and acceleration of intestinal excretion by administration of Olestra. *Organohalogen Compounds* **44**, 139–140.

Geusau A., Pöpke O., and Abraham K., (2002). Blood kinetics in two patients severely contaminated with 2,3,7,8-Tetrachlorodibenzo-p-dioxin. *Organohalogen Compounds* **55**, 297–298.

Geusau A., Schmaldienst S., Derfler K., Pöpke O., and Abraham K., (2002). Severe 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) intoxication: kinetics and trials on enhance elimination into two patients. *Archives of Toxicology* **76** (5–6), 316–325.

Geusau A., Schmaldienst S., Pöpke O., Stingl G., and Derfler K., (2000). Lipidapheresis for 2,3,7,8-Tetrachlorodibenzo-p-Dioxin Intoxication. *Organohalogen Compounds* **48**, 62–63.

Geusau A., Tschachler E., Meixner M., Pöpke O., Stingl G., and McLachlan M., (2001). Cutaneous elimination of 2,3,7,8-tetrachlorodibenzo-p-dioxin. *British Journal of Dermatology* **145** (6), 938–943.

Geusau A., Tschachler E., Meixner M., Sandermann S., Pöpke O., Wolf C., Valic E., Stingl G., and McLachlan M., (1999). Olestra increases fecal excretion of 2,3,7,8-tetrachlorodibenzo-p-dioxin. *The Lancet* **354** (9186), 1266–1267.

Gilles M., Zhao J., An M., and Agboola S., (2010). Chemical composition and antimicrobial properties of essential oils of three Australian Eucalyptus species. *Food Chemistry* **119** (2), 731–737.

Gock E., Opel M., and Mayer J., (2001). Mechanical Activation of PCDD/PCDF-Containing Material. *Organohalogen Compounds* **54**, 185–188.

Gonzalez CA., Kogevinas M., Gadea E., Huici A., Bosch A., Bleda MJ., Ergo OP., and Pöpke O., (1999). Biomonitoring study of people living near or working at a municipal solid waste incinerator, before and after two years of functioning. *Archives of Environmental Health: An International Journal* **55** (4), 259–267.

González J., Remaud G., Jamin E., Naulet N., and Martin GG., (1999). Specific Natural Isotope Profile Studied by Isotope Ratio Mass Spectrometry (SNIP-IRMS): ¹³C/¹²C Ratios of Fructose, Glucose, and Sucrose for Improved Detection of Sugar Addition to Pineapple Juices and Concentrates. *Agricultural and Food Chemistry* **47** (6), 2316–2321.

Götz R., Bauer OH., Friesel P., Herrmann T., Jantzen E., Kutzke M., Lauer R., Pöpke O., Roch K., Rohweder U., and Schwartz R., (2007). Vertical profile of PCDD/Fs, dioxin-like PCBs, other PCBs, PAHs, chlorobenzenes, DDX, organotin compounds and chlorinated ethers in dated sediment/soil cores from flood-plains of the river Elbe, Germany. *Chemosphere* **67** (3), 592–603.

- Grant S., Hermanussen S., Pöpke O., and Gaus C., (2006). Levels and Sources of PCDDs and PCDFs in sugarcane and pineapple agricultural soils from Hawaii. *Organohalogen Compounds* **68**, 2244–2247.
- Gruemping R., Hamm S., Stegemann D., and Maulshagen A., (2004). Levels of Polychlorinated Dibenzo(p)dioxins, dibenzofurans and dioxin-like PCBs in Irish Farmed Salmon. *Organohalogen Compounds* **66**, 1977–1984.
- Grümping R., Petersen M., Kuchen A., and Tlustos C., (2006). Levels of Polybrominated Diphenyl Ethers in Irish Cow s Milk. *Organohalogen Compounds* **68**, 2147–2150.
- Grümping R., Petersen M., Neugebauer F., and Opel M., (2008). Levels of Dioxins, PCBs, BFRs, PFCs and organotins in fishery products from Latvia. *Organohalogen Compounds* **70**, 582–585.
- Grümping R., Opel M., and Petersen M., (2008). Brominated dioxins and brominated flame retardants in Irish cow's milk. *Organohalogen Compounds* **70**, 912–915.
- Grümping R., Opel M., and Petersen M., (2007). Occurrence of perfluorinated chemicals (PFCs) in the sewage system of a large German city. *Organohalogen Compounds* **69**, 2896–2899.
- Grün CH., Sanders P., van der Burg M., Schuurbijs E., van Adrichem L., van Velzen EJ., de Roo N., Brunt K., Westphal Y., and Schols HA., (2015). Strategy to identify and quantify polysaccharide gums in gelled food concentrates. *Food Chemistry* **166** (1), 42–49.
- Guiet S., Robins R.J., Lees M., and Billault I., (2003). Quantitative 2H-NMR analysis of deuterium distribution in petroselenic acid isolated from parsley seed. *Phytochemistry* **64** (1), 227–233.
- Ha DT., Tuan MA., Viet NQ., Sau TK., Pöpke O., and Sanh NT., (2004). Biodegradation of 2,3,7,8-TCDD by anaerobic and aerobic microcosms collected from bioremediation treatments for cleaning up dioxin contaminated soil. *Organohalogen Compounds* **66**, 3695–3701.
- Hamm S., Fuchs J., Post M., Grümping R., and Maulshagen A., (2001). Levels of PCDD/PCDFs and dioxin-like PCBs in Irish cows milk. *Organohalogen Compounds* **51**, 306–309.
- Hamm S., Grümping R., and Schwietering J., (2005). Levels of Polychlorinated dibenzo(p)dioxins, dibenzofurans and dioxin-like PCBs in milk, milk products and eggs from West European Countries. *Organohalogen Compounds* **67**, 1406–1408.
- Hamm S., Maulshagen A., Petersen M., Fengler S., and Seel P., (2004). Polybrominated diphenyl ethers in sewage sludge and effluents of sewage plants from a Central Region of Germany. *Organohalogen Compounds* **66**, 1629–1634.
- Hamm S., Rumé N., Luthardt P., Wampach J., and Grümping R., (2002). Levels of PCDD/PCDFs in Luxemburgish food of animal origin and in mothers milk. *Organohalogen Compounds* **57**, 229–232.
- Hamm S., Strickeling M., Ranken PF., and Rothenbacher KP., (2001). Determination of polybrominated diphenyl ethers and PBDD/Fs during the recycling of high impact polystyrene containing decabromodiphenyl ether and antimony oxide. *Chemosphere* **44** (6), 1353–1360.
- Harden F., Mueller J., Toms LM., Gaus C., Moore M., Pöpke O., Ryan J., and Hobson P., (2004). Determination of the Levels of Dioxin in the Australian Population by Analysis of Blood Serum. *Organohalogen Compounds* **66**, 2853–2858.

Harden FA., Mueller J., Toms LL., Moore MR., Burniston D., Symons R., Ahokas JT., Fuerst P., and Pöpke O., (2004). Determination of the levels of dioxin and dioxin-like components in the Australian population by analysis of pooled human breast milk. *Organohalogen Compounds* **66**, 2847–2852.

Hautier L., Grégoire JC., de Schauwers J., San Martin G., Callier P., Jansen JP., and De Biseau JC., (2008). Intraguild predation by *Harmonia axyridis* on coccinellids revealed by exogenous alkaloid sequestration. *Chemoecology* **18** (3), 191–196.

Heininger P., Claus E., Neugebauer F., and Müller L., (2003). Correlation between the flood level of the river Elbe (Germany) and the pcdd/f-concentration of the transported solid matter. *Organohalogen Compounds* **61**, 458–461.

Hermanussen S., Limpus CJ., Pöpke O., Blanchard W., Connell D., and Gaus C., (2004). Evaluating spatial patterns of dioxins in sediments to determine potential implications for marine reptiles. *Organohalogen Compounds* **66**, 1861–1867.

Hermanussen S., Matthews V., Pöpke O., Limpus CJ., and Gaus C., (2008). Flame retardants (PBDEs) in marine turtles, dugongs and seafood from Queensland, Australia. *Marine Pollution Bulletin* **57** (6–12), 409–418.

Herrmann T., Dyballa C., Collingro C., and Pöpke O., (2004). Recent findings of toxaphene in fish – analysis and regulation. *Organohalogen Compounds* **66**, 1899–1904.

Herrmann T., Collingro C., and Pöpke O., (2004). PCDDs/Fs and dioxin-like PCBs in fish, fish products and fish feed. *Organohalogen Compounds* **66**, 2122–2126.

Herrmann T., Lohmann N., and Pöpke O., (2005). Polybrominated diphenyl ethers (pbdes) in fish, fish oil, fish meal and fish feed, samples of various origin. *Organohalogen Compounds* **67**, 640–643.

Hirner AV., Flassbeck D., and Grümping R., (2003). Organosilicon compounds in the environment. *Organohalogen Compounds* (2nd Edition), 305–351.

Hoenicke K., Borchert O., Grüning K., and Simat TJ., (2002). “Untypical aging off-flavor” in wine: synthesis of potential degradation compounds of indole-3-acetic acid and kynurenine and their evaluation as precursors of 2-aminoacetophenone. *Journal of Agricultural and Food Chemistry* **50** (15), 4303–4309.

Hoenicke K., and Gatermann R., (2006). How can zero tolerances be controlled? The case study of Nitrofurans. *Accreditation and Quality Assurance* **11** (2), 29–32.

Hoenicke K., Gatermann R., Harder W., and Hartig L., (2004). Analysis of acrylamide in different foodstuffs using liquid chromatography–tandem mass spectrometry and gas chromatography–tandem mass spectrometry. *Analytical Chimica Acta* **520** (1–2), 207–215.

Hoenicke K., Simat TJ., Steinhart H., Christoph N., Geßner M., and Köhler HJ., (2002). ‘Untypical aging off-flavor’ in wine: formation of 2-aminoacetophenone and evaluation of its influencing factors. *Analytical Chimica Acta* **458** (1), 29–37.

Hölscher K., Maulshagen A., Shirkhan H., Lieck G., and Behnisch PA., (2004). Automated rapid analysis for dioxins and pcbs in food, feedingstuff and environmental matrices. *Organohalogen Compounds* **66**, 1–9.

Huss AR., Fuller Jr JC., Centrella W., Marshall DL., Deliephan A., and Jones CK., (2017). Mitigation of Salmonella on pet food kibbles by using liquid and powdered 3-hydroxy-3-methylbutyric acid. *Journal of Food Protection* **80** (8), 1080–1084.

Hutchison ML., Thomas DJ., Walters LD., and Avery SM., (2006). Shiga toxin-producing *Escherichia coli*, faecal coliforms and coliphage in animal feeds. *Letters in Applied Microbiology* **43** (2), 205–210.

Ingelido AM., Ballard T., Dellatte E., di Domenico A., Ferri F., Fulgenzi AR., Herrmann T., Iacovella N., Miniero R., Pöpke O., and Porpora MG., (2007). Polychlorinated biphenyls (PCBs) and polybrominated diphenyl ethers (PBDEs) in milk from Italian women living in Rome and Venice. *Chemosphere* **67** (9), 301–306.

Ingelido AM., Di Domenico A., Ballard T., De Felip E., Dellatte E., Ferri F., Fulgenzi A., Herrmann T., Iacovella N., Miniero R., and Pöpke O., (2004). Levels of polybrominated diphenylethers in milk from Italian woman living in Rome and Venice. *Organohalogen Compounds* **66**, 2722–2728.

Jacobs M., Covaci A., Mueller J., and Pöpke O., (2003). Organohalogen Compounds in historic and present day Middle Eastern vegetable oils. *Organohalogen Compounds* **64**, 63–66.

Jäger E., and Eckrich C., (1996). Methoden und Problematik der Keimzahlbestimmung und deren Bewertung. *Abfallbehandlung, Heft 32*, 67–81.

Jakob E., Jamin E., Bitea C., and Lees M., (2006). Analytical detection of dilution in direct juices. *Fruit Processing* **1**, 35–39.

Jamin E., Gonzalez J., Bengoechea I., Kerneur G., Remaud G., Iriondo C., and Martin GG., (1998). Proteins as intermolecular isotope reference for detection of adulteration of fruit juices. *Journal of Agriculture and Food Chemistry* **46** (12), 5118–5123.

Jamin E., Gonzalez J., Remaud G., Naulet N., Martin GG., Weber D., Rossmann A., and Schmidt HL., (1997). Improved detection of sugar addition to apple juices and concentrates using internal standard. *Analytical Chimica Acta* **347** (3), 359–368.

Jamin E., Gonzalez T., Bengoechea I., Kerneur G., Remaud G., Naulet N., and Martin GG., (1997). Measurement of ¹³C/¹²C ratios of sugars, malic acid, and citric acid as authenticity probes of citrus juices and concentrates. *Journal of AOAC International* **81** (3), 604–609.

Jamin E., Guérin R., Rétif M., Lees M., and Martin GJ., (2003). Improved detection of added water in orange juice by simultaneous determination of the oxygen-18/Oxygen-16 isotope ratios of water and ethanol derived from sugars. *J. Agric. Food Chem* **51** (18), 5202–5206.

Jamin E., Lees M., Fuchs G., and Martin GG., (2000). Detection of added L-malic acid in apple and cherry juices – site-specific ¹³C-IRMS method. *Fruit Processing* **10** (11), 434–436.

Jamin E., Martin F., Santamaria-Fernandez R., and Lees M., (2005). Detection of Exogenous Citric Acid in Fruit Juices by Stable Isotope Ratio Analysis. *J. Agric. Food Chem* **53** (1), 5130–5133.

Jung D., Becher H., Edler L., Flesch-Janys D., Gurn P., Konietzko J., Manz A., and Pöpke O., (1997). Elimination of β-Hexachlorcyclohexane in occupationally exposed Persons. *Journal of Toxicology and Environmental Health* **51** (1), 23–34.

Jung D., Edler L., Flesch-Janys D., Konietzko J., Lucier G., Needham LL., Pöpke O., and Patterson jr DG., (2012). Serum/whole blood PCDD/F-data from different labs originating from the same persons. *Organohalogen Compounds* **33**, 535–540.

Jung D., Kraus K., Maskow L., Pöpke O., and Konietzko J., (1999). Preventive measures and their consequences on uptake and health effects of polychlorinated dibenzodioxins and –furans (PCDD/F)

in workers exposed during demolition of a former pesticide producing factory. *Organohalogen Compounds* **44**, 157–159.

Kallenborn R., and Gatermann R., (2004). Synthetic musks in ambient and indoor air. *Series Anthropogenic Compounds* 85–104.

Kamadia VV., Schilling MW., and Marshall DL., (2012). Cooking and packaging methods affect consumer acceptability and shelf-life of ready-to-eat Gulf brown shrimp. *Journal of Aquatic Food Product Technology* **22** (2), 146–159.

Kammann U., Biselli S., Hühnerfuss H., Reineke N., Theobald N., Vobach M., and Wosniok W., (2004). Genotoxic and teratogenic potential of marine sediment extracts investigated with comet assay and zebrafish test. *Environmental Pollution* **132** (2), 279–287.

Khan N., Inam A., Mueller J., Herrmann T., and Pöpke O., (2004). Determination of dioxins, dioxin-like pcbs and flame retardants (pbdes) in sediments collected in Pakistan. *Organohalogen Compounds* **66**, 1420–1425.

Kruman II., Kumaravel TS., Lohani A., Pedersen WA., Cutler RG., Kruman Y., Haughey N., Lee J., Evans M., and Mattson MP., (2002). Folic Acid Deficiency and Homocysteine Impair DNA Repair in Hippocampal Neurons and Sensitize Them to Amyloid Toxicity in Experimental Models of Alzheimer's Disease. *The Journal of Neuroscience* **22** (5), 1752–1762.

Kunz S., Schmitz HJ., Buchmann A., Schwarz M., Schilling B., and Pöpke O., Robertson LW., Lehmler HJ., Schrenk D., (2004). Analysis of the Tumor-Promoting Potency of 2,4,4'-Trichlorophenyl and 2,2',4,5,5'-Pentachlorobiphenyl in rat Liver. *Organohalogen Compounds* **66**, 3603–3609.

Kvalem HE., Knutsen HK., Thomsen C., Haugen M., Stigum H., Brantsaeter AL., Frøshaug M., Lohmann N., Pöpke O., Becher G., and Alexander J., (2009). Role of dietary patterns for dioxin and PCB exposure. *Molecular Nutrition and Food Research* **53** (11), 1438–1451.

Lakard B., Herlem G., De Labachellerie M., Daniau W., Martin G., Jeannot JC., Robert L and Fahys B., (1991). Mikrobiologische Aspekte bei der Sammlung, Lagerung und dem Transport von Haushalts- Haushaltsnaßabfällen. *Abfallwirtsch Journal* **3** (4), 188–193.

Lakard B., Herlem G., De Labachellerie M., Daniau W., Martin G., Jeannot JC., Robert L and Fahys B., (2004). Miniaturized pH biosensors based on electrochemically modified electrodes with biocompatible polymers. *Biosensors and Bioelectronics* **19** (6), 595–606.

Lantz I., Ternité R., Wilkens J., Hoenicke K., Guenther H and van der Stegen GH., (2006). Studies on acrylamide levels in roasting, storage and brewing of coffee. *Molecular Nutrition food research* **50** (11), 1039–1046.

Lees M., Food Authenticity and Traceability. *Woodhead Publishing Ltd and CRC Press LLC*.

Lees M., (1998). Food Authenticity: Issues and methodologies. *Eurofins Scientific on behalf EC funded Concerted Action*.

Lees M., (2003). Traceability: Tracking, Tracing, Labelling. The role of food laboratories. New and emerging issues for Food Laboratories, Food Safety Authority Ireland.

Lees M., Martin G and Holland J., (1998). Fruit Juices, Nectars and Purées. *Food Authenticity: Issues and Methodologies* 121–165.

Lees M., and Pöpping B., (2003). Part II Authenticating and tracing particular foods: Meat and meat products. *Food Authenticity and Traceability* 347–356.

Lian Y., Gao W., Zhou L., Wu N., Lu Q., Han W., and Tie X., (2014). Occurrence of Sudan I in Paprika Fruits caused by agricultural environmental contamination. *Journal of Agricultural and Food Chemistry* **62** (18), 4072–4076.

Liem D., Pöpke O., Wim Traag TW and Netherlands BA., (2001). Harmonized quality criteria for chemical and bioassays Analyses of PCDDs/PCDFs in feed and food. Part 1: General considerations, GC/MS methods. *Organohalogen Compounds* **50**, 53–58.

Lin DY., Chao HR., Wang SL., and Pöpke O., (2009). Associations between PCDD/Fs, PCBs, OCPs and PBDEs in breast milk and thyroid, growth, and steroid sex hormones. *Organohalogen Compounds* **71**, 563–566.

Link B., Gabrio T., Zoellner I., Piechotowski I., Pöpke O., Herrmann T., Felder-Kennel A., Maisner V., Schick KH., Schimpf M., and Schwenk M., (2005). Biomonitoring of persistent organochlorine pesticides, PCDD/PCDFs and dioxin-like PCBs in blood of children from South West Germany (Baden-Wuerttemberg) from 1993 to 2003. *Chemosphere* **58** (9), 1185–1201.

Luthardt P., and Schulte J., (2001). PCDF Profiles in Emissions, Feeding Stuff and Food. *Organohalogen Compounds* **51**, 230–234.

Luthardt P., (2002). Dioxin-Inventare. *WLB Wasser, Luft und Boden* **6**, 60–62.

Luthardt P., (2002). Dioxins: now it s time for action. *European Food & Drink Review* **2**, 24–29.

Luthardt P., Dhaese J., Hartung R., and Keymeulen R., (2002). Dioxin emissions and depositions at a Belgian industrial site. *Organohalogen Compounds* **57**, 313–316.

Luthardt P., Dhaese J., Hovemann A., Keymeulen R., Opel M., and Reichel K., (2003). PCDD/F Measurements in Emissions of a Belgian Sintering Plant – An Exemplary Look at the Uncertainty. *Organohalogen Compounds* **60**, 142–145.

Luthardt P., and Hartung R., (2002). Immissionen: Trefferquote im Gauß-Krüger-Messraster. *Gefahrstoffe Reinhaltung der Luft* **6**, 285–286.

Luthardt P., Kulaszka W., and Opel M., (2003). Dioxin in soil samples of the Wroclaw and Olawa Region in Lower Silesia, Poland. *Organohalogen Compounds* **62**, 428–431.

Luthardt P., Mayer J., and Fuchs J., (2002). Total TEQ emissions (PCDD/F and PCB) from industrial sources. *Chemosphere* **46** (9–10), 1303–1308.

Luthardt P., and Schulte J., (2000). Dioxin-/Furan-“Verbrennungsprofile” in Abgasen aus Hochtemperaturprozessen. *Umweltwissenschaften und Schadstoff-Forschung* **12** (3), 157–162.

Luthardt P., Schulte J., Perrin C., and Vasse L., (2003). Dioxines et furannes émis lors de processus à hautes températures. *Environment and Technique* **223**, 33–41.

Luthardt P., Schulte J., Perrin C., and Vasse L., (2000). Note sur les caractéristiques des profils de dioxines et furannes émis dans les gaz de combustion d usines d incinération d ordures ménagers. *Déchets* **19**, 37–39.

- Luthardt P., Schulte J., Perrin C., and Vasse L., (2001). Suivi permanent et mesures ponctuelles de dioxines et furanes sur des effluents gazeux d usines d incinération d ordures ménagères. *Déchets* **22**, 17–20.
- Luthardt P., Schulte J., and Strickeling M., (2001). Tributylzinn auf dem Weg zu den Top of the POPs ?. *Umweltwissenschaften und Schadstoff-Forschung* **13** (6), 347–352.
- Mamontova EA., Mamontov AA., Tarasova EN., Kolesnikov SI., Furst P., Pöpke O., Ryan JJ., and McLachlan MS., (1999). PCDD/Fs in human milk and blood samples from a contaminated region near Lake Baikal. *Organohalogen Compounds* **44**, 37–40.
- Mamontova EA., Tarasova EN., Mamontov AA., Kuzmin MI., McLachlan MS., and Pöpke O., (2005). Levels of organohalogen compounds in human milk from several settlements of the Irkutsk region, Russia. *Organohalogen Compounds* **67**, 1651–1654.
- Mamontova EA., Tarasova EN., Mamontov AA., Kuzmin MI., McLachlan MS., and Pöpke O., (2005). Temporal trend of organochlorine compounds in human milk from the Irkutsk region, Russia. *Organohalogen Compounds* **67**, 1647–1650.
- Mamontova EA., Tarasova EN., Mamontov AA., and Pöpke O., (2002). PCDDs, PCDFs and PCBs levels on blood of the schelekhovo population, the Irkutsk region, Russia. *Organohalogen Compounds* **58**, 281–284.
- Manz A., and Pöpke O., (1999). Secondary exposure of female partners by occupationally exposed workers to PCDD/Fs and β -HCH (home transfer). *Organohalogen Compounds* **44**, 217–220.
- Marshall D., and Siragusa G., (2017). Microbiomes a versatile tool for FSMA validation and verification. *Food Safety Tech.* <https://foodsafetytech.com/column/microbiomes-versatile-tool-fsma-validation-verification/>
- Marshall D., and Siragusa G., (2017). Microbiomes move standard plate count one step forward. *Food Safety Tech.* <https://foodsafetytech.com/column/microbiomes-move-standard-plate-count-one-step-forward/>
- Marshall D., and Siragusa S., (2017). To be or not to be: Choosing the best indicator using microbiomes. *Food Safety Tech.* <https://foodsafetytech.com/column/not-choosing-best-indicator-using-microbiomes/>
- Marshall DL., (2014). Science literacy and mayonnaise. *Food Technology* **68** (5), 156.
- Marshall DL., (2014). Seafood. *Encyclopedia of Food Microbiology*, 2nd Edition **3**, 453–458.
- Marshall DL., and Tom P., (2012). Buyers advice for do-it-yourself kits and instruments. *The Culinarian*, 6–7.
- Martin G., Fabre V., Siggins GR., and de Lecea L., (2002). Interaction of the hypocretins with neurotransmitters in the nucleus accumbens. *Regulatory Peptides* **104** (3), 111–117.
- Martin G., Montagne-Clavel J., and Oliveras JL., (1992). Involvement of ventromedial medulla "multimodal, multireceptive" neurons in opiate spinal descending control system: a single-unit study of the effect of morphine in the awake, freely moving rat. *Journal of Neuroscience* **12** (4), 1511–1522.
- Martin G., Remaud G., and Martin GJ., (1993). Isotopic methods for control of natural flavours authenticity. *Flavour and fragrance Journal* **8** (2), 97–107.

- Martin GG., Hanote V., Lees M., and Martin YL., (1996). Interpretation of combined SNIF-NMR and ¹³C SIRA MS analyses of fruit juices to detect added sugar. *Journal of AOAC International* **79** (1), 62–72.
- Martin GJ., and Martin ML., (1981). Deuterium labelling at the natural abundance level as studied by high field quantitative ²H NMR. *Tetrahedron Letters* **22** (36), 3525–3528.
- Martin GJ., Zhang BL., Naulet N., and Martin ML., (1986). Deuterium transfer in the bioconversion of glucose to ethanol studied by specific isotope labeling at the natural abundance level. *The Journal of the American Chemical Society* **108** (17), 5116–5122.
- Martin ML., and Martin GJ., (1990). Deuterium NMR in the Study of site-specific Natural Isotope Fractionation (SNIF-NMR). *France Food scientific Publication* **23**, 61 pages.
- Masuda Y., Haraguchi K., Kono S., Tsuji H., and Pöpke O., (2002). Concentrations of dioxins and related compounds and their effects to biochemicals in Fukuoka Residents. *Organohalogen Compounds* **55**, 267–270.
- Masuda Y., Kuroki H., Haraguchi K., Schechter A and Pöpke O., (1997). The condition of PCBs and PCDFs in the blood of Yusho patients 20 years after the onset. *Fukuoka Acta med* **88** (5), 149–156.
- Matthews V., Pöpke O., Burns D., and Gaus C., (2009). PCDD/PCDF and dioxin-like pcb exposure in a coastal community via consumption of local seafood. *Organohalogen Compounds* **71**, 1390–1395.
- Matthews V., Pöpke O., and Gaus C., (2009). Evidence for skin absorption of highly lipophilic contaminants: an important exposure pathway for sediment dwelling fish. *Environnemental Science & Technology*.
- Matthews V., Pöpke O., and Gaus C., (2008). PCDD/Fs and PCBs in seafood species from Moreton Bay, Queensland, Australia. *Marine Pollution Bulletin* **57** (6–12), 392–402.
- Maulshagen A., Hamm S., Petersen M., Elsholz O., Fengler S., and Seel P., (2003). Analysis of short-chain Chlorinated Paraffins (C10-C13) in German river suspended particulate matter, sewage sludge and industrial sludge samples. *Organohalogen Compounds* **62**, 371–374.
- Mayer J., and Grumping R., (2001). Continuous monitoring of dioxin emissions from a waste wood combustion plant. *Organohalogen Compounds* **59**, 81–83.
- Menzel HM., Bolm-Audorff U., Turcer E., Bienfait HG., Albracht G., Walter D., Emmel C., Knecht U., and Pöpke O., (1998). Occupational exposure to dioxins by thermal oxygen cutting, welding, and soldering of metals. *Environmental Health Perspectives* **106** (2), 715–722.
- Mohr K., Nonn Ch., Kolenda J., Gass H., Menke D., and Jager J., (1996). Innovations in continuous emission control of PCDD/F from municipal solid waste incineration facilities. *Organohalogen Compounds* **27**.
- Monsallier-Bitea C., Jamin E., Lees M., Zhang BL., and Martin GJ., (2006). Study of the influence of alcoholic fermentation and distillation on the oxygen-18/oxygen-16 isotope ratio of ethanol. *J. Agric. Food Chem* **54** (2), 279–284.
- Montagne-Clavel J., Oliveras JL., and Martin G., (1995). Single-unit recordings at dorsal raphe nucleus in the awake-anesthetized rat: spontaneous activity and responses to cutaneous innocuous and noxious stimulations. *Pain* **60** (3), 303–310.

- Mulholland P.J., Hopf F.W., Bukiya A.N., Martin G.E., Liu J., Dopico A.M., Bonci A., Treistman S.N., and Chandler L.J., (2009). Sizing up Ethanol-Induced Plasticity: the role of small and large conductance calcium-activated potassium channels. *Alcoholism* **33** (7), 1125–1135.
- Müller J.F., Jacobs M.N., Covaci A., and Pöpke O., (2003). Organohalogen compounds in historic butter. *Organohalogen Compounds* **64**, 203–206.
- Müller J.F., Gaus C., Prange J., Pöpke O., Poon K.F., Lam M.H., and Lam P.K., (2001). PCDD/Fs in sediments from the Mai Po marshes nature reserve in Hong Kong. *Organohalogen Compounds* **51**, 215–218.
- Müller J.F., Gaus C., Prange J.A., Pöpke O., Poon K.F., Lam M.H., Lam P.K., (2002). Polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans in sediment from Hong Kong. *Marine Pollution Bulletin* **45** (1–2), 372–378.
- Müller J.F., Prange J., Gaus C., Moore M., and Pöpke O., (2001). Dioxin-like compounds in butter from Australia. *Organohalogen Compounds* **51**, 380–383.
- Müller J.F., Prange J., Gaus C., Moore M.R., and Pöpke O., (2001). Polychlorinated dibenzodioxins and dibenzofurans in butter from different states in Australia. *Environmental Science and Pollution Research* **8** (1), 7–10.
- Müller J.F., Prange J.A., Gaus C., Heuermann M., Hartkopp S., Moore M.R., Pöpke O., and Horsley K., (2002). PCDD/Fs in a historic butter sample from Australia. *Organohalogen Compounds* **57**, 233–236.
- Muller L., Tabrizi P., Jager E., and Neugebauer F., (1998). Identification of PCDD/PCDF and PCB in ambient air by using moss and kale as biomonitors. *Organohalogen Compounds* **39**, 373–376.
- Murray C.J., Vos T., Lozano R., Naghavi M., Flaxman A.D., Michaud C., Ezzati M., Shibuya K., Salomon J.A., Abdalla S., and Aboyans V., (2014). Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study. *The Lancet* **380** (9859), 2197–2223.
- Nader W., Brendel T.O., and Schubert R.A., (2013). DNA-analysis: enhancing the control of food authenticity through emerging technologies. *Agro FOOD Industry Hi Tech* **24** (1), 42–46.
- Nader W.F., Grote A.K., and Cuevas Montilla E., (2014). Impacts of food safety and authenticity issues on the rice trade. Rice Processing – The comprehensive guide to global technology and innovative products. (J. Sontag, editor). Erling Verlag, Germany. 159–176.
- Neale B.M., Medland S.E., Ripke S., Asherson P., Franke B., Lesch K.P., Faraone S.V., Nguyen T.T., Schäfer H., Holmans P., and Daly M., (2010). Meta-Analysis of Genome-Wide Association Studies of Attention-Deficit/Hyperactivity Disorder. *Journal of the American Academy of Child & Adolescent Psychiatry* **49** (9), 884–897.
- Neugebauer F., Esposito M., Opel M., Pöpke O., Gallo P., Cavallo S., Colarusso G., D'Ambrosio R., Sarnelli P., Baldi L., and Lovane G., (2009). The Italian buffalo milk case – Results and Discussion of PCDD/F- and DL-PCB analysis in milk, feeding stuff and soil samples from Campania, Italy. *Organohalogen Compounds* **71**, 1220–1225.
- Neugebauer F., Korz V., and Frey J.U., (2009). Modulation of extracellular monoamine transmitter concentrations in the hippocampus after weak and strong tetanization of the perforant path in freely moving rats. *Brain Research* **1273**, 29–38.

Neugebauer F., Opel M., and Grümping R., (2008). The analysis of mineral feed for dioxins and dioxin-like PCBs: Results and challenges. *Organohalogen Compounds* **70**, 879–882.

Neugebauer F., Pöpke O., Opel M., and Arkudas R., (2011). Pcd/f And Dl-Pcb analysis of chicken eggs and related samples: experiences with dioxin analysis during a dioxin crisis. *Organohalogen Compounds* **73**, 1223–1226.

Neugebauer F., Schröter-Kermani C., Pöpke O., Stegemann D., and Steeg W., (2016). Analytical experiences within the German environmental specimen bank: time trends of pcd/f and dl-pcb in bream (*Abramis brama*) caught in German rivers. *Environmental Pollution* **216**, 866–876.

O Pöpke., (1999). Background contamination of humans with dioxins and dioxin-like PCBs. *Organohalogen Compounds* **44**, 5–8.

Oehme M., Pöpke O., Burkow I.C., Foshaug H., and Müller-Beck H., (2002). Level of PCDD/PCDF in marine mammal fat from the Chukotskiy Peninsula, Siberia, from ca. 600–700 AD. *Organohalogen Compounds* **56**, 445–448.

Pöpke O., and Herrmann T., (2004). Polybrominated diphenylethers (PBDEs) in fish samples of various origin. *Organohalogen Compounds* **66**, 3971 – 3978.

Pöpke O., Petersen M., Opel M., Lohmann N., and Fürst P., (2009). Polybrominated diphenylethers (PBDEs) in food samples from Germany. *Organohalogen Compounds* **71**, 1498–1502.

Pöpke O., (1997). Determination of PCDD/Fs in human blood, a fast and sensitive method. *Organohalogen Compounds* **31**, 212–214.

Pöpke O., (2000). Lessons learned on performing more than 15,000 dioxin analyses. *Organohalogen Compounds* **48**, 115–119.

Pöpke O., (1998). PCDD/PCDF: human background data for Germany, a 10-year experience. *Environ Health Perspect* **106** (2), 723–731.

Pöpke O., Ball M., Lis A., and Wuthe J., (1997). PCDD/PCDFs in humans, follow up of background data für Germany. *Organohalogen Compounds* **33**, 530–534.

Pöpke O., Bathe L., Bergman A., Fürst P., Guvenius DM., Herrmann T., and Norén K., (2001). Determination of PBDEs in human milk from the United States – Comparison of results from three laboratories. *Organohalogen Compounds* **52**, 197–200.

Pöpke O., and Fürst P., (2002). background contamination of humans with dioxins, dioxin-like pcbs and other pops. persistent organic pollutants. *The Handbook of Environmental Chemistry* **3** (Ch 10), 271–295.

Pöpke O., Fürst P., and Herrmann T., (2004). Determination of polybrominated diphenylethers (PBDEs) in biological tissues with special emphasis on QC/CA measures. *Talanta* **63** (5), 1203–1211.

Pöpke O., Fürst P., Malisch R., Ryan JJ., and Schecter A., (2003). Dioxins in Vietnamese and in Vietnamese environment: Early and recent investigations. *Organohalogen Compounds* **64**, 227–230.

Pöpke O., and Herrmann T., (1999). Influence of various food consumption habits on the human PCDD/PCDF body burden. *Preprints of Extended Abstracts* **39** (1), 108–110.

Päpke O., Herrmann TH., and Schilling B., (1999). PCDD/Fs in Humans, Follow up of Background Data for Germany 1988/99. *Organohalogen Compounds* **44**, 221–224.

Päpke O., Quynh HT., and Schechter A., (2004). Dioxins in Vietnamese, Vietnamese Food and environment: potential relevance of hot spots from recent findings. *Organohalogen Compounds* **66**, 3702–3707.

Päpke O., Schrenk D., and Fürst P., (2012). Biomarkers of Exposure: Polychlorinated Dibenzo-p-dioxins and Polychlorinated Dibenzofurans in: Biomarkers and Human Biomonitoring, Edited by Lisbeth Knudsen and D. Franco Merlo. *The Royal Society of Chemistry*.

Päpke O., Schröter-Kermani C., Stegemann D., Neugebauer F., and Ebsen F., (2011). Analytical experiences with the German environmental specimen bank: polybrominated diphenylethers in deer liver samples and corresponding soils. *Organohalogen Compounds* **73**, 416–419.

Päpke O., and Tritscher A., (2000). Determination of Polychlordibenzo-p-dioxins (PCDDs) and Polychlordibenzofurans (PCDFs) in milk powder and infant formula produced in Brazil in 1998. *Organohalogen Compounds* **47**, 292–389.

Päpke O., Vieth B., Ostermann B., and Herrmann T., (2004). Determination of PBDEs in human milk– analysis and quality control. *Organohalogen Compounds* **66**, 562–569.

Perrin C., Vasse L., Luthardt P., and Schulte J., (2002). Regulation and control of the emissions of PCDD/F in France. *Organohalogen Compounds* **59**, 231–233.

Petersen M., Bussmann P., Grumping R., and Liek G., (2006). Analysis of short-chain (C10–C13) and medium-chain chlorinated paraffins (C14–C17) in Norwegian sediment and water samples by GC/ECNI-MS. *Organohalogen Compounds* **68**, 2101–2104.

Petersen M., Hamm S., Schäfer A., and Esser U., (2004). Comparative GC/MS and LC/MS detection of Hexabromocyclododecane (HBCD) in soil and water samples. *Organohalogen Compounds* **66**, 226–233.

Petersen M., Opel M., Neugebauer F., and Päpke O., (2009). Perfluorinated compounds in sewage sludge samples from Germany, collected in 2009. *Organohalogen Compounds* **71**, 2110–2112.

Petersen M., Opel M., and Päpke O., (2009). Analysis of TBBP A (Tetrabromobisphenol A) in fish, mussel and cows milk samples. *Organohalogen Compounds* **71**, 2118–2119.

Pietrzykowski AZ., Friesen RM., Martin GE., Puig SI., Nowak CL., Wynne PM., Siegelmann HT., and Treisman SN., (2008). Posttranscriptional Regulation of BK Channel Splice Variant Stability by miR-9 Underlies Neuroadaptation to Alcohol. *Neuron* **59** (2), 274–287.

Pless-Mulloli T., Air V., Schilling B., and Päpke O., (2003). Environmental non-feed contributors to PCDD/PCDF in free-range allotment poultry eggs: many questions and some answers. *Organohalogen Compounds* **63**, 126–129.

Pless-Mulloli T., Edwards R., Herrmann T., and Päpke O., (2004). Dioxin body burden in women with long term residency near and away from major chemical industries in Teesside, UK. *Organohalogen Compounds* **66**, 2649–2654.

Pless-Mulloli T., Edwards R., Howel D., Wood R., Päpke O., and Herrmann T., (2005). Does long term residency near industry have an impact on the body burden of polychlorinated dibenzo-p-dioxins, furans, and polychlorinated biphenyls in older women? *Occupational and Environmental medicine* **62** (12), 895–901.

Pless-Mulloli T., Schilling B., Pöpke O., Griffiths N., and Edwards R., (2001). Transfer of PCDD/F and heavy metals from incinerator ash on footpaths in allotments into soil and eggs. *Organohalogen Compounds* **51**, 380–383.

Pless-Mulloli T., Schilling B., Pöpke O., and Edwards R., (2000). PCDD/F Heavy metal contamination on footpaths having received incinerator ash and of soil in the vicinity of an incinerator. *Organohalogen Compounds* **46**, 350–353.

Popp W., Hamm S., Vahrenholz C., Balfanz E., Kraus R., Theisen J., Schell C., and Norpoth K., (1993). Increased liver enzyme values in workers exposed to polychlorinated naphthalenes. *Organohalogen Compounds* **13**, 225–225.

Popp W., Hamm S., Vahrenholz C., Balfanz E., Kraus R., Theisen J., Schell C., and Norpoth K., (1994). Liver dysfunction in workers exposed to polychlorinated naphthalenes. *Comptes rendus de l'Académie bulgare des Sciences Tome* **47** (4), 117–120.

Popp W., Norpoth K., Vahrenholz C., Hamm S., Balfanz E., and Theisen J., (1997). Polychlorinated Naphthalene Exposures and Liver Function Changes. *American Journal of Industrial Medicine* **32** (4), 413–416.

Prange JA., Cook M., Pöpke O., Müller JF., and Weber R., (2002). PCDD/Fs in the atmosphere and combusted material during a forest fire in Queensland, Australia. *Organohalogen Compounds* **59**, 207–210."

Prange JA., Gaus C., Pöpke O., Connell DW., and Müller JF., (2001). PCDDs in geologically old samples from Queensland (Australia). *Organohalogen Compounds* **50**, 534–537.

Prange JA., Gaus C., Pöpke O., Weber R., and Müller JF., (2002). Vertical distribution of PCDD/Fs in forest soil from Queensland, Australia. *Organohalogen Compounds* **59**, 251–254.

Prange JA., Gaus C., Weber R., Pöpke O., and Mueller JF., (2003). Are forest fires a source of PCDD/Fs in Queensland; Australia. *Organohalogen Compounds* **63**, 130–133.

Prange JA., Gaus C., Weber R., Pöpke O., and Müller JF., (2003). Assessing Forest Fires as a Potential PCDD/F Source in Queensland, Australia. *Environmental Science and Technology* **37** (19), 4325–4329.

Reis FM., Sampaio C., Aguiar P., Matos P., Pöpke O., and Miguel JP., (2005). Dioxin contamination status in people living near a Portuguese Municipal Solid Waste (MSW) Incinerator. *Organohalogen Compounds* **67**, 1552–1555.

Reis MF., Sampaio C., Aguiar P., Melim JM., Miguel JP., and Pöpke O., (2007). Biomonitoring of PCDD/Fs in populations living near Portuguese solid waste incinerators: Levels in human milk. *Chemosphere* **67** (9), 231–237.

Remaud GS., Bussy U., Lees M., Thomas F., Desmurs JR., Jamin E., Silvestre V., and Akoka S., (2013). NMR spectrometry isotopic fingerprinting: A tool for the manufacturer for tracking Active Pharmaceutical Ingredients from starting materials to final medicines. *European Journal of Pharmaceutical Sciences* **48** (3), 464–473.

Remaud GS., Martin YL., Martin GG., and Martin GJ., (1997). Detection of Sophisticated Adulterations of Natural Vanilla Flavors and Extracts: Application of the SNIF-NMR Method to Vanillin and p-Hydroxybenzaldehyde. *Journal of Agriculture and Food Chemistry* **45** (3), 859–866."

Rohde S., Moser GA., Pöpke O., and McLachlan SM., (1997). Fecal Clearance of PCDD/Fs in occupationally exposed persons. *Organohalogen Compounds* **33**, 408–413.

Roy HE., Adriaens T., Isaac NJ., Kenis M., Onkelinx T., Martin GS., Brown PM., Hautier L., Poland R., Roy DB., and Comont R., (2012). Invasive alien predator causes rapid declines of native European ladybirds. *Diversity and Distributions* **18** (7), 717–725.

Royer A., Gerard C., Naulet N., Lees M., and Martin GJ., (1999). Stable isotope characterisation of olive oils. I – Compositional and carbon-13 profiles of fatty acids. *JAOCS* **76** (3), 357–363.

Sauceda-Friebe JC., Karsunke XY., Vazac S., Biselli S., Niessner R., and Knopp D., (2011). Regenerable immuno-biochip for screening ochratoxin A in green coffee extract using an automated microarray chip reader with chemiluminescence detection. *Analytical Chimica Acta* **689** (2), 234–242.

Saxon EC., Martin G., and Bar-Yosef O., (1978). Nahal Hadera V: An open-air site on the Israeli littoral. *Paléorient* **4**, 253–266.

Schechter A., (2004). Halogenated organics in vietnamese and in vietnam food: dioxins dibenzofurans, pcbs, polybrominated diphenyl ethers and selected pesticides. *Organohalogen Compounds* **66**, 3683–3688.

Schechter A., (2007). Vietnam and agent orange / Dioxin research: Vietnamese and US collaborations, 1968–2007. *Organohalogen Compounds* **69**, 888–891.

Schechter A., Ryan J., and Pöpke O., (1997). Dioxin and dibenzofuran levels in blood and adipose tissue following occupational exposures to pentachlorophenol. *Organohalogen Compounds* **33**, 467–472.

Schechter A., and Birbaum LS., (2009). Polybrominated diphenyl ethers, organochlorine pesticides, polychlorinated biphenyls and perfluorinated compounds in composite samples of united states food. *Organohalogen Compounds* **71**, 976–981.

Schechter A., Cao Dai L., Fischbach L., and Pöpke O., (1999). Vietnamese dioxin blood and milk levels 1970–1999 and implications for future epidemiology studies. *Organohalogen Compounds* **44**, 417–430.

Schechter A., Colacino JA., Shah N., Harris TR., and Pöpke O., (2009). Limitations in the use of potassium dichromate as a blood preservative for the analysis of organohalogenated compounds: Two month results. *Chemosphere* **74** (3), 448–452.

Schechter A., Cramer P., Boggess K., Stanley J., Pöpke O., Olson J., Silver A., and Schmitz M., (2001). Intake of Dioxin and related compounds from food in the United States population. *Journal of Toxicology and Environmental Health, Part A* **63** (1), 101–118.

Schechter A., Dai LC., Pavuk M., Pöpke O., and Constable JD., (2002). High level of dioxin contamination in Vietnamese from Agent Orange, three decades after the end of spraying. *Organohalogen Compounds* **55**, 215–218.

Schechter A., Dai L., Van Bao T., and Pöpke O., (1998). Semen and blood dioxin and dibenzofuran levels in Vietnamese and Americans. *Organohalogen Compounds* **38**, 171–174.

Schechter A., Dai LC., Pöpke O., Prange J., Constable JD., Matsuda M., Thao VD., and Piskac A., (2001). Dioxin Levels in Vietnamese people, food, and environmental samples: Evidence of current contamination with 2,3,7,8-TCDD from Agent Orange sprayed over 30 years ago. *Organohalogen Compounds* **52**, 156–160.

Schechter A., Dweik H., Pöpke O., and Richter E., (1999). Levels of dioxins and dibenzofurans found in various environmental sources of contamination in Palestinian west bank territory. *Organohalogen Compounds* **44**, 265–268.

Schechter A., Fürst P., Pöpke O., Samedy M., and Piskac AL., (2001). Levels of dioxin and dibenzofuran congeners in food and blood from Cambodia. *Organohalogen Compounds* **52**, 260–264.

Schechter A., Grosheva EI., Pöpke O., Ryan JJ., Amirova Z., and Silver A., (1999). Dioxins and dibenzofurans in the blood of workers and residents of industrial towns in the Irkutsk region of Russian Siberia. *Organohalogen Compounds* **44**, 243–246.

Schechter A., Haffner D., Colacino J., Patel K., Pöpke O., Opel M., and Birnbaum L., (2009). Polybrominated diphenyl ethers (PBDEs) and hexabromocyclodecane (HBCD) in Composite U.S. food samples. *Environ Health Perspect* **118** (3), 357–362.

Schechter A., Harris R., Tung KC., and Pöpke O., (2005). Temporal limitation in the use of potassium dichromate as a blood preservative for the analysis of organohalogenated contaminants including polybrominated diphenyl ethers, dioxins and PCBs. *Toxicological & Environmental Chemistry* **87** (4), 439–447.

Schechter A., Johnson-Welch S., Tung KC., Harris TR., Pöpke O., and Rosen R., (2005). Polybrominated diphenyl ether (PBDE) levels in U.S. fetuses and newborns. *Journal of Toxicology and Environmental Health* **70** (1), 1–6.

Schechter A., Little R., Pöpke O., Gladen B., and Lukyanova E., (2000). Dioxin levels in Vietnamese suggest current contamination with tcdd from agent orange. *Organohalogen Compounds* **48**, 31–33.

Schechter A., Little R., Pöpke O., Gladen B., Lukyanova E., (1998). Dioxin, dibenzofuran and coplanar pcb levels in human milk from Ukraine and the United States. *Organohalogen Compounds* **38**, 21–24.

Schechter A., Malik N., Haffner D., Smith S., Harris TR., Pöpke O., and Birnbaum L., (2010). Bisphenol A (BPA) in U.S. Food. *Environmental Science and Technology* **44** (24), 9425–9430.

Schechter A., Michalek J., May J., and Pöpke O., (1998). Dioxins and dibenzofuran congeners in 2,4-dichlorophenoxyacetic acid, 2,4,5-trichlorophenoxyacetic acid, and agent orange. *Organohalogen Compounds* **36**, 285–288.

Schechter A., Needham L., Pavuk M., Michalek J., Colacino J., Ryan J., Pöpke O., Birnbaum L., (2009). Response to “Agent Orange exposure, Vietnam War veterans, and the risk of prostate cancer”. *Cancer* **114** (4), 3369–3371.

Schechter A., Pöpke O., and Marquardt S., (1998). Dioxins and Dibenzofurans in American sanitary products: Tampons, sanitary napkins, disposable and cloth diapers, and incontinence pads. *Organohalogen Compounds* **36**, 281–284.

Schechter A., Pöpke O., Ryan J., Tung K., Olson J., and Harris TR., (2005). PBDE's in US human milk, archived and recent blood, fetal liver, partitioning between milk and blood, cooked and uncooked food, and environmental specimens. *Organohalogen Compounds* **67**, 651–653.

Schechter A., and Pöpke O., (1998). Comparison of Blood Dioxin, Dibenzofuran, and Coplanar PCB Levels in Strict Vegetarians (Vegans) and the General United States Population. *Organohalogen Compounds* **38**, 179–182.

- Schechter A., and Päpke O., (2000). Dioxin levels in milk and blood from Germany and the USA. Are dioxin blood levels decreasing in both countries? *Organohalogen Compounds* **48**, 68–71.
- Schechter A., Päpke O., (2000). Dioxin levels in the blood of cambodians living near the agent orange sprayed Ho Chi Minh Trail and non-sprayed areas of Cambodia. *Organohalogen Compounds* **48**, 71–74.
- Schechter A., Päpke O., (1998). Dioxins, dibenzofurans, and coplanar and marker pcbs in blood of persons residing near a pcb manufacturing facility in the United States. *Organohalogen Compounds* **38**, 175–178.
- Schechter A., and Päpke O., (1998). Elavation of dioxin and dibenzofuran levels in cooked food. *Organohalogen Compounds* **38**, 183–185.
- Schechter A., Päpke O. and Dellarco M., (1997). Dioxin, dibenzofuran, and pcb congeners in cooked and uncooked foods. *Organohalogen Compounds* **33**, 462–466.
- Schechter A., Päpke O., Fürst P., and Ryan JJ., (1997). Temporal changes in dioxin and dibenzofuran levels in general population human blood and milk from Germany and the United States. *Organohalogen Compounds* **33**, 473–478.
- Schechter A., Päpke O., Harris TR., Tung KC., Musumba A., Olson J., and Birnbaum L., (2006). An expanded market basket suevey of US sood for PBDEs and estimated dietary intake by age and gender. *Environ Health Perspect* **114** (10), 1515–1520.
- Schechter A., Päpke O., Isaac J., Hrimat N., Neiroukh F., Safi J., and El-Nahhal Y., (1997). 2,3,7,8 Chlorine substituted dioxin and dibenzofuran congeners in 2,4-D, 2,4,5-T and pentachlorophenol. *Organohalogen Compounds* **32**, 51–55.
- Schechter A., Päpke O., Joseph J., and Tung KC., (2004). Polybrominated diphenyl ethers (PBDEs) in U.S. computers and domestic carpet vacuuming: possible sources of human exposure. *Journal of Toxicology and Environmental Health, Part A* **68** (7), 501–513.
- Schechter A., Päpke O., Pavuk M., and Tung KC., (2003). Dioxins and dibenzofurans in sediment from Agent Orange sprayed and not sprayed areas in Laos and Vietnam as well as from European countries and the USA. *Organohalogen Compounds* **64**, 262–265.
- Schechter A., Päpke O., Prange J., Constable JD., Matsuda M., Thao VD., and Piskac AL., (2001). Recent dioxin contamination from agent orange in residents of a southern Vietnam city. *Journal of Occupational & Environmental Medicine* **43** (5), 435–443.
- Schechter A., Päpke O., Robert Harris T., and Tung KC., (2006). Partitioning of polybrominated diphenyl ether (PBDE) congeners in human blood and milk. *Toxicological & Environmental Chemistry* **88** (2), 319–324.
- Schechter A., Päpke O., Ryan JJ., Furst P., Isaac J., Nader SH., Neiroukh F., Safi J., el Nahhal Y., El Haj S., and Avni A., (1997). Dioxins, dibenofurans, and pcbs in human blood, human milk, and food from Israel, the West Bank, and Gaza. *Organohalogen Compounds* **33**, 457–461.
- Schechter A., Päpke O., Ryan JJ., Rosen R., Tung KC., Pavuk M., Staskal D., Binrbaum L., Quynh HT., and Constable JD., (2004). PBDEs in US milk, blood, and food and temporal trends for PBDEs, PCDDs, and PCBs in US Blood. *Organohalogen Compounds* **66**, 2834–2840.

- Schechter A., Päpke O., Tung KC., Brown T., and Musumba A., (2006). Changes in Polybrominated ether (PBDE) levels in cooked food. *Toxicological & Environmental Chemistry* **88** (2), 207–211.
- Schechter A., Päpke O., Tung KC., Joseph J., Harris TR., and Dahlgren J., (2005). Polybrominated Diphenyl Ether (PBDE) Flame Retardants in the US population: current levels, temporal trends, and comparison with dioxins, dibenzofurans and polychlorinated biphenyls. *Journal of Occupational & Environmental Medicine* **47** (3), 199–211.
- Schechter A., Päpke O., Tung KC., Staskal D., and Birnbaum L., (2004). Polybrominated diphenyl ethers contamination of United States Food. *Environmental Science and Technology* **38** (20), 5306–5311.
- Schechter A., Pavuk M., Amirova DA., Grosheva EI., Päpke O., Ryan JJ., Adibi J., and Piskac AL., (2002). Characterization of dioxin exposure in firefighters, residents and chemical workers in the Irkutsk Region of Russian Siberia. *Chemosphere* **47** (2), 147–156.
- Schechter A., Pavuk M., Päpke O., Malisch R., (2003). Potassium dichromate and ethyl alcohol as blood preservatives for analysis of chlorinated organics. *Organohalogen Compounds* **60**, 154–157.
- Schechter A., Pavuk M., Päpke O., and Malisch R., (2004). The use of potassium dichromate and ethyl alcohol as blood preservatives for analysis of organochlorine contaminants. *Chemosphere* **57** (1), 1–7.
- Schechter A., Pavuk M., Päpke O., and McKey J., (2003). Temporal and age trends in dioxin levels in US adults and children. *Organohalogen Compounds* **64**, 100–103.
- Schechter A., Pavuk M., Päpke O. and Ryan JJ., (2003). Dioxins in Laotian blood and milk. *Organohalogen Compounds* **64**, 262–265.
- Schechter A., Pavuk M., Päpke O., and Ryan JJ., (2002). Dioxins, Dibenzofurans, and Dioxin-like PCBs in Laotian Blood and Milk, 2001. *Organohalogen Compounds* **58**, 313–316.
- Schechter A., Pavuk M., Päpke O., Ryan JJ., Birnbaum L., and Rosen R., (2003). Congener specific measurement of polybrominated biphenyl ethers in 47 individual milk samples from nursing mothers in the USA. *Organohalogen Compounds* **61**, 13–16.
- Schechter A., Piskac AL., Grosheva EI., Matorova NI., Ryan JJ., Fürst P., Päpke O., Adibi J., Pavuk M., Silver A., and Ghaffar S., (2002). Levels of dioxins and dibenzofurans in breast milk of women residing in two cities in the Irkutsk region of Russian Siberia compared with American levels. *Chemosphere* **47** (2), 157–164.
- Schechter A., Quynh H. T., Pavuc M., Päpke O., Malisch R., and Constable JD., (2003). New Findings of Dioxins, Dibenzofurans, PCBs, DDT/DDE, HCB, and HCH in food from a TCDD contaminated area and a comparison area. *Organohalogen Compounds* **64**, 231–234.
- Schechter A., Quynh HT., Päpke O., Harris TR., Musumba A., and Constable JD., (2006). Levels of 2, 3, 7, 8-TCDD in blood from agent orange sprayed locations in Vietnam. *Organohalogen Compounds* **68**, 2173–2176.
- Schechter A., Quynh HT., Päpke O., Tung KC., and Constable JD., (2006). Agent orange, dioxins and other chemicals of concern in Vietnam: Update 2005. *Journal of Occupational & Environmental Medicine* **48** (4), 408–413.

Schechter A., Quynh HT., Pavuk M., Pöpke O., Malisch R., and Constable JD., (2003). Food as a Source of Dioxins Exposure in Residents of Bien Hoa City, Vietnam. *Journal of Occupational & Environmental Medicine* **45** (8), 781–788.

Schechter A., Robert Harris T., Pöpke O., Tung KC., and Musumba A., (2005). Polybrominated Diphenyl Ether (PBDE) levels in the blood of pure vegetarians(vegans). *Toxicological & Environmental Chemistry* **88** (1), 107–112.

Schechter A., Rohr W., and Pöpke O., (2000). Dioxin, dibenzofuran, pcb, other chlorinated organics, and lipid levels in the tissues of an embalmed 52 year old male 3 months after burial. *Organohalogen Compounds* **48**, 75–78.

Schechter A., Ryan JJ., and Pöpke O., (1998). Decrease in levels and body burden of dioxins, dibenzofurans, PCBs, DDE, and HCB in blood and milk in a mother nursing twins over a thirty-eight month period. *Chemosphere* **37** (12), 1807–1816.

Schechter A., Shah N., Colacino JA., Brummitt SI., Ramakrishnan V., Harris TR., and Pöpke O., (2009). PBDEs in US and German clothes dryer lint: A potential source of indoor contamination and exposure. *Chemosphere* **75** (5), 623–628.

Schechter A., Startin J., Wright C., Kelly M., Pöpke O., Lis A., Ball M., and Olson JR., (1998). Congener-specific Levels of dioxins and dibenzofurans in U.S. food and estimated daily dioxin toxic equivalent intake. *Environmental Health Perspectives* **102** (11), 962–966.

Schechter A., Szabo DT., Miller J., Gent TL., Malik-Bass N., Petersen M., Pöpke O., Colacino JA., Hynan LS., Harris TR., and Malla S., (2012). Hexabromocyclododecane (HBCD) Stereoisomers in U.S. Food from Dallas, Texas. *Environ Health Perspect* **120** (9), 1260–1264.

Schechter A., Wallace D., Pavuk M., Piskac A., and Pöpke O., (2002). Dioxins in commercial United States baby food. *Journal of Toxicology and Environmental Health* **35** (23), 1937–1943.

Schechter AJ., Pöpke O., Shah N., and Harris T., (2007). Brominated flame retardants in the USA and selected other countries in milk, blood, food, fast food, and air. *Organohalogen Compounds* **69**, 694–697.

Schechter AJ., Shah NC., Brummitt S., Harris TR., and Pöpke O., (2008). US Current PBDE levels and congeners: human milk and blood; individual milk/blood partitioning; levels in vegetables; and fast food per serving. *Organohalogen Compounds* **70**, 299–302.

Schechter AJ., Sheu SU., Birnbaum LS., DeVito MJ., Denison MS., and Pöpke O., (1999). A comparison and discussion of two differing methods of measuring dioxin-like compounds: gas chromatography-mass spectrometry and the calux bioassay – implications for health studies. *Organohalogen Compounds* **40**, 247–250.

Schellenberg A., Chmielus S., Schlicht C., Camin F., Perini M., Bontempo L., Heinrich K., Kelly SD., Rossmann A., Thomas F., and Jamin E., (2010). Multielement stable isotope ratios (H, C, N, S) of honey from different European regions. *Food Chemistry* **121** (3), 770–777.

Schleicher O., Jensen AA., Blinksbjerg P., Thomsen E., and Schilling B., (2002). Dioxin emissions from Biomass fired Energy Plants and other sources in Denmark. *Organohalogen Compounds* **56**, 147–150.

Schröter-Kermani C., Helm D., Herrmann T., Pöpke O., (2000). The German Environmental Specimen Bank – application in trend monitoring of polybrominated diphenyl ethers in human blood. *Organohalogen Compounds* **47**, 49–52.

- Schröter-Kermani C., Herrmann T., Pöpke O., and Stachel B., (2004). PCDDs, PCDFs, and dioxin-like PCBs in Breams (*abramis brama*) from German Rivers: Results from the German Environmental Specimen Bank. *Organohalogen Compounds* **66**, 1779–1782.
- Schröter-Kermani C., Rappolder M., Neugebauer F., and Pöpke O., (2011). PCDD, PCDF, and DL-pcb in terrestrial ecosystems: are there correlations of levels or patterns in soil and roe deer liver? *Organohalogen Compounds* **73**, 1325–1328.
- Schröter-Kermani C., Schmolz E., Herrmann T., and Pöpke O., (2005). PCDD, PCDF, and dioxin-like PCB in Herring Gull Eggs from the North Sea and Baltic Sea: Levels, patterns and temporal trends. *Organohalogen Compounds* **67**, 1295–1299.
- Schwenk M., Gabrio T., Pöpke O., and Wallenhorst T., (2002). Human Biomonitoring of PCB and PCDD/PCDF in Teachers working in a PCB – contaminated School. *Chemosphere* **47** (2), 229–233.
- Serra F., Janeiro A., Calderone G., Rojas JM., Rhodes C., Gonthier LA., Martin F., Lees M., Mosandl A., Sewenig S., and Hener U., (2007). Inter-laboratory comparison of elemental analysis and gas chromatography combustion isotope ratio mass spectrometry (GC-C-IRMS). Part I: d13C measurements of selected compounds for the development of an isotopic Grob-test. *Mass Spectrom* **42** (3), 361–369.
- Shaw SD., Berger ML., Brenner D., Kannan K., Lohmann N., and Pöpke O., (2009). Bioaccumulation of polybrominated diphenyl ethers and hexabromocyclododecane in the northwest Atlantic marine food web. *Science of The Total Environment* **407** (10), 3323–3329.
- Siggins GR., Martin G., Roberto M., Nie Z., Madamba S., and De Lecea L., (2003). Glutamatergic Transmission in opiate and alcohol dependence. *Annals of the New York Academy of Sciences* **1003** (2), 196–211.
- Singh SK., Marshall D., and Siragusa L., (2017). How is DNA sequenced? *Food Safety Tech.* <https://foodsafetytech.com/column/food-genomics-dna-sequenced/>
- Siragusa G., and Marshall D., (2016). Introducing a New Column: Food Genomics. *Food Safety Tech.* <https://foodsafetytech.com/column/introducing-new-column-food-genomics/>
- Siragusa G., Marshall D., and Hasan N., (2017). Metagenomes and their utility. *Food Safety Tech.* <https://foodsafetytech.com/column/metagenomes-and-their-utility/>
- Sjödin A., Pöpke O., Focant JF., Jones RS., Pless-Mulloli T., Toms LM., Hermann T., Mueller J., Needham LL., and Patterson DG., (2006). Concentration of polybrominated diphenyl ethers (pbdes) in household dust from various countries – Is dust a major source of human exposure?. *Brominated compounds – Human exposure* **68**, 2181–2185.
- Sjödin A., Pöpke O., McGahee E., Focant JF., Jones RS., Pless-Mulloli T., Toms LM., Herrmann T., Müller J., Needham LL., and Patterson DG., (2008). Concentration of polybrominated diphenyl ethers (PBDEs) in household dust from various countries. *Chemosphere* **73** (1), 131–136.
- Sjödin A., Pöpke O., McGahee III E., Jones RS., Lapeza CR., Focant JF., Pless-Mulloli T., Toms LM., Wang RY., Zhang Y., Needham LL., Herrmann T., Patterson Jr., (2004). Concentration of Polybrominated Diphenyl Ethers (PBDEs) in house hold dust from various countries – Inhalation a potential route of human exposure. *Organohalogen Compounds* **66**, 3817–3822.

Smith S., Schechter A., Pöpke O., Do T., Coulibaly D., and Brandt-Rauf P., (1998). Quantitation of the extracellular domain of the epidermal growth factor receptor in the plasma of dioxin-exposed individuals. *American Journal of Industrial Medicine* **34** (1), 1–5.

Spiteri M., Dublin E., Cotton J., Poirel M., Corman B., Jamin E., Lees M., and Rutledge DN., (2016). Data fusion between high resolution 1H-NMR and mass spectrometry: a synergetic approach to honey botanical origin characterization. *Anal Bioanal Chem* **408** (16), 2.

Spiteri M., Jamin E., Thomas F., Rebours A., Lees M., Rogers KM., and Rutledge DN., (2015). Fast and global authenticity screening of honey using 1H-NMR profiling. *Food Chemistry* **189**, 60–66.

Spiteri M., Rogers KM., Jamin E., Thomas F., Guyader S., Lees M., and Rutledge DN., (2017). Combination of 1H NMR and chemometrics to discriminate Manuka honey from other floral honey types from Oceania. *Food Chemistry* **217**, 766–772.

Stachel B., Christoph E.H., Götz R., Herrmann T., Krüger F., Kühn T., Lay J., Löffler J., Pöpke O., Reincke H., Schröter Hermanni C., Schwartz R., Steeg E., Stehr D., Uhlig S., and Umlauf G., (2006). Contamination of the alluvial plain, feeding – stuffs with polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans (PCDD/Fs), dioxin-like polychlorinated biphenyls (DL-PCBs) and mercury from the River Elbe in the light of the flood event in August 2002. *Science of the Total Environment* **364**, 96–112.

Stachel B., Götz R., Herrmann T., Krüger F., Knoth W., Pöpke O., Rauhut U., Reincke H., Schwartz R., Steeg E., and Uhlig S., (2004). The Elbe flood in August 2002 – occurrence of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans (PCDD/F) and dioxin-like PCB in suspended particulate matter (SPM), sediment and fish. *Water, Science and Technology* **50** (5), 309–316.

Stanimirova I., Daszykowski M., Van Gyseghem E., Bensaid FF., Lees M., Smeyers-Verbeke J., Massart DL., and Vander Heyden Y., (2005). Chemometrical exploration of an isotopic ratio data set of acetylsalicylic acid. *Analytical Chimica Acta* **552** (1–2), 1–12.

Streater S., Schechter A., Harris R., Pöpke O., and Shah N., (2007). Environmental Health Education: A Fort Worth, Texas, Case Study. *Organohalogen Compounds* **69**, 2599–2602.

Strid A., Jörundsdóttir H., Pöpke O., Svavarsson J., and Bergman Å., (2007). Dioxins and PCBs in Greenland shark (*Somniosus microcephalus*) from the North-East Atlantic. *Marine Pollution Bulletin* **54** (9), 1514–1522.

Theisen J., Hamm S., and Maulshagen A., (1997). PCDF/D Contamination of foodstuffs affected by fumes from an accidental fire involving PVC. *Organohalogen Compounds* **32**, 293–298.

Thomas F., and Jamin E., (2009). 2H NMR and 13C-IRMS analyses of acetic acid from vinegar, 18O-IRMS analysis of water in vinegar: International collaborative study report. *Analytical Chimica Acta* **649** (1), 98–105.

Thomas F., Jamin E., and Lees M., (2005). Isotopic analysis of lipids as a mean of authenticating fish products. *Lipid Technology* **17**, 204–208.

Thomas F., Jamin E., Wietzerbin K., Guérin R., Lees M., Morvan E., Billault I., Derrien S., Moreno Rojas JM., Serra F., and Guillou C., (2008). Determination of origin of Atlantic Salmon (*Salmo salar*): The use of multiprobe and multielement isotopic analyses in combination with fatty acid composition to assess wild or farmed origin. *Agricultural and Food Chemistry* **56** (3), 989–997.

Thomas F., Randet C., Gilbert A., Silvestre V., Jamin E., Akoka S., Remaud G., Segebarth N., and Guillou C., (2010). Improved characterization of the botanical origin of sugar by carbon-13 SNIF-nmr applied to ethanol. *The Journal of agriculture and food chemistry* **58**, 11580–11585.

Toms LM., Bartkow ME., Symons R., Pöpke O., and Mueller JF., (2009). Assessment of polybrominated diphenyl ethers (PBDEs) in indoor environments collected in South East Queensland, Australia. *Chemosphere* **76** (2), 173–178.

Toms LM., Harden F., Pöpke O., Hobson P., Jake Ryan J., and Mueller JF., (2008). Higher accumulation of polybrominated diphenyl ethers in infants than in adults. *Environmental Science and Technology* **42** (19), 7510–7515.

Toms LM., Sjodin A., Pöpke O., Harden F., Hobson P., Hearn L., Jones R., Edenfield E., and Mueller JF., (2008). Polybrominated diphenyl ether (PBDE) concentrations decrease with age: analysis of pooled human blood serum in the Australian population. *Organohalogen Compounds* **70**, 446–450.

Triebig G., Werle E., Pöpke O., Heim G., Broding C., and Ludwig H., (1998). Effects of dioxins and furans on liver enzymes, lipid parameters, and thyroid hormones in former thermal metal recycling workers. *Environmental Health Perspectives* **106** (2), 697–700.

Tritscher A., Stadler R., Scanlan F., Collingro C., and Pöpke O., (2003). Determination of polybrominated Diphenylethers in samples of raw cow's milk, fish and eggs. *Organohalogen Compounds* **61**, 131–134.

Tseng CH., Ma K., and Wang N., (2004). Internet-enabled near infrared analysis of oil seeds. *AOCS Press* 166–192.

Tseng CH., and Wang N., (2007). Fast analysis of fats, oils and biodiesel by FT-IR. *Lipid Technology* **19** (2), 39–40.

Valic E., Jahn O., Geusau A., Stingl G., Pöpke O., Winker N., and Wolf C., (1999). TCDD Intoxication of Vienna: Viewpoint of occupational medicine. *Organohalogen Compounds* **44**, 283–284.

Vieth B., Herrmann T., Mielke H., Ostermann B., Pöpke O., and Rüdiger T., (2004). pbde levels in human milk: the situation in Germany and potential influencing factors – A controlled study. *Organohalogen Compounds* **66**, 2643–2648.

Vizard C., Pless-Mulloli T., Air V., Rimmer D., Singleton I., Schilling B., and Pöpke O., (2003). Identifying PCDD/F sources in soil in an industrial, urban setting: toxicity equivalents, congeners patterns and historic land-use. *Organohalogen Compounds* **62**, 456–459.

Volkmer G., Klenk C., and Neugebauer F., (2008). Remediation of PCBs in buildings: Unsatisfying results as an effect of insufficient evaluation and planning. *Organohalogen Compounds* **70**, 1341–1344.

von Manikowsky S., Sagunski H., Pöpke O., Fabig KR., Neus H., Schumann M., Spannake K., Karmaus W., Osius N., and Zier B., (1998). PCDD/PCDF indoor exposure in day-care centers and PCDD/pcdf blood concentrations of female employees. *Environmental Health Perspectives* **106** (2), 707–714.

Wallace D., Schechter A., and Pöpke O., (1998). Dioxins, dibenzofurans, and PCB's in meat containing baby food. *Organohalogen Compounds* **38**, 199–202.

- Wang SL., Su PH., Jong SB., Guo YL., Chou WL., and Pöpke O., (2005). In utero exposure to dioxins and polychlorinated biphenyls and its relations to thyroid function and growth hormone in newborns. *Environ Health Perspect* **113** (11), 1645–1650.
- Weber R., Behnisch PA., Brouwer A., van Bavel B., Lindstroem G., Zennegg M., Schilling B., and Pöpke O., (2006). Contemporary relevance of dioxin and dioxin-like compound contaminations in residues from recycling of HCH waste. *Organohalogen Compounds* **68**, 905–910.
- Weiss J., Pöpke O., and Bergman Å., (2005). A worldwide survey of polychlorinated dibenzo-p-dioxins, dibenzofurans, and related contaminants in butter. *AMBIO: A Journal of the Human Environment* **34** (8), 589–597.
- Weiss J., Pöpke O., and Bergman Å., (2001). PCDDs/PCDFs and related contaminants in butter originating from 39 countries world wide. *Organohalogen Compounds* **51**, 271–274.
- Weiss J., Pöpke O., Greyerz E., Agostoni C., Giovanni M., Besana R., and Zetterström R., (2002). PCDDs/PCDFs and PCBs in mothers milk, originated from Seveso, Milan and a Rural Lombardi Area in Italy. A pilot study. *Organohalogen Compounds* **58**, 329–332.
- Westenbrink S., Brunt K., and van der Kamp JW., (2013). Dietary fibre: Challenges in production and use of food composition data. *Food Chemistry* **140** (3), 562–567.
- Wilken M., Lamparski L., Martin GD., Hescott TL., Mendyk KK., Fishman VN., Luksemburg WJ., Maier M., Hamm S., Sunderhauf W., Van Ryckeghem M., (2005). Interlaboratory comparison: determination of chlorinated dibenzo-p-dioxins and dibenzofurans by methods EN 1948 and EPA 1613b. *Organohalogen Compounds* **67**, 343–346.
- Wilken M., Neugebauer F., Zeschmar-Lahl B., and Jager J., (1990). PCDD/PCDF balance of different municipal waste management methods. I. Municipal waste incinerators (MWI). *Organohalogen Compounds* **4**, 327–330.
- Wilken M., Neugebauer F., Zeschmar-Lahl B., and Jager J., (1990). PCDD/PCDF balance of different municipal waste management methods. III. Composting. *Organohalogen Compounds* **4**, 335–338.
- Wilken M., and Schanne L., (1994). Bromierte Dioxine – Bei Bränden ein höheres Gefährdungspotential als PCDD und PCDF? *Schriftenreihe WAR* **74**, 109–128.
- Wilken W., Neugebauer F., Zeschmar-Lahl B., and Jager J., (1990). PCDD/PCDF balance of different municipal waste management methods. IV. Recycling. *Organohalogen Compounds* **4**, 339–342.
- Wu N., Gao W., Lian Y., Du J., and Tie X., (2017). The transfer of natural Rhodamine B contamination from raw paprika fruit to capsicum oleoresin during the extraction process. *Food Chemistry* **237**, 786–792.
- Wu N., Webster T., Hermann T., Pöpke O., Tickner J., Hale R., Harvey E., Laguardia M., and Jacobo E., (2005). Associations of PBDE levels in breast milk with diet and indoor dust concentrations. *Organohalogen Compounds* **67**, 654–657.
- Yang JH., Schechter A., and Pöpke O., (2002). PCDDs, PCDFs and dioxin-like PCBs in Blood from Korean Veterans who served in Vietnam in the early 1970s. *Organohalogen Compounds* **58**, 321–324.
- Yücel N., Lefering R., Maegele M., Vorweg M., Tjardes T., Ruchholtz S., Neugebauer EA., Wappler F., Bouillon B., and Rixen D., (2006). Trauma Associated Severe Hemorrhage (TASH)-Score:

Probability of mass transfusion as surrogate for life threatening hemorrhage after multiple trauma. *The Journal of Trauma and Acute Care Surgery* **60** (6), 1228–1237.

Zhang BL., Lees M., and Martin GJ., (1995). Stable Isotope Fractionation in Fruit Juice Concentrates: Application to the Authentication of Grape and Orange Products. *J. Agric. Food Chem* **43** (9), 2411–2417.

Ziccardi M., Rogers WJ., Schechter AJ., Pöpke O., and Denison MS., (1997). Direct Detection of Dioxins and Related Chemicals in Small Quantities of Human Serum Using a Recombinant Cell Bioassay. *Organohalogen Compounds* **31**, 215–218.

2 BioPharma Products Testing

Allgeier MC., Piper JL., Hinds J., Yates MH., Kolodsick KJ., Meury R., Shaw B., Kulkarni MR., and Remick DM., (2017). Isolation and physical property optimization of an amorphous drug substance utilizing a high surface area magnesium aluminometasilicate (Neusilin® US2). *Journal of Pharmaceutical Sciences* **105** (10), 3105–3114.

Aragones L., Escude C., Visa P., Salvi L., and Mocé-Llivina L., (2012). New insights for rapid evaluation of bactericidal activity: a semi-automated bioluminescent ATP assay. *Journal of Applied Microbiology* **113** (1), 114–125.

Asher D., Slocum A., Bergmann K., Genest P., Katz A., Morais J., Lawrence C., and Greenhalgh P., (2011). Predicting virus filtration performance with virus spike characterization. *BioProcess International* **9**(3), 26–37.

Ausín C., Kauffman JS., Duff RJ., Shivaprasad S., and Beaucage SL., (2010). Assessment of heat-sensitive thiophosphate protecting groups in the development of thermolytic DNA oligonucleotide prodrugs. *Tetrahedron* **66** (1), 68–79.

Boose JA., (2014). Cell Banking Interview with Dr. Jeri Ann Boose. *American Pharmaceutical Review*.

Bridwell H., Dhingra V., Peckman D., Roark J., and Lehman T., (2010). Perspectives on Method Validation I: Importance of adequate method validation. *The Quality assurance Journal* **13** (3–4), 72–77.

Butler T., Stover J., Shyu J., Hutchinson Dr N., Kapp T., Boose Dr J., Hoy C., Stramaglia M., and Young D., (2014). Biologics production and single-use technologies: challenges, trends and techniques. *American Pharmaceutical Review* **17**, 1.

Carlotti A., (2015). "Under the microscope" Interview. *American Pharmaceutical Review*.

Carrara S., Blakinger A., and Lehman T., (2017). Managing E&L Unknown Compounds. *European Biopharmaceutical Review* 14–15.

Chen Z., Zhang L., Tang A., Callahan C., Pristatsky P., Swoyer R., Cejas P., Nahas D., Galli J., Cosmi S., and DiStefano D., (2016). Discovery and characterization of phage display-derived human monoclonal antibodies against RSV F Glycoprotein. *PLOS One* **11** (6), e0156798.

Cieślak J., Ausín C., Chmielewski MK., Kauffman JS., Snyder J., Del-Grosso A., and Beaucage SL., (2005). ³¹P NMR Study of the desulfurization of oligonucleoside phosphorothioates effected by "aged" trichloroacetic acid solutions. *Journal of Organic Chemistry* **70** (8), 3303–3306.

Cieślak J., Grajkowski A., Kauffman JS., Duff RJ., and Beaucage SL., (2008). The 4-(N-Dichloroacetyl-N-methylamino) benzyloxymethyl Group for 2'-Hydroxyl Protection of Ribonucleosides in the Solid-Phase Synthesis of Oligoribonucleotides. *The Journal of Organic Chemistry* **73** (7), 2774–2783.

Cloud B., (2017). A QUICK Guide to Selecting a CMO. *PDA Letter*, 42–43.

Di Paolo B., (2016). PSS Insourcing Solutions® Managed Services Solves Staffing Challenges for Bio/Pharmaceutical Companies. *Pharmaceutical daily news* 1st Edition, 1 &11.

Di Paolo B., (2015). Q&A: Eurofins Lancaster Labs exec tells how it takes its testing skills on the road. *Lancaster Online*.

DiPaolo B., (2010). Do you have the workload but not the workforce. *Life Science Leader*.

DiPaolo B., (2016). How the biopharmaceutical industry is embracing the insourcing business model. *Product Hub: Eurofins* **21** (5), 59.

DiPaolo B., (2015). Under the Microscope: Eurofins Lancaster Laboratories Professional Scientific Services. *European Pharmaceutical Review*.

Draghi DC., Benton BM., Jones ME., Krause KM., Thornsberry C., Sahm DF., (2006). In vitro activity of telavancin against enterococci: results of the 2004–2005 US surveillance initiative. In *46th interscience conference on antimicrobial agents and chemotherapy (ICAAC)*. E paper in biotech.com, #E-0717.

Ducker C., Kauffman JS., Wang W., Bergmann K., Boose JA., and DiPaolo B., (2014). Outsourcing & Insourcing: Considerations for Biopharmaceutical Testing. *An American Pharmaceutical Review Supplement*.

Duff R., and Snyder J., (2013). Investigation of light isomerization of tropolone using liquid chromatography and orbitrap mass spectrometry. *BioProcessing Journal* **1**, 10–19.

Duff RJ., (2011). Key Aspects of Enzyme Activity and Steady-State Kinetics. *BioProcess International*.

Emig T., and Schumacher D., (2008). Clearing the air on residual solvents. *Pharmaceutical Technology*.

Evans HL., Atkins WB., and Clow HM., (2009). How to improve cleaning processes. Some key methods for a more efficient cleaning validation process. *Pharmaceutical Formulation Quality*.

Grajkowski A., Ausín C., Kauffman JS., Snyder J., Hess S., and Beaucage SL., (2007). DNA Oligonucleotides Functionalized with Thermolytic 4-Hydroxy-1-butyl or 4-Phosphato/thiophosphato-1-butyl thiophosphate Protecting Groups as Potential Prodrugs. *Journal of Organic Chemistry*.

Grajkowski A., Cieslak J., Kauffman JS., Duff RJ., Norris S., Freedberg DI., and Beaucage SL., (2008). Thermolytic release of covalently linked DNA oligonucleotides and their conjugates from controlled-pore glass at near neutral pH. *Bioconjugate Chemistry* **19** (8), 1696–1706.

Griffin DK., Fishel S., Gordon T., Yaron Y., Grifo J., Hourvitz A., Rechitsky S., Elson J., Blazek J., Fiorentino F., and Treff N., (2017). Continuing to deliver: the evidence base for pre-implantation genetic screening. *The BMJ* **356**, j752.

John RF., and Lakos LS., (2016). The role of liquid chromatography–mass spectrometry in the characterization of therapeutic monoclonal antibodies. *Spectroscopy* **14** (2), 42–52.

Kaiser MW., (2013). Roundtable: 15 Years in Pharmaceutical Microbiology. *American Pharmaceutical Review*.

Kauffman JS., (2010). Analytical strategies for monitoring residual impurities – Best methods to monitor product-related impurities throughout the production process. *Biopharm International*.

Kauffman JS., (2007). Analytical testing to support biopharmaceutical products. *The BioPharm International Guide*.

Kauffman JS., (2017). Complex Characters. *European Biopharmaceutical Review* 74–79.

Kauffman JS., (2009). Contract Consulting & Pharmaceutical Services. *BioPharm International*.

Kauffman JS., (2006). Identification and risk-assessment of extractables and leachables. *Pharmaceutical Technology Primer*.

Kauffman JS., (2012). Meeting challenges in contract R&D. *BioPharm International*.

Kauffman JS., (2007). Solid-Phase Synthesis of Thermolytic DNA Oligonucleotides Functionalized with a Single 4-Hydroxy-1-butyl or 4-Phosphato-/Thiophosphato-1-butyl Thiophosphate Protectin Group. *The Journal of Organic Chemistry* **72** (3), 805–815.

Kauffman JS., (2006). Validating On-line TOC Analyzers for Real-Time Release. *Pharmaceutical Manufacturing*.

Kauffman JS., and Dybowski C., (1989). Determination of transition temperatures and crystalline content of linear, high-molecular-weight polyethylene by proton NMR spectroscopy. *Polymer Physics* **27** (11), 2203–2209.

Kauffman JS., Wang W., and Girard F., (2016). Winning the race on biosimilars. *European Biopharmaceutical Review*, 54–57.

Kolodziejewski MJ., and Kauffman JS., (2007). Assessment of 4-Nitrogenated Benzyloxymethyl Groups for 2'-Hydroxyl Protection in Solid-Phase RNA Synthesis. *Organic Letters – American Chemical Society* **9** (4), 671–674.

Lebrillant E., Roulet MJ., Robert R., Schiavi P., Guez D., and Jean T., (1993). Study of antiatherogenic properties of indapamide in a pharmacologic model. *Journal of Cardiovascular Pharmacology* **22** (6), 53–60.

Lehman T., (2015). Special considerations for extractables and leachables testing in biological products. *Pharmaceutical Technology*.

Lehman TC., Bridwell HK., and Roark JM., (2011). Perspectives on Method Validation II: Validation is a multistep process with USP regulatory guidelines at each step. *The Quality assurance Journal* **14** (1–2), 27–32.

McDowell M., (2014). Analytical testing of biologics & biosimilars. *Drug Development & Delivery*.

McDowell M., (2011). Is there a trend towards specialization or diversification among contract service providers? Are sponsors looking for a "one-stop shop" for all their needs? *Pharmaceutical Processing*.

McDowell M., (2014). Strategically engaging clients to meet their unique outsourcing and insourcing needs. *Pharmaceutical Technology*.

McDowell M., (2011). Why should a company outsource its research and development? *Pharmaceutical Processing*.

Meury R., (2016). Isolation and physical property optimization of an amorphous drug substance utilizing a high surface area magnesium aluminometasilicate (Neusilin® US2). *Journal of Pharmaceutical Sciences* **105** (10), 3105–3114.

Mogilyanskiy L., Beyer H., and Wang W., (2015). Mastering cell bank production. *Cell Culture Performance* **1**, 20.

Oostdyk T., (2009). CRO Roundtable – The future of the CRO-pharma relationship. *Life Science Leader*.

Oostdyk T., (2007). Outsourcing Analytical Testing. *Contract Pharma*.

Oostdyk T., (2014). Product Hub: Eurofins BioPharma Product Testing. *European Pharmaceutical Review*.

Oostdyk T., (2016). Under the Microscope: An Interview with Dr. Timothy S. Oostdyk. *European Pharmaceutical Review*.

Pezzica A., and Cloud B., (2016). Quality metrics and best practices for working with contract labs. *Pharmaceutical Technology*.

Poth A., (2016). Considerations for globalizing combination products. *American Pharmaceutical Review*.

Risley DS., Chaddha R., and Mitchell D., (2016). The Retention, Direct Detection and Quantitation of Palladium (II) Using High Performance Liquid Chromatography and Evaporative Light Scattering Detection. *Journal of Liquid Chromatography & Related Technologies* (12), 4141–4151.

Roark JM., Jacques MN., Tullo EJ., Blakinger AT., and Lehman TC., (2013). Alternative Solvents for Extractables and Leachables Evaluation. *Pharmaceutical Technology* **37** (8), 51–53.

Sasaki K., Bohnenberger S., Hayashi K., Kunkelmann T., Muramatsu D., Poth A., Sakai A., Salovaara S., Tanaka N., Thomas BC., and Umeda M., (2012). Photo catalogue for the classification of foci in the BALB/c 3T3 cell transformation assay. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis* **744** (1), 42–53.

Scotti S., Carrara S., and Rozio MG., (2015). Compound X: Identification of extractables compounds. *European Biopharmaceutical Review*.

Smith S., and Oostdyk T., (2008). Navigating the complexities of biologic. *Good Clinical Practice Journal*.

Sprung R., Davis ME., Kauffman JS., and Dybowski C., (1990). Pillaring of magadiite with silicate species. *Industrial and Engineering Chemistry Research* **29** (2), 213–220.

Stoltzfus S., (2015). An Interview With. Stephen Stoltzfus, M.S., Principal scientist group leader, viral safety and clearance services. *American Pharmaceutical Review*.

Thakral NK., Behme RJ., Aburub A., Peterson JA., Woods TA., Diserod BA., Suryanarayanan R., and Stephenson GA., (2016). Salt disproportionation in the solid state role of solubility and counterion volatility. *Molecular Pharmaceutics* **13** (12), 4141–4151.

Tsiao CJ., Kauffman JS., Corbin DR., Abrams L., Carroll Jr EE., and Dybowski C., (1991). Xenon in zeolite Rho. Adsorption and xenon-129 NMR spectroscopy. *The Journal of Physical Chemistry* **95** (14), 5586–5591.

Wang D., Wynne C., Gu F., Becker C., Zhao J., Mueller HM., Li H., Shameem M., and Liu YH., (2014). Characterization of drug-product-related impurities and variants of a therapeutic monoclonal antibody by higher energy C trap dissociation mass spectrometry. *Analytical Chemistry* **87** (2), 914–921.

Wang W., (2014). Cell based potency assays: from science to quality control. *European Biopharmaceutical Review*.

Yunginger M., (2009). A look at the newly harmonized microbial limits methods and future impact on the industry. *Contract Pharma*.

Zhu J., Kilty I., Granger H., Gamble E., Qiu YS., Hattotuwa K., Elston W., Liu WL., Oliva A., Pauwels RA., and Kips JC., (2016). Gene expression and immunolocalization of 15-lipoxygenase isozymes in the airway mucosa of smokers with chronic bronchitis. *American Journal of Respiratory Cell and Molecular Biology* **27** (6), 3105–3114.

3 Pharma Central Laboratory

Jones ME., (2007). In-vitro profile of a new β -lactam, ceftobiprole, with activity against methicillin-resistant *Staphylococcus aureus*. *Clinical Microbiology and Infection* **13** (s2), 17–24.

Park CH., Robicsek A., Jacoby GA., Sahm D., and Hooper DC., (2006). Prevalence in the United States of *aac* (6')-Ib-cr encoding a ciprofloxacin-modifying enzyme. *Antimicrobial Agents and Chemotherapy* **50** (11), 3953–3955.

Pillar CM., Aranza MK., Shah D., and Sahm DF., (2008). *In vitro* activity profile of ceftobiprole, an anti-MRSA cephalosporin, against recent Gram-positive and Gram-negative isolates of European origin. *Journal of Antimicrobial Chemotherapy* **61** (3), 595–602.

4 Pharma Discovery Services and Bioanalytical Service

Abrams MA., Rowald E., Kuo MJ., and Krivi G., (1981). A solid-phase radioimmunoassay for the detection of bovine growth hormone. Monsanto Technical Report, MSL-2475.

Adams P., Clark J., Hawdon S., Hill J., and Plater A., (2017). An HTRF® Assay for the Protein Kinase ATM. *Methods in Molecular Biology* **1599**, 43–56.

Alajarín M., Cabrera J., Pastor A., and Villalgorido JM., (2007). A new modular and flexible approach to [1,2,3]triazolo[1,5-a][1,4]benzodiazepines. *Tetrahedron Letters* **48** (20), 3495–3499.

Armstrong D., Migeon J., Rolf M., Bowes J., Crawford M., and Valentin JP., (2010). Secondary Pharmacodynamic Studies and In Vitro Pharmacological Profiling. *Pharmaceutical Sciences Encyclopedia*.

- Balavoine F., Malabre P., Alleaume T., Rey A., Cherfils V., Jeanneton O., Seigneurin-Venin S., and Revah F., (2007). Design and synthesis of novel hydantoin-containing melanin-concentrating hormone receptor antagonists. *Bioorganic & Medicinal Chemistry Letters* **17** (13), 3754–3759.
- Ball A., Anderl J., Thompson L., Benjamin C., Bode J., Armbruster B., Hess S., Till J., and Patel U., (2010). Pharmacological Profiling in Human Embryonic Progenitor Cells using High Content Analysis. Merck Millipore Tech Expo.
- Benjamin C., Mcclanahan A., Ball A., Patel U., Till J., and Hess S., (2010). Using a Panel of Functional Assays to Rank Order Model Hepatocytes for the Stem Cell Initiative. Merck Millipore Tech Expo.
- Bode J., Byrne E., Nauman SP., Cavedine L., Foehrkolb K., Moore C., Armstrong L., and Armbruster BN., (2009). Exploring Allosteric Compound Selectivity Through AllostericProfiler™ Assays. SBS Conference.
- Brun E., Safer A., Carreaux F., Bourahla K., L'Helgoua'Ch JM., Bazureau JP., and Villalgordo JM., (2015). Microwave-assisted condensation reactions of acetophenone derivatives and activated methylene compounds with aldehydes catalyzed by boric acid under solvent-free conditions. *Molecules* **20** (6), 11617–11631.
- Brunt K., Sanders P., Ernste-Nota V., Postma R., Visser K., and Soest JV., (2017). Protocol for the determination of mono and disaccharides by International Dairy Federation (IDF) and Internal Organization for Standardization (ISO). *Journal of the AOAC International*.
- Byrne E., Cavedine L., Italiano K., Stumler J., Nauman S., Chen Y., Renganathan M., Cook A., and Bode J., (2010). Cryopreserved Ready-to-Assay™ Cells – A Workflow Solution for Cell-Based Assays. Merck Millipore Tech Expo.
- Cabarrocas G., Rafel S., Ventura M., and Villalgordo J., (2000). A new approach toward the stereoselective synthesis of novel quinolyl glycines: Synthesis of the enantiomerically pure quinolyl- β -amino alcohol precursors. *Synlett* **2000** (5), 0595–0598.
- Cabarrocas G., Ventura M., Maestro M., Mahía J., and Villalgordo JM., (2000). Reaction between hydrazines and chiral α -acetylenic ketones: synthesis of novel enantiomerically pure pyrazolyl- β -amino alcohols. *Tetrahedron: Asymmetry* **11** (12), 2483–2493.
- Cabarrocas G., Ventura M., Maestro M., Mahía J., and Villalgordo JM., (2001). Synthesis of novel optically pure quinolyl- β -amino alcohol derivatives from 2-amino thiophenol and chiral α -acetylenic ketones and their IBX-mediated oxidative cleavage to N-Boc quinolyl carboxamides. *Tetrahedron: Asymmetry* **12** (13), 1851–1863.
- Cao X., Loussaert JA., and Wen ZQ., (2016). Microspectroscopic investigation of the membrane clogging during the sterile filtration of the growth media for mammalian cell culture. *Journal of Pharmaceutical and Biomedical Analysis* **119**, 10–15.
- Cao X., Zhou D., Loussaert JA., Meriage DS., Levine J., Gabrielson JP., and Wen ZQ., (2016). Rapid Identification and Characterization of Formulated Protein Products by Raman Spectroscopy Coupled with Discriminant Analysis. *PDA Journal of Pharmaceutical Science and Technology* **70**, 62–75.
- Chucholowski A., Masquelin T., Obrecht D., Stadlwieser J., and Villaigordo JM., (1996). Novel solution- and solid-phase strategies for the parallel and combinatorial synthesis of low-molecular-weight compound libraries. *CHIMIA International Journal for Chemistry* **50** (11), 525–530.

- Diaz D., Scott A., Carmichael P., Shi W., and Costales C., (2007). Evaluation of an automated in vitro micronucleus assay in CHO-K1 cells. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis* **630** (1–2), 1–13.
- Digby G.J., Noetzel M.J., Bubser M., Utley T.J., Walker A.G., Byun N.E., Lebois E.P., Xiang Z., Sheffler D.J., Cho H.P., and Davis A.A., (2012). Novel allosteric agonists of M1 muscarinic acetylcholine receptors induce brain region-specific responses that correspond with behavioral effects in animal models. *Journal of Neuroscience* **32** (25), 8532–8544.
- Entzeroth M., Chapelain B., Guilbert J., and Hamon V., (2000). High throughput drug profiling. *J Autom Methods Manag Chem.* **5** (4), 69–71.
- Fliedner A., Lohmann N., Rüdell H., Teubner D., Wellmütz J., and Koschorreck J., (2016). Current levels and trends of selected EU Water Framework Directive priority substances in freshwater fish from the German environmental specimen bank. *Environmental Pollution* **216**, 866–876.
- Fliri A.F., Loging W.T., Thadeio P.F., and Volkmann R.A., (2005). Analysis of drug-induced effect patterns to link structure and side effects of medicines. *Nature Chemical Biology* **1** (7), 389.
- Font D., Heras M., and Villalgordo J.M., (2008). Synthesis of pyrimidinyl arylglycines through subsequent Mitsunobu and Petasis reactions. *Tetrahedron* **64** (22), 5226–5235.
- Font D., Heras M., and Villalgordo J.M., (2002). Development of an efficient and straightforward methodology toward the synthesis of molecularly diverse 2,6-disubstituted 3,4-dihydropyrimidin-4(3H)-ones. *Synthesis* **2002** (13), 1833–1842.
- Font D., Heras M., and Villalgordo J.M., (2003). Solution- and Solid-Phase Parallel Synthesis of 4-Alkoxy-Substituted Pyrimidines with High Molecular Diversity. *J. Comb. Chem* **5** (3), 311–321.
- Font D., Linden A., Heras M., and Villalgordo J.M., (2006). A simple approach for the regioselective synthesis of imidazo[1,2-a]pyrimidinones and pyrimido[1,2-a]pyrimidinones. *Tetrahedron* **62** (7), 1433–1443.
- Fontrodona X., Diaz S., Linden A., and Villalgordo J.M., (2001). Copper(I) bromide-mediated synthesis of novel 2-arylthiazole-5-carboxylates from α -diazo- β -keto esters and aromatic thioamides. *Synthesis* **2001** (13), 2021–2027.
- Froloff N., (2005). Probing drug action using in vitro pharmacological profiles. *Trends in Biotechnology* **23** (10), 488–490.
- Froloff N., Hamon V., Dupuis P., Otto-Bruc A., Mao B., Merrick S., Migeon J., (2006). Construction of a homogeneous and informative in vitro profiling database for anticipating the clinical effects of drugs. Chemogenomics: Knowledge-based approaches to drug discovery, Imperial College Press: London.
- Froloff N., Hamon V., Dupuis P., Otto-Bruc A., Mao B., Merrick S., Migeon J., (2016). Comprehensive in vitro proarrhythmic evaluation of cardiomyocytes using a multi-electrode array. *Journal of Pharmacological and Toxicological Methods* **81**, 346–347.
- Galizzi J.P., Bodinier M.C., Chapelain B., Ly S.M., Coussy L., Giraud S., Neliat G., and Jean T., (1994). Up-regulation of [3H]-des-Arg10-kallidin binding to the bradykinin B1 receptor by interleukin-1 beta in isolated smooth muscle cells: correlation with B1 agonist-induced PGI2 production. *British Journal of Pharmacology* **113** (2), 389–394.
- Garside H., Marcoe K.F., Chesnut-Speelman J., Foster A.J., Muthas D., Kenna J.G., Warrior U., Bowes J., and Baumgartner J., (2014). Evaluation of the use of imaging parameters for the detection

of compound-induced hepatotoxicity in 384-well cultures of HepG2 cells and cryopreserved Primary human hepatocytes. *Toxicology in Vitro* **28** (2), 171–181.

Glass M., (2012). Sourcing the Right Solution. *Irish Pharma Chem.*
https://d1jj3zdokt13jd.cloudfront.net/eurofins-us/media/447616/irish_pharm_chem_5-12.pdf.

Gozalbes R., Barbosa F., Froloff N., and Horvath D., (2006). The BioPrint® approach for the evaluation of ADMET properties: application to the prediction of cytochrome P450 2D6 inhibition. *Pharmacokinetic Profiling in Drug Research: Biological, Physicochemical, and Computational Strategies*. 395–415.

Gozalbes R., Simon L., Froloff N., Sartori E., Monteils C., and Baudelle R., (2008). Development and experimental validation of a docking strategy for the generation of kinase-targeted libraries. *J. Med. Chem.* **51** (11), 3124–3132.

Green CL., Stewart JJ., Högerkorp CM., Lackey A., Jones N., Liang M., Xu Y., Ferbas J., Moulard M., Czechowska K., and Mc Closkey TW., (2016). Recommendations for the development and validation of flow cytometry-based receptor occupancy assays. *Cytometry Part B (Clinical Cytometry)* **90** B (2), 141–149.

Hamon V., Crawford M., and Jean T., (2006). Pharmacological and pharmaceutical profiling: new trends. In *The Process of New Drug Discovery and Development*. (ed. Charles G. Smith & James T.) Taylor & Francis, Boca Raton.

Henrion S., Carboni B., Cossio FP., Roisnel T., Villalgordo JM., and Carreaux F., (2016). Stereospecific Synthesis of α -Amino Allylsilane Derivatives through a [3,3]-Allyl Cyanate Rearrangement. Mild Formation of Functionalized Disiloxanes. *The Journal of Organic Chemistry* **81** (11), 4633–4644.

Heras M., Font D., Linden A., and Villalgordo JM., (2017). The Allyl Cyanate/Isocyanate Rearrangement: An Efficient Tool for the Stereocontrolled Formation of Allylic C-N Bonds. *European Journal of Organic Chemistry* **2017** (10), 1295–1307.

Heras M., Ventura M., Linden A., and Villalgordo J., (1999). A new class of fused imidazoles by intramolecular nucleophilic ipso-substitution in 2-(alkylsulfonyl)imidazoles. Synthesis of 2,3-dihydroimidazo[2,1-b][1,3]oxazoles. *Synthesis* **1999** (9), 1613–1624.

Heras M., Ventura M., Linden A., Villalgordo JM., (2001). Reaction of α -iminomethylene amino esters with mono- and bidentate nucleophiles: a straightforward route to 2-amino-1H-5-imidazolones. *Tetrahedron* **57** (20), 4371–4388.

Heras M, Font D, Linden A, and Villalgordo JM., (2003). Synthesis of triazolo[1,5-a]triazin-7-one derivatives and highly functionalized [1,2,4]triazoles. *Helvetica Chimica Acta* **86** (9), 3204–3214.

Horvath D., (2006). Recursive Partitioning analysis of mu-opiate receptor high throughput screening results. *SAR QSAR Environ Res* **12** (1–2), 181–212.

Horvath D., (1997). A virtual screening approach applied to the search for trypanothione reductase inhibitors. *Journal of Medicinal Chemistry* **40** (15), 2412–2423.

Horvath D., and Jeandenans C., (2003). Neighborhood behavior of in silico structural spaces with respect to in vitro activity spaces – A benchmark for neighborhood behavior assessment of different in silico similarity metrics. *Journal of Chemical Information and Modelling* **43** (2), 691–698.

Horvath D., and Jeandenans C., (2003). Neighborhood Behavior of in Silico Structural Spaces with Respect to in Vitro Activity Spaces—A Novel Understanding of the Molecular Similarity Principle in the Context of Multiple Receptor Binding Profiles. *Journal of Chemical Information and Modelling* **43** (2), 680–690.

Italiano K., Stumler J., Cavedine L., Armbruster B., and Bode J., (2010). Selectivity of GPCR Allosteric Modulators – Are they superior to their orthosteric counterparts? *Merck Millipore Tech Expo*.

Johns M., Werth D., Kamerud J., Baganoff M., Snow M., Brooks C., Zabrecky J., Bowsher R., and Sailstad J., (2015). Recommendations for Demonstrating Equivalency of Ready to Assay Cells in Neutralizing Antibody (NAb) Methods Post-Validation. *American Association of Pharmaceutical Scientist Conference*.

Jones CK., Bubser M., Thompson AD., Dickerson JW., Turle-Lorenzo N., Amalric M., Blobaum AL., Bridges TM., Morrison RD., Jadhav S., and Engers DW., (2012). The metabotropic glutamate receptor 4-positive allosteric modulator VU0364770 produces efficacy alone and in combination with L-DOPA or an adenosine 2A antagonist in preclinical rodent models of Parkinson's disease. *Journal of Pharmacology and Experimental Therapeutics* **340** (2), 404–421.

Kelley M., Ahene AB., Gorovits B., Kamerud J., King LE., McIntosh T., and Yang J., (2013). Theoretical Considerations and Practical Approaches to Address the Effect of Anti-drug Antibody (ADA) on Quantification of Biotherapeutics in Circulation. *The AAPS Journal* **15** (3), 646–658.

Kesters D., Thompson AJ., Brams M., Van Elk R., Spurny R., Geitmann M., Villalgordo JM., Guskov A., Danielson UH., Lummis SC., and Smit AB., (2013). Structural basis of ligand recognition in 5-HT₃ receptors. *Scientific Report* **14**, 49–56.

Ko CC., Chen YJ., Chen CT., Liu YC., Cheng FC., Hsu KC., and Chow LP., (2014). Chemical proteomics identifies hnRNP A1 as the molecular target of Quercetin in its anti-cancer effects in PC-3 cells. *Journal of Biological Chemistry* **289**, 22078–22089.

Krejsa CM., Horvath D., Rogalski SL., Penzotti JE., Mao B., Barbosa F., and Migeon JC., (2003). Predicting ADME properties and side effects: the BioPrint approach. *Curr Opin Drug Discov Devel.* **6** (4), 470–480.

Kuo MJ., Abrams MA., (1982). Stability of Growth Hormone Gene – carrying plasmid in *Escherichia coli* cells grown in the Absence of Antibiotics. *Monsanto Technical Report*.

Liu S., Babcock MS., Bode J., Chang JS., Fischer HD., Garlick RL., Gill GS., Lund ET., Margolis BJ., Mathews WR., and Rogers BN., (2011). Affinity purification of a chimeric nicotinic acetylcholine receptor in the agonist and antagonist bound states. *Protein Expression and Purification* **79** (1), 102–110.

Mahe L., Chapelain B., Gargouil YM., and Neliat G., (1991). Characterization of beta-adrenoceptor subtypes and indications for two cell populations in isolated bovine mesenteric lymphatic vessels. *European Journal of Pharmacology* **199** (1), 19–25.

Mao B., Gozalbes R., Barbosa F., Migeon J., Merrick S., Kamm K., Wong E., Costales C., Shi W., Wu C., and Froloff N., (2006). QSAR modeling of in vitro inhibition of cytochrome P450 3A4. *J. Chem. Inf. Model* **46** (5), 2125–2134.

Mason JS., Migeon J., Dupuis P., and Otto-Bruc A., (2008). Use of Broad Biological Profiling as a Relevant Descriptor to Describe and Differentiate Compounds: Structure-In vitro (Pharmacology-

ADME)-In Vivo (Safety) Relationships. *Antitargets: Prediction and Prevention of Drug Side Effects* 23–52.

Migeon J., (2012). Prediction of Side Effects Based on Fingerprint Profiling and Data Mining. *Polypharmacology in Drug Discovery* **15**, 111–132.

Molina P., Arques A., De los Desamparados Velasco M., and Villalgordo JM., (1987). Fused thiazoles from 3-aminothiazoline-2-thiones. Synthesis of pyrazolo[5,1-b]thiazole and thiazolo[2,3-b]-1,3,4-thiadiazine derivatives. *Heterocycles* **26** (5), 1323–1332.

Molina P., Arques A., Velasco MD., Villalgordo JM., (1988). Fused thiazoles from 3-amino-2-thioxo-2,3-dihydrothiazoles. Synthesis of mesoionic thiazolo[2,3-b]-1,3,4-thiadiazoles and 2,3-dihydro-4H-thiazolo[2,3-b][1,3,4]thiadiazin-5-ium derivatives. *Synthesis* **1988** (9), 729–733.

Moreno P., Heras M., Maestro M., and Villalgordo JM., (2002). Synthesis of novel 2,3-dihydroimidazo[2,1-b][1,3]oxazoles through intramolecular nucleophilic ipso-substitution in 2-alkylsulfonylimidazoles. *Synthesis* **18**, 2691–2700.

Neliat G., Bodinier MC., Panconi E., Briley M., (1996). Lack of effect of repeated administration of milnacipran, a double noradrenaline and serotonin reuptake inhibitor, on the beta-adrenoceptor-linked adenylate cyclase system in the rat cerebral cortex. *Neuropharmacology* **35** (5), 589–593.

O'brien PJ., Irwin W., Diaz D., Howard-Cofield E., Krejsa CM., Slaughter MR., Gao B., Kaludercic N., Angeline A., Bernardi P., and Brain P., (2006). High concordance of drug-induced human hepatotoxicity with in vitro cytotoxicity measured in a novel cell-based model using high content screening. *Archives of Toxicology* **80** (9), 580–604.

Obrecht D., Abrecht C., Grieder A., and Villalgordo JM., (1997). A novel and efficient approach for the combinatorial synthesis of structurally diverse pyrimidines on solid support. *Helvetica Chimica Acta* **80** (1), 65–72.

Obrecht D., and Villalgordo JM., (1998). Solid-Supported Combinatorial and Parallel Synthesis of Small-Molecular-Weight Compound Libraries. Pergamon Publications, 338 pages.

Pagliaro L., (1999). Mechanisms for cytoplasmic organization: an overview. *International Review of Cytology* **192**, 303–318.

Palomo C., Berrée F., Linden A., and Villalgordo JM., (1994). *Exo,exo*-2-Amino-3-borneol-derived oxazolidinone as a new chiral auxiliary for use in asymmetric transformations. *Journal of the Chemical Society, Chemical Communications* (16), 1861–1862.

Pan SL., Guh JH., Peng CY., Wang SW., Chang YL., Cheng FC., Chang JH., Kuo SC., Lee FY., and Teng CM., (2017). YC-1 [3-(5'-hydroxymethyl-2'-furyl)-1-benzyl indazole] inhibits endothelial cell functions induced by angiogenic factors in vitro and angiogenesis in vivo models. *Journal of Pharmacology and Experimental Therapeutics* **362** (2), 35–42.

Patsch W., Pflugar B., Abrams MA., and Schonfeld G., (1980). Use of Antibody Specificity to Distinguish Functional Domains of Apolipoprotein B. *Journal of Biological Chemistry*

Peters JU., Hert J., Bissantz C., Hillebrecht A., Gerebtzoff G., Bendels S., Tillier F., Migeon J., Fischer H., Guba W., and Kansy M., (2012). Can we discover pharmacological promiscuity early in the drug discovery process?. *Drug Discovery Today* **17** (7–8), 325–335.

Pop IE., Déprez BP., and Tartar AL., (1997). Versatile Acylation of N-Nucleophiles Using a New Polymer-Supported 1-Hydroxybenzotriazole Derivative. *J. Org. Chem.* **62** (8), 2594–2603.

Potin D., Launay M., Monatlik F., Malabre P., Fabreguettes M., Fouquet A., Maillet M., Nicolai E., Dorgeret L., Chevallier F., and Besse D., (2006). Discovery and development of 5-[(5S,9R)-9-(4-cyanophenyl)-3-(3,5-dichlorophenyl)-1-methyl-2,4-dioxo-1,3,7-triazaspiro[4.4]non-7-yl-methyl]-3-thiophenecarboxylic acid (BMS-587101)--a small molecule antagonist of leukocyte function associated antigen-1. *Journal of Medical chemistry* **49** (24), 6946–6949.

Potin D., Launay M., Nicolai E., Fabreguette M., Malabre P., Caussade F., Besse D., Skala S., Stetsko DK., Todderud G., and Beno BR., (2005). De novo design, synthesis, and in vitro activity of LFA-1 antagonists based on a bicyclic[5.5]hydantoin scaffold. *Bioorganic & Medicinal Chemistry Letters* **15** (4), 1161–1164.

Poulain R., Horvath D., Bonnet B., Eckhoff C., Chapelain B., Bodinier MC., and Déprez B., (2001). From hit to lead. Analyzing structure-profile relationships. *J. Med. Chem.* **44** (21), 3391–3401.

Poulain R., Horvath D., Bonnet B., Eckhoff C., Chapelain B., Bodinier MC., and Déprez B., (2001). From hit to lead. Combining two complementary methods for focused library design. Application to mu opiate ligands. *J. Med. Chem.* **44** (21), 3378–3390.

Rao S., Prestidge C.A., Miesel L., Sweeney D., Shinabarger D.L., and Boulos., (2016). Preclinical development of Ramizol, an antibiotic belonging to a new class, for the treatment of *Clostridium difficile* colitis. *The Journal of Antibiotics* **69** (12), 879–884.

Renganathan M., Wei H., and Zhao Y., (2013). Analytical issues associated with analysis of contaminants as groups. In *Assuring the Purity of Drinking Water* (ed. C. Patterson).

Renganathan M., Wei H., and Zhao Y., (2016). Cardiac Action Potential Measurement in Human Embryonic Stem Cell Cardiomyocytes for Cardiac Safety Studies Using Manual Patch-Clamp Electrophysiology. *Stem Cell-Derived Models in Toxicology* 37–56.

Robert R., Chapelain B., Jean T., and Néliat G., (1992). Interleukin-1 impairs both vascular contraction and relaxation in rabbit isolated aorta. *Biochemical and Biophysical Research Communications* **182** (2), 733–739.

Serrat X., Cabarrocas G., Rafel S., Ventura M., Linden A., and Villalgorido JM., (1999). A highly efficient and straightforward stereoselective synthesis of novel chiral α -acetylenic ketones. *Tetrahedron: Asymmetry* **10** (17), 3417–3430.

Stewart JJ., Green CL., Jones N., Liang M., Xu Y., Wilkins DE., Moulard M., Czechowska K., Lanham D., McCloskey TW., and Ferbas J., (2016). Role of receptor occupancy assays by flow cytometry in drug development. *Cytometry Part B (Clinical Cytometry)* **90** (2), 110–116.

Stewart JJ., Green CL., Jones N., Meina L., Xu Y., White WI., Litwin V., Wilkins DE., Moulard M., and Czechowska K., (2016). Overview of flow cytometry receptor occupancy assays and their utility in drug development. Special issue: receptor occupancy by flow cytometry, *Cytometry Part B (Clinical Cytometry)* **90**, 110.

Thomas F., Jamin E., and Hammond D., (2013). 18O Internal Referencing Method to Detect Water Addition in Wines and Fruit Juices: Interlaboratory Study. *Journal of AOA C International* **96** (3), 615–624.

Titus SA., Beacham D., Shahane SA., Southall N., Xia M., Huang R., Hooten E., Zhao Y., Shou L., Austin CP., Zheng W., (2009). A new homogeneous high-throughput screening assay for profiling compound activity on the human ether-a-go-go-related gene channel. *Analytical Biochemistry* **394** (1), 30–38.

- Ulens C., Spurny R., Thompson AJ., Alqazzaz M., Debaveye S., Han L., Price K., Villalgordo JM., Tresadern G., Lynch JW., and Lummis SC., (2014). The Prokaryote ligand-gated ion channel ELIC captured in a pore blocker-bound conformation by the Alzheimer's disease drug memantine. *Structure* **22** (10), 1373–1374.
- Villalgordo J., Obrecht D., and Chucholowsky A., (1998). Solid-Phase Synthesis of 3H-Quinazolin-4-ones Based on an Aza Wittig-Mediated annulation Strategy. *Synlett* **1998** (12), 1405–1407.
- Villalgordo JM., (1997). Combinatorial organic Synthesis and the lead discovery process. *Methods and Findings in Experimental and Clinical Pharmacology* **19** (Suppl A), 37–41.
- Villalgordo JM., (2011). Solid-Phase and Combinatorial Chemistry in the heterocyclic field. *Modern Heterocyclic Chemistry* **10**, 2321–2379.
- Villalgordo JM., Enderli A., Linden A., and Heimgartner H., (1995). Diazo-transfer reaction with diphenyl phosphorazidate. *Helvetica Chimica Acta* **78** (8), 1983–1998.
- Villalgordo JM., and Heimgartner H., (1992). Reaction of diphenyl phosphorochloridate with amide enolates: a new and convenient synthesis of 2-monosubstituted 3-(N-methyl-N-phenylamino)-2H-azirines. *Helvetica Chimica Acta* **75** (6), 1866–1871.
- Villalgordo JM., and Heimgartner H., (1993). A novel synthesis of 2,2-disubstituted 3-amino-2H-azirines based on the reaction between amide enolates and diphenyl phosphorochloridate. *Helvetica Chimica Acta* **76** (8), 2830–2837.
- Villalgordo JM., and Heimgartner H., (1993). Synthesis of a novel heterospirocyclic 3-(N-methyl-N-phenylamino)-2H-azirine and its use as an amino acid equivalent in the preparation of a model tripeptide. *Tetrahedron* **49** (33), 7215–7222.
- Villalgordo JM., and Heimgartner H., (1997). Synthesis of cyclic depsipeptides and peptides via direct amide cyclization. *Helvetica Chimica Acta* **80** (3), 748–766.
- Villalgordo JM., Linden A., and Heimgartner H., (1992). Reactions of 2-monosubstituted 3-amino-2H-azirines with NH-acidic heterocycles. *Helvetica Chimica Acta* **75** (7), 2270–2282.
- Villalgordo JM., Linden A., and Heimgartner H., (1996). A novel amination reaction with diphenyl phosphorazidate: Synthesis of α -amino-acid derivative. *Helvetica Chimica Acta* **79** (1), 213–219.
- Villalgordo JM., Vincent BR., and Heimgartner H., (1990). Reaction of 3-amino-2H-azirines with 2-amino-4,6-dinitrophenol (picramic acid). Synthesis of quinoxaline- and 1,3-benzoxazole derivatives. *Helvetica Chimica Acta* **73** (4), 959–974.
- Werth D., Armbruster B., and Italiano K., (2013). Creating fit for purpose recombinant cell reagents for neutralizing antibody (nab) bioassays. *American Association of Pharmaceutical Scientist Conference*.
- Xia M., Shahane SA., Huang R., Titus SA., Shum E., Zhao Y., Southall N., Zheng W., Witt KL., Tice RR., and Austin CP., (2011). Identification of quaternary ammonium compounds as potent inhibitors of hERG potassium channels. *Toxicology and Applied Pharmacology* **252** (3), 250–258.
- Zhao Y., Hooten B., and Jin L., (2009). Screening of hERG blockers by automated patch clamp system: Qpatch 16. *Journal of Pharmacological and Toxicological Methods* **60**(2), 223.

Zhao Y., Wang S., Marcoe K., Kushleika J., (2015). Using human embryonic stem cell derived cardiomyocytes assays to predict cardiotoxicity. *Journal of Pharmacological and Toxicological Methods* **75**, 201–202.

5 Pharma Early Development

Alessi MC., Gaudin C., Grosjean P., Martin V., Timsit S., Mahagne MH., Larrue V., Sibon I., Zuber M., Brouns R., and Montaner J., (2016). Changes in activated thrombin-activatable fibrinolysis inhibitor levels following thrombolytic therapy in ischemic stroke patients correlate with clinical outcome. *Cerebrovasc Dis* **42** (5–6), 404–414.

Azpiroz F., Guyonnet D., Donazzolo Y., Gendre D., Tanguy J., and Guarner F., (2015). Digestive symptoms in healthy people and subjects with irritable bowel syndrome: validation of symptom frequency questionnaire. *Journal of Clinical Gastroenterology* **49** (7), e64–e70.

Boulenc X., Nicolas O., Hermabessière S., Zobouyan I., Martin V., Donazzolo Y., and Ollier C., (2016). CYP3A4-based drug-drug interaction: CYP3A4 substrates' pharmacokinetic properties and ketoconazole dose regimen effect. *European Journal of Drug Metabolism and Pharmacokinetics* **41** (1), 45–54.

Bruderer S., Hurst N., de Kanter R., Miraval T., Pfeifer T., Donazzolo Y., and Dingemans J., (2015). First-in-humans study of the safety, tolerability, and pharmacokinetics of ACT-451840, a new chemical entity with antimalarial activity. *Antimicrobial Agents and Chemotherapy* **59** (2), 935–942.

Coulomb F., Ducret F., Laneury JP., Fiorentini F., Poggesi I., Jannuzzo MG., Fleishaker JC., Houin G., and Duchêne P., (2000). Pharmacokinetics of single-dose reboxetine in volunteers with renal insufficiency. *Journal of Clinical Pharmacology* **40** (5), 485–487.

Donazzolo Y., Latreille M., Caillaud MA., Mocaer E., and Seguin L., (2014). Evaluation of the effects of therapeutic and suprathreshold doses of agomelatine on the QT/QTc interval: a phase I, randomized, double-blind, placebo-controlled and positive-controlled, crossover thorough QT/QTc study conducted in healthy volunteers. *Journal of Cardiovascular Pharmacology* **64** (5), 440–451.

Duchêne P *et al.*, (1999). Part I: Pharmacokinetics and tissular distribution in Sprague – Dawley rats. *Arzneimittel – Forschung/Drug Research* **49**(i) (6), 504–508.

Duchêne P *et al.*, (1999). Part II: Pharmacokinetics in primates after repeated oral or single intravenous administration. *Arzneimittel – Forschung/Drug Research* **49**(ii) (7), 608–611.

Duchêne P., Bernouillet C., Bromet-Petit M., Mosser J., Feniou C., Gaudin D., and Virelizier H., (1988). Metabolism of 14C Thymoxamine in rat and human. *Xenobiotica* **18** (8), 919–928.

Duchêne P., Giudicelli MD., Neau B., Gronfier A., Firmin Y., Villax P., Saivin S., and Houin G., (1998). Pharmacokinetics, protein binding and metabolic profile of 3H-icometasone enbutate following intravenous, oral and intratracheal administrations to Sprague-Dawley rats. *Arzneimittel – Forschung/Drug Research* **48** (4), 371–378.

Duchêne P., Laneury JP., Tran G., Ladure P., Ollivier R., Buzas A., Merour JY., and Georges H., (1999). Pharmacokinetics, Metabolism and Bioavailability of the New – anti allergic Drug BM 113. *Arzneimittel – Forschung/Drug Research* **49** (8), 699–704.

Duchêne P., Le Dily J., Bromet-Petit M., Mosser J., and Feniou C., (1988). High-performance liquid chromatographic assay of the metabolites of thymoxamine. *Journal of Chromatography* **424**, 205–210.

Duchêne P., Le Dily J., Bromet-Petit M., Mosser J., and Feniou C., (1988). HPLC assay of the metabolites of Thymoxamine. *Journal of Chromatography* **424**, 205–210.

Duchêne P., Papalexioiu P., Ramis J., Izquierdo I., and Houin G., (1992). Pharmacokinetic profile of (14C) flutrimazole following single topical application in normal and scarified skin of healthy volunteers. *Arzneimittel – Forschung/Drug Research* **42** (6), 861–863.

Dupuis-Girod S., Ambrun A., Decullier E., Samson G., Roux A., Fargeton AE., Rioufol C., Schwiertz V., Disant F., Chapuis F., and Donazzolo Y., (2014). ELLIPSE Study: a Phase 1 study evaluating the tolerance of bevacizumab nasal spray in the treatment of epistaxis in hereditary hemorrhagic telangiectasia. *mAbs* **6** (3), 793–798.

Gandia, Bour, Maurette, Donazzolo, Duchène P, Béjot, and Houin, (2007). A bioavailability study comparing two oral formulations containing Zinc (Zn bis-glycinate vs. Zn gluconate) after a single administration to twelve healthy female volunteers. *International Journal for Vitamin and Nutrition Research* **77** (4), 243–248.

Giraud C., Manceau S., Oualha M., Chappuy H., Mogenet A., Duchêne P., Ducrocq S., Hubert P., and Treluyer JM., (2001). High levels and safety of oseltamivir carboxylate plasma concentrations after nasogastric administration in critically ill children in pediatric intensive care unit. *Antimicrobial Agents and Chemotherapy* **55** (1), 433–435.

Guerin V., Delance V., Papalexioiu P., Duchêne P., Houin G., and Thomas JL., (1996). Systemic absorption of 14C-radiolabelled sertaconazole administered in 300 mg prolonged liberation vaginal suppository form to four healthy post-menopausal women. *Refdoc* **6** (2), 63–67.

Gutierrez MM., Nicolas LB., Donazzolo Y., and Dingemans J., (2013). Relative bioavailability of a newly developed pediatric formulation of bosentan vs. the adult formulation. *International Journal of Clinical Pharmacology and Therapeutics* **51** (6), 529–536.

Laneury JP., Duchêne P., Hirt P., Delarue A., Gleizes S., Houin G., and Molinier P., (1996). Comparative bioavailability study of codeine and ibuprofen after administration of the two products alone or in association to 24 healthy volunteers. *European Journal of Drug Metabolism and Pharmacokinetics* **28** (2), 185–189.

Le Lamer S., Paradis S., Rahmouni H., Chaimbault C., Michaud M., Culcasi M., Afxantidis J., Latreille M., Berna P., Berdeaux A., and Pietri S., (2014). Translation of TRO40303 from myocardial infarction models to demonstration of safety and tolerance in a randomized Phase I trial. *Journal of Translational Medicine* **12**, 38.

Pépin S., Donazzolo Y., Jambrecina A., Salamand C., and Saville M., (2013). Safety and immunogenicity of a quadrivalent inactivated influenza vaccine in adults. *Vaccine* **31** (47), 5572–5578.

Persiani S., Sala F., Manzotti C., Colovic M., Zangarini M., Donazzolo Y., Barbeta B., Vitalini C., Giacobelli G., Benvenuti C., and Rovati LC., (2016). Evaluation of levothyroxine bioavailability after oral administration of a fixed combination of Soy Isoflavones in post-menopausal female volunteers. *Drug Research* **66** (3), 136–140.

Pichon S., Guinet-Morlot F., Minutello M., Donazzolo Y., Rouzier R., Chassard D., Fitoussi S., and Hou V., (2013). A serum-free, purified vero cell rabies vaccine is safe and as immunogenic as the

reference vaccine Verorab for pre-exposure use in healthy adults: results from a randomized controlled phase-II trial. *Vaccine* **31** (18), 2295–2301.

Saivin S., Carrie D., Escourrou J., Duchêne P., Zamboni V., Barbanti M., Palazzini E., and Houin G., Pharmacokinetics of low molecular weight Dermatan Sulphate (Desmin) in different cohorts of patients. *Thrombosis Research* **90** (3), 139–145.

Schlienger JL., Paillard F., Lecerf JM., Romon M., Bonhomme C., Schmitt B., Donazzolo Y., Defoort C., Mallmann C., Le Ruyet P., and Bresson JL., (2014). Effect on blood lipids of two daily servings of Camembert cheese. An intervention trial in mildly hypercholesterolemic subjects. *International Journal of Food Sciences and Nutrition* **65** (8), 1013–1018.

Stoeckel K., Hofheinz W., Laneury JP., Duchêne P., Shedlofsky S., and Blouin RA., (1998). Stability of Cephalosporin prodrug esters in human intestinal juice: Implications for oral bioavailability. *Antimicrobial Agents and Chemotherapy* **42** (10), 2602–2606.

6 Clinical Diagnostics

Al-Rufaye Z., Hong W., Hockman D., Huff M., Stalons D., Grigorenko E., and Hassoun A., (2016). Utilization of target enriched multiplex-polymerase chain reaction for diagnosis of urinary tract infection. *Open Forum Infect Diseases* **3** (1), 174.

Altrich ML., Halsey JF., and Altman LC., (2009). Comparison of the *in vivo* autologous skin test with *in vitro* diagnostic tests for diagnosis of chronic autoimmune urticaria. *Allergy and Asthma Proceedings* **30** (1), 28–34.

Benassi B., Fanciulli M., Fiorentino F., Porrello A., Chiorino G., Loda M., Zupi G., and Biroccio A., (2006). c-Myc Phosphorylation is required for cellular response to oxidative stress. *Molecular Cell* **21** (4), 509–519.

Benkhalifa M., Kasakyan S., Clement P., Baldi M., Tachdjian G., Demiroglu A., Gurgan T., Fiorentino F., Mohammed M., and Qumsiyeh MB., (2005). Array comparative genomic hybridization profiling of first-trimester spontaneous abortions that fail to grow *in vitro*. *Prenatal Diagnosis* **25** (10), 894–900.

Biroccio A., Benassi B., Fiorentino F., and Zupi G., (2004). Glutathione depletion induced by c-Myc down-regulation triggers the apoptotic pathway upon treatment with alkylating agents. *Neoplasia* **6** (3), 195–206.

Bono S., Biricik A., Spizzichino L., Nuccitelli A., Minasi MG., Greco E., Spinella F., and Fiorentino F., (2015). Validation of a semiconductor next-generation sequencing (NGS)-based protocol for preimplantation genetic diagnosis of reciprocal translocation. *Prenatal Diagnosis* **35** (10), 938–944.

Capalbo A., Bono S., Spizzichino L., Biricik A., Baldi M., Colamaria S., Ubaldi FM., Rienzi L., and Fiorentino F., (2013). Sequential comprehensive chromosome analysis on polar bodies, blastomeres and trophoblast: insights into female meiotic errors and chromosomal segregation in the preimplantation window of embryo development. *Human Reproduction* **28** (2), 509–518.

Capalbo A., Bono S., Spizzichino L., Biricik A., Baldi M., Colamaria S., Ubaldi FM., Rienzi L., and Fiorentino F., (2013). Reply: Questions about the accuracy of polar body analysis for preimplantation genetic screening. *Human Reproduction* **28** (6), 1733–1736.

Caserta D., Benkhalifa M., Baldi M., Fiorentino F., Qumsiyeh M and Moscarini M., (2008). Genome profiling of ovarian adenocarcinomas using pangenomic BACs microarray comparative genomic hybridization. *Molecular Cytogenetics* **1** (1), 10.

- Chen AY., Zhang EY., Guan W., Cheng F., Kleiboeker S., Yankee TM., and Qiu J., (2010). The small 11 kDa nonstructural protein of human parvovirus B19 plays a key role in inducing apoptosis during B19 virus infection of primary erythroid progenitor cells. *Blood* **115**, 1070–1080.
- Chen WJ., Arnold J., Fairchok M., Schofield C., Clair KJ., Danaher P., Rajnik M., McDonough E., Mor D., Ridore M., and Burgess T., (2015). Etiology Unknown: Are less recognized respiratory pathogens associated with a milder course of illness. *Open Forum Infect Diseases* **2** (1), 526.
- De Vos A., Sermon K., De Rijcke M., Goossens V., Henderix P., Van Ranst N., Platteau P., Lissens W., Devroey P., Van Steirteghem A., and Liebaers I., (2003). Preimplantation genetic diagnosis for Charcot–Marie–Tooth type. *MHR: Basic science of reproductive medicine* **9** (7), 429–435.
- Deans Z., Fiorentino F., Biricik A., Traeger-Synodinos J., Moutou C., De Rycke M., Renwick P., SenGupta S., Goossens V., and Harton G., (2013). The experience of 3 years of external quality assessment of preimplantation genetic diagnosis for cystic fibrosis. *European Journal of Human Genetics* **21** (8), 800–806.
- Divers J., Núñez M., High KP., Murea M., Rocco MV., Ma L., Bowden DW., Hicks PJ., Spainhour M., Ornelles DA., and Kleiboeker SB., (2013). JC polyoma virus interacts with APOL1 in African Americans with nondiabetic nephropathy. *Kidney International* **84** (6), 1207–1213.
- Dong M., Fisher C., Añez G., Rios M., Nakhasi HL., Hobson JP., Beanan M., Hockman D., Grigorenko E., and Duncan R., (2016). Standardized methods to generate mock (spiked) clinical specimens by spiking blood or plasma with cultured pathogens. *Journal of Applied Microbiology* **120** (4), 1119–1129.
- Duncan R., Kourout M., Grigorenko E., Fisher C., and Dong M., (2015). Advances in multiplex nucleic acid diagnostics for blood-borne pathogens: promises and pitfalls. *Expert Rev. Mol. Diagn. Early online* **16** (1), 83–95.
- Fiorentino F., Baldi M., Benkhalifa M., Caserta D., and Moscarini M., (2009). Diagnosi Preimpianto Da “Diagnosi Prenatale”, Carmine Nappi, felice Pretraglia. ed. Poletto.
- Fiorentino F., Baldi M., Benkhalifa M., Chessa L., Caserta D., and Moscarini M., (2008). The genetics of polycystic ovarian syndrome da polycystic ovarian syndrome. ed. Gautam N Allahbadia, Rina Agrawal.
- Fiorentino F., and Baldi M., (2012). Microarray application in prenatal diagnosis: a position statement from the cytogenetics working group of the Italian Society of Human Genetics. *Ultrasound Obstet Gynecol* **39** (4), 384–388.
- Fiorentino F., Biricik A., Bono S., Spizzichino L., Cotroneo E., Cottone G., Kokocinski F., and Michel C., (2014). Development and validation of a next-generation sequencing (NGS)-based protocol for 24-chromosome aneuploidy screening of embryos. *Fertility and Sterility* **101** (5), 1375–1382.
- Fiorentino F., Biricik A., Nuccitelli A., De Palma R., Kahraman S., Lacobelli M., Trengia V., Caserta D., Bonu MA., Borini A., and Baldi M., (2006). Strategies and clinical outcome of 250 cycles of Preimplantation Genetic Diagnosis for single gene disorders. *Human Reproduction* **21** (3), 670–684.
- Fiorentino F., Biricik A., Nuccitelli A., De Palma R., Kahraman S., Sertyel S., Karadayi H., Cottone G., Baldi M., Caserta D., and Moscarini M., (2008). Rapid protocol for pre-conception genetic diagnosis of single gene mutations by first polar body analysis: a possible solution for the Italian patients. *Prenatal Diagnosis* **28** (1), 62–64.

- Fiorentino F., Bono S., Biricik A., Nuccitelli A., Cotroneo E., Cottone G., Kokocinski F., Michel CE., Minasi MG., and Greco E., (2014). Application of next-generation sequencing technology for comprehensive aneuploidy screening of blastocysts in clinical preimplantation genetic screening cycles. *Human Reproduction* **29** (12), 2802–2813.
- Fiorentino F., Bono S., Biricik A., Nuccitelli A., Cotroneo E., Cottone G., Kokocinski F., Michel CE., Minasi MG., and Greco E., (2015). Reply: Which blastocysts should be considered for genetic screening? *Human Reproduction* **30** (7), 1744–1745.
- Fiorentino F., Bono S., Pizzuti F., Duca S., Polverari A., Faieta M., Baldi M., Diano L., and Spinella F., (2017). The clinical utility of genome-wide non-invasive prenatal screening. *Prenatal Diagnosis* **37** (6), 593–601.
- Fiorentino F., Bono S., Pizzuti F., Mariano M., Polverari A., Duca S., Sessa M., Baldi M., Diano L., and Spinella F., (2016). The importance of determining the limit of detection of non-invasive prenatal testing methods”. *Prenatal Diagnosis* **36** (4), 304–311.
- Fiorentino F., Bono S., Pizzuti F., Mariano M., Polverari A., Duca S., Sessa M., Baldi M., Diano L., and Spinella F., (2016). Response to “The importance of determining the limit of detection of non-invasive prenatal testing methods”. *Prenatal Diagnosis* **36**, 898–899.
- Fiorentino F., Caiazza F., Napolitano S., Spizzichino L., Bono S., Sessa M., Nuccitelli A., Biricik A., Gordon A., Rizzo G., and Baldi M., (2011). Introducing array comparative genomic hybridization into routine prenatal diagnosis practice: a prospective study on over 1000 consecutive clinical cases. *Prenatal Diagnosis* **31** (13), 1270–1282.
- Fiorentino F., Handyside AH., and Mark D., (2005). Robinson Preimplantation genetic diagnosis using whole genome amplification. In *Whole Genome Amplification*. (Hughes, S. and Lasken, R., eds). 163–84.
- Fiorentino F., Kahraman S., Karadayi H., Biricik A., Sertyel S., Karlikaya G., Saglam Y., Podini D., Nuccitelli A., and Baldi M., (2005). Short tandem repeats haplotyping of the HLA region in preimplantation HLA matching. *European Journal of Human Genetics* **13**, 953–958.
- Fiorentino F., Kokkali G., Biricik A., Stavrou D., Ismailoglu B., De Palma R., Arizzi L., Harton G., Sessa M., and Pantos K., (2010). PCR-based detection of chromosomal imbalances on embryos: the evolution of PGD for chromosomal translocations. *Fertility and Sterility* **94** (6), 2001–2011.
- Fiorentino F., Kokkali G., and Jones GM., (2013). Molecular Genetics Techniques for Preimplantation Genetic Diagnosis. In *A practical guide to setting up an IVF lab, embryo culture systems and running the unit*. Jaypee brothers medical publishers.
- Fiorentino F., Magli MC., Podini D., Ferraretti AP., Nuccitelli A., Vitale N., Baldi M., and Gianaroli L., (2003). The minisequencing method: an alternative strategy for preimplantation genetic diagnosis of single gene disorders. *MHR: Basic science of reproductive medicine* **9** (7), 399–410.
- Fiorentino F., Napolitano S., Caiazza F., Sessa M., Bono S., Spizzichino L., Gordon A., Nuccitelli A., Rizzo G., and Baldi M., (2013). Chromosomal microarray analysis as a first-line test in pregnancies with a *priori* low risk for the detection of submicroscopic chromosomal abnormalities. *European Journal of Human Genetics* **21** (7), 725–730.
- Fiorentino F., Spizzichino L., Bono S., Biricik A., Kokkali G., Rienzi L., Ubaldi FM., Iammarrone E., Gordon A., and Pantos K., (2011). Preimplantation genetic diagnosis for reciprocal and robertsonian translocations using array comparative genomic hybridization. *Obstetrical & Gynaecological Survey* **66** (11), 684–686.

Fiorentino F., Biricik A., Karadayi H., Berkil H., Karlıkaya G., Sertyel S., Podini D., Baldi M., Magli MC., Gianaroli L., and Kahraman S., (2004). Development and clinical application of a strategy for preimplantation genetic diagnosis of single gene disorders combined with HLA matching. *MHR: Basic science of reproductive medicine* **10** (6), 445–460.

Fiorentino F., (2012). Array comparative genomic hybridization: its role in preimplantation genetic diagnosis. *Current Opinion in Obstetrics & Gynecology* **24** (4), 203–209.

Fiorentino F., (2008). La diagnosi genetica preimpianto: problemi pratici e questioni applicative in campo medico Da Tecnologie riproduttive e tutela della persona. (ed. G. Baldini, M. Soldano). Firenze University Press.

Fiorentino F., (2008). Preimplantation genetic Diagnosis, current status and future prospects. In *Recent advances in obstetrics and gynaecology*. (ed. W. Dunlop, W. Ledger). The Royal Society of Medicine Press.

Fiorentino F., (2013). Re: Use of prenatal chromosomal microarray: prospective cohort study and systematic review and meta-analysis. *Ultrasound Obstet Gynecol* **41** (6), 610–620.

Fiorentino F., (2012). Molecular genetic analysis of single cells. *Semin Reprod Med* **30** (4), 267–82.

Flöck A., Tu NC., Rüland A., Holzgreve W., Gembruch U., and Geipel A., (2017). Non-invasive prenatal testing (NIPT): Europe's first multicenter post-market clinical follow-up study validating the quality in clinical routine. *Archives of Gynecology and Obstetrics* **8**, 1–6.

Fried AJ., Altrich ML., Liu H., Halsey JF., and Bonilla FA., (2013). Correlation of pneumococcal antibody concentration and avidity with patient clinical and immunologic characteristics. *Journal of Clinical Immunology* **33** (4), 847–856.

Fusco C., Frattini D., Farnetti E., Nicoli D., Casali B., Fiorentino F., Nuccitelli A., and Della Giustina E., (2010). Hereditary spastic paraplegia and axonal motor neuropathy caused by a novel SPG3A de novo mutation. *Brain and Development* **32** (7), 592–594.

Gabrilovich MI., Huff MD., McMillen SM and Quinter C., (2017). Severe Necrotizing Tracheobronchitis From Panton-Valentine Leukocidin–positive MRSA Pneumonia Complicating Influenza A-H1N1-09. *Journal of Bronchology & Interventional Pulmonology* **24** (1), 63–66.

Gianaroli L., Magli MC., Fiorentino F., Baldi M., and Ferraretti AP., (2003). Clinical value of preimplantation genetic diagnosis. *Placenta* **24** (2), S77–S83.

Girardet A., Viart V., Plaza S., Daina G., De Rycke M., Des Georges M., Fiorentino F., Harton G., Ishmukhametova A., Navarro J., and Raynal C., (2016). The improvement of the best practice guidelines for preimplantation genetic diagnosis of cystic fibrosis: toward an international consensus. *European Journal of Human Genetics* **24** (4), 469–478.

Greco E., Biricik A., Cotarelo RP., Iammarone E., Rubino P., Tesarik J., Fiorentino F., and Minasi MG., (2015). Successful implantation and live birth of a healthy boy after triple biopsy and double vitrification of oocyte-embryo-blastocyst. *Springer Plus* **4** (1), 22.

Greco E., Bono S., Ruberti A., Lobascio AM., Greco P., Biricik A., Spizzichino L., Greco A., Tesarik J., Minasi MG., and Fiorentino F., (2014). Comparative genomic hybridization selection of blastocysts for repeated implantation failure treatment: a pilot study. *BioMed Research International* **2014**, 457913.

- Greco E., Litwicka K., Arrivi C., Varricchio MT., Caragia A., Greco A., Minasi MG., and Fiorentino F., (2016). The endometrial preparation for frozen-thawed euploid blastocyst transfer: a prospective randomized trial comparing clinical results from natural modified cycle and exogenous hormone stimulation with GnRH agonist. *Journal of Assisted Reproduction and Genetics* **33** (7), 873–884.
- Greco E., Minasi MG and Fiorentino F., (2015). Healthy babies born after intrauterine transfer of mosaic aneuploidy blastocyst. *N Engl J Med* **373**, 2089–2090.
- Grigorenko E., Fisher C., Patel S., Winkelman V., Williamson P., Chancey C., Añez G., Rios M., Majam V., Kumar S., and Duncan R., (2017). Highly multiplex real-time pcr based screening for blood-borne pathogens on an open array platform for blood-borne pathogens on an open array platform. *The Journal of Molecular Diagnostics* **19** (4), 549–560.
- Grömminger S., Erkan S., Schöck U., Stangier K., Bonnet J., Schloo R., Schubert A., Prott EC., Knoll U., Stumm M., and Kalle C., (2015). The influence of low molecular weight heparin medication on plasma DNA in pregnant women. *Prenatal Diagnosis* **35** (11), 1155–1157.
- Grömminger S., Yagmur E., Erkan S., Nagy S., Schöck U., Bonnet J., Smerdka P., Ehrich M., Wegner RD., Hofmann W., and Stumm M., (2014). Fetal aneuploidy detection by cell-free DNA sequencing for multiple pregnancies and quality issues with vanishing twins. *Journal of Clinical Medicine* **3** (3), 679–692.
- Guan W., Cheng F., Yoto Y., Kleiboeker S., Wong S., Zhi N., Pintel D., and Qiu J., (2008). A block to the production of full length B19 transcripts by internal polyadenylation is overcome by replication of the viral genome. *Journal of Virology* **85** (20), 9951–9963.
- Guan W., Cheng F., Yoto Y., Kleiboeker S., Wong S., Zhi N., Pintel DJ., and Qiu J., (2008). Block to the production of full-length B19 virus transcripts by internal polyadenylation is overcome by replication of the viral genome. *Journal of Virology* **82** (20), 9951–9963.
- Guercini F., Pajoncini C., Bard R., Fiorentino F., Bini V., Costantini E., and Porena M., (2005). Echoguided drug infiltration in chronic prostatitis: results of a multi-centre study. *Arch Ital Urol Androl* **77** (2), 87–92.
- Halsey JF and Altrich M., (2009). Allergic reactions to therapeutic drugs. *MLO Med Lab Obs* **41** (12), 14–26.
- Harper J., Coonen E., De Rycke M., Fiorentino F., Geraedts J., Goossens V., Harton G., Moutou C., Pehlivan Budak T., Renwick P., and SenGupta S., (2010). What next for preimplantation genetic screening (PGS)? A position statement from the ESHRE PGD Consortium Steering Committee. *Human Reproduction* **25** (4), 821–823.
- Harper J., Sermon K., Geraedts J., Vesela K., Harton G., Thornhill A., Pehlivan T., Fiorentino F., SenGupta S., de Die-Smulders C., and Magli C., (2008). What next for preimplantation genetic screening? *Human Reproduction* **23** (3), 478–480.
- Harton GL., Cinnioglu C., and Fiorentino F., (2017). Current experience concerning mosaic embryos diagnosed during preimplantation genetic screening. *Fertility and Sterility* **107** (5), 1113–1119.
- Harton GL., De Rycke M., Fiorentino F., Moutou C., SenGupta S., Traeger-Synodinos J., and Harper JC., (2011). ESHRE PGD consortium best practice guidelines for amplification-based PGD. *Human Reproduction* **26** (1), 33–40.

- Hassoun A., Huff MD., Weisman D., Chahal K., Asis E., Stalons D., Grigorenko E., Green J., Malone LL., Clemmons S., and Lu S., (2015). Seasonal variation of respiratory pathogen colonization in asymptomatic health care professionals: A single-center, cross-sectional, 2-season observational study. *American Journal of Infection Control* **43** (8), 865–870.
- Hockman D., Dong M., Zheng H., Kumar S., Huff MD., Grigorenko E., Beanan M., and Duncan R., (2017). Comparison of multiplex PCR hybridization-based and singleplex real-time PCR-based assays for detection of low prevalence pathogens in spiked samples. *Journal of Microbiological Methods* **132**, 76–82.
- Huff MD., Weisman D., Adams J., Li S., Green J., Malone LL., and Clemmons S., (2014). The frequency of tetracycline resistance genes co-detected with respiratory pathogens: a database mining study uncovering descriptive trends throughout the United States. *BMC Infectious Diseases* **14** (460), 1471–2334.
- Hutchinson K., Healy M., Crowley V., Louw M., and Rochev Y., (2017). Verification of Abbott 25-OH-D Vitamin D assay on the architect system. *Practical Laboratory Medicine* **7**, 27–35.
- Hutchinson K., Kerley C., Cormican L., Rochev Y., and Faul J., (2016). The association between 25-Hydroxyvitamin D and Airway Obstruction in Asthma. *Irish Medical Journal* **109** (3), 371.
- Hutchinson K., Kerley CP., Cormican L., Faul J., Greally P., Coghlan D., Louw M., Elnazir B., and Rochev Y., (2016). Association of vitamin D receptor TaqI gene variant in Exon 9 and Apal in intron 8 with uncontrolled paediatric asthma in Ireland. *Irish Journal of Medical Science* **30** (10), S363–S419.
- Kahraman S., Findikli N., Karliklaya G., Sertyel S., Karadayi H., Saglam Y., and Fiorentino F., (2007). Medical and social perspectives of PGD for single gene disorders and human leukocyte antigen typing. *Reproductive BioMedicine Online* **14** (1), 104–108.
- Kerley C., Hutchinson K., Greally P., Coughlan D., and Elnazir B., (2014). A randomized, double-blind, placebo-controlled trial of vitamin D supplementation for Irish children with asthma: baseline data. *Irish Journal of Medical Science* **183** (Suppl 9), S437–S471.
- Kerley C., Hutchinson K., Greally P., Coughlan D and Elnazir B., (2015). A randomized, double-blind, placebo-controlled of vitamin D3 for Irish children with asthma. *Proceedings of the Nutrition Society* **73** (OCE2), E55.
- Kerley CP., Hutchinson K., Bolger K., McGowan A., Faul J., and Cormican L., (2016). Serum Vitamin D is significantly inversely associated with disease severity in caucasian adults with obstructive sleep apnea syndrome: A case control study. *Sleep* **39** (2), 293–300.
- Kerley CP., Hutchinson K., Bramham J., McGowan A., Faul J., and Cormican L., (2017). Vitamin D improves selected metabolic parameters but not neuropsychological or quality of life indices in OSA: A pilot study. *Journal of clinical sleep medicine: JCSM: official publication of the American Academy of Sleep Medicine* **13** (1), 19–26.
- Kerley CP., Hutchinson K., Cormican L., Faul J., Greally P., Coghlan D., and Elnazir B., (2016). Vitamin D3 for uncontrolled childhood asthma: A pilot study. *Pediatr Allergy Immunol* **27** (4), 404–412.
- Kleiboeker S., Nutt J., Schindel B., Dannehl J., and Hester J., (2014). Cytomegalovirus antiviral resistance: characterization of results from clinical specimens. *Transplant Infectious Disease* **16** (4), 561–567.

- Kleiboeker SB., Schommer SK., Lee SM., Watkins S., Chittick W., and Polson D., (2005). Simultaneous detection of North American and European porcine reproductive and respiratory syndrome virus using real-time quantitative reverse transcriptase–PCR. *Journal of Veterinary Diagnostic Investigation* **17** (2), 165–170.
- Kleiboeker SB., and Scoles GA., (2007). Pathogenesis of African swine fever virus in *Ornithodoros* ticks. *Animal Health Research Reviews* **2** (2), 121–128.
- Koon K., Sanders CM., Green J., Malone L., White H., Zayas D., Miller R., Lu S., and Han J., (2010). Co-detection of Pandemic (H1N1) 2009 virus and other respiratory pathogens. *Emerging Infectious Diseases* **16** (12).
- Kowalski RJ, Post DR, Mannon RB et al., (2006) Assessing relative risks of infection and rejection: a meta-analysis using an immune function assay. *Transplantation*, **82** (5), 663-8.
- Kuppachi S., Holanda D., Eberlein M., Alexiev B., Tyler AJ., Wissel MC., Kleiboeker SB., and Thomas CP., (2013). An unexpected surge in plasma BKPyV viral load heralds the development of BKPyV associated metastatic bladder cancer in a lung transplant recipient with BKPyV nephropathy. *Am J Transplant* **17** (3), 813–818.
- Lanier ER., Foster S., Brundage T., Chou S., Prichard MN., Kleiboeker S., Wilson C., Colville D., and Mommeja-Marin H., (2016). Analysis of mutations in the gene encoding cytomegalovirus DNA polymerase in a phase 2 clinical trial of brincidofovir prophylaxis. *J Infect Dis* **214** (1), 32–35.
- Laskin BL., Sullivan KE., Hester J., Goebel J., Davies SM., and Jodele S., (2015). Antibodies to BK virus in children prior to allogeneic hematopoietic cell transplant. *Pediatr Blood Cancer* **62** (9), 1670–1673.
- Lee SM., and Kleiboeker SB., (2005). Porcine arterivirus activates the NF- κ B pathway through I κ B degradation. *Virology* **342** (1), 47–59.
- Lee SM., and Kleiboeker SB., (2007). Porcine reproductive and respiratory syndrome virus induces apoptosis through a mitochondria-mediated pathway. *Virology* **365** (2), 419–434.
- Lee YJ., Zheng J., Kolitsopoulos Y., Chung D., Amigues I., Son T., Choo K., Hester J., Giral SA., Glezerman IG., and Jakubowski AA., (2014). Relationship of BK polyoma virus (BKV) in the urine with hemorrhagic cystitis and renal function in recipients of T Cell-depleted peripheral blood and cord blood stem cell transplantations. *Biology of Blood and Marrow Transplantation* **20** (8), 1204–1210.
- Luo Y., Lou S., Deng X., Liu Z., Li Y., Kleiboeker S., and Qiu J., (2011). Parvovirus B19 infection of human primary erythroid progenitor cells triggers ATR-Chk1 signaling, which promotes B19 virus replication. *Journal of Virology* **85** (16), 8046–8055.
- Luong ML., Clancy CJ., Vadnekar A., Kwak EJ., Silveira FP., Wissel MC., Grantham KJ., Shields RK., Crespo M., Pilewski J., and Toyoda Y., (2011). Comparison of an Aspergillus real-time polymerase chain reaction assay with galactomannan testing of bronchoalveolar lavage fluid for the diagnosis of invasive pulmonary aspergillosis in lung transplant recipients. *Clinical Infectious Diseases* **52** (10), 1218–1226.
- Mesquita PM., Preston-Hurlburt P., Keller MJ., Vudattu N., Espinoza L., Altrich M., Anastos K., Herold KC., and Herold BC., (2016). Role of interleukin 32 in human immunodeficiency virus reactivation and its link to human immunodeficiency virus-herpes simplex virus coinfection. *The Journal of infectious diseases* **215** (4), 614–622.

Minasi MG., Colasante A., Riccio T., Ruberti A., Casciani V., Scarselli F., Spinella F., Fiorentino F., Varricchio MT., and Greco E., (2016). Correlation between aneuploidy, standard morphology evaluation and morphokinetic development in 1730 biopsied blastocysts: a consecutive case series study. *Human Reproduction* **31** (10), 2245–2254.

Minasi MG., Fiorentino F., Ruberti A., Biricik A., Cursio E., Cotroneo E., Varricchio MT., Surdo M., Spinella F., and Greco E., (2017). Genetic diseases and aneuploidies can be detected with a single blastocyst biopsy: a clinical successful approach. *Human Reproduction* **12**, 1–8.

Nguyen MH., Wissel MC., Shields RK., Salomoni MA., Hao B., Press EG., Shields RM., Cheng S., Mitsani D., Vadnerkar A., and Silveira FP., (2012). Performance of *Candida* real-time polymerase chain reaction, β -D-glucan assay, and blood cultures in the diagnosis of invasive candidiasis. *Clinical Infectious Diseases* **54** (9), 1240–1248.

Pardo ID., Johnson GC., and Kleiboeker SB., (2005). Phylogenetic characterization of canine distemper viruses detected in naturally infected dogs in North America. *Journal of Clinical Microbiology* **43** (1), 5009–5017.

Prince HE., Altrich ML., and Nowicki MJ., (2016). Evaluation of two enzyme-linked immunosorbent assay kits for chikungunya virus IgM using samples from deceased organ and tissue donors. *Journal of Virology* **23** (10), 825–830.

Ravaioli, M., Neri, F. et al., (2015). Immunosuppression Modifications Based on an Immune Response Assay: Results of a Randomized, Controlled Trial. *Transplantation*, **99** (8), 1625-32.

Ridore M., Chen WJ., Fairchok M., Schofield C., Lalani T., Danaher P., Rajnik M., Mcdonough E., Malone L., Grigorenko E., and Stalons D., (2015). Characterization of human metapneumovirus infection among adults with influenza-like illness. *Open Forum Infect Diseases* **2** (1), 528.

Sermon K., Capalbo A., Cohen J., Coonen E., De Rycke M., De Vos A., Delhanty J., Fiorentino F., Gleicher N., Griesinger G., and Grifo J., (2016). The why, the how and the when of PGS 2.0: current practices and expert opinions of fertility specialists, molecular biologists, and embryologists. *MHR: Basic science of reproductive medicine* **22** (8), 845–857.

Sermon KD., Spits C., Mertzaniidou A., Vermeesch JR., and Fiorentino F., (2017). Detecting mosaicism in trophectoderm biopsies. *Human Reproduction* **32** (3), 712–713.

Sesler C., Green J., and Malone L., (2015). Target Enriched Multiplex PCR (TEM-PCR™) for rapid detection of bloodstream infections. *American Assoc. for Clin. Chem*, 261–269.

Spinella F., Biricik A., Minasi M., Greco E., and Fiorentino F. (2017). The extent of chromosomal mosaicism influences the clinical outcome of in vitro fertilization treatments. *Fertility and Sterility* **108** (3), e272.

Stumm M., Entezami M., Haug K., Blank C., Wüstemann M., Schulze B., Raabe-Meyer G., Hempel M., Schelling M., Ostermayer E., and Langer-Freitag S., (2014). Diagnostic accuracy of random massively parallel sequencing for non-invasive prenatal detection of common autosomal aneuploidies: a collaborative study in Europe. *Prenatal Diagnosis* **34** (2), 185–191.

Stumm M., Entezami M., Trunk N., Beck M., Löcherbach J., Wegner RD., Hagen A., Becker R., and Hofmann W., (2012). Noninvasive prenatal detection of chromosomal aneuploidies using different next generation sequencing strategies and algorithms. *Prenatal Diagnosis* **32** (6), 569–577.

Van de Velde H., De Rycke M., De Man C., De Hauwere K., Fiorentino F., Kahraman S., Pennings G., Verpoest W., Devroey P., and Liebaers I., (2009). The experience of two European

preimplantation genetic diagnosis centres on human leukocyte antigen typing. *Human Reproduction* **24** (3), 732–740.

Walsh TJ., Wissel MC., Grantham KJ., Petraitiene R., Petraitis V., Kasai M., Francesconi A., Cotton MP., Hughes JE., Greene L., and Bacher JD., Molecular diagnosis and species-specific identification of medically important aspergillus species by real time PCR in experimental invasive pulmonary aspergillosis. *Journal of Clinical Microbiology* JCM-00570.

Xu P., Zhou Z., Xiong M., Zou W., Deng X., Ganaie SS., Kleiboeker S., Peng J., Liu K., Wang S., and Ye SQ., (2017). Parvovirus B19 NS1 protein induces cell cycle arrest at G2-phase by activating the ATR-CDC25C-CDK1 pathway. *PLoS Pathog* **13** (3), e1006266.

7 Environment Testing

Agersnap S., Larsen WB., Knudsen SW., Strand D., Thomsen PF., Hesselsøe M., Mortensen PB., Vrålstad T., and Møller PR., (2017). Monitoring of noble, signal and narrow-clawed crayfish using environmental DNA from freshwater samples. *PLOS One* **12**(6), e0179261.

Alfredo K., Stanford B., Roberson JA., and Eaton A., (2015). Chlorate challenges for water systems. *Journal of the American Water Works Association* **107** (4), 187–196.

Althammer M., Meyer S., Nakayama H., Schreier M., Altmannshofer S., Weiler M., Huebl H., Geprägs S., Opel M., Gross R., and Meier D., (2013). Quantitative study of the spin Hall magnetoresistance in ferromagnetic insulator/normal metal hybrids. *Physical Review B* **87** (22), 87.

Balfanz E., Fuchs J., and Kieper H., (1991). Erfahrungen mit Innenraumluftuntersuchungen auf polychlorierte Biphenyle (PCB) im Zusammenhang mit dauerelastischen Dichtungsmassen. *Organohalogen Compounds* **7**, 201.

Balfanz E., Fuchs J., and Kieper H., (1993). Polychlorinated biphenyls (PCB) and polychlorinated dibenzofurans and dibenzo(p)dioxins (PCDF/D) in indoor air due to elastic sealants and coated particle boards. *Organohalogen Compounds* **13**, 115–118.

Balfanz E., Fuchs J., and Kieper H., (1993). Sampling and analysis of polychlorinated biphenyls (PCB) in indoor air due to permanently elastic sealants. *Chemosphere* **26** (5), 871–880.

Balfanz E., Fuchs J., and Kieper H., (1992). Innenraumluftuntersuchungen auf polychlorierte Biphenyle (PCB) im Zusammenhang mit dauerelastischen Dichtungsmassen. *Kommission Reinhaltung der Luft im VDI und DIN*, 202–212.

Bannochie CJ., Fellingner TL., Garcia-Strickland P., Shah HB., Jain V., and Wilmarth WR., (2017). Mercury in aqueous tank waste at the Savannah River Site: Facts, forms, and impacts. *Separation Science and Technology* **13**, 1–3.

Becker E., Reinmann J., Rentschler W., and Mayer J., (2000). continuous monitoring of the dioxin-/furan-emission of all waste incinerators in Belgium. *Organohalogen Compounds* **49**, 21–23.

Beier R., Balfanz E., and König J., (1989). Immissionsmessungen leichtflüchtiger halogener Kohlenwasserstoffe in der Nähe von Chemisch-Reinigungsanlagen. *VDI-Berichte* **745**, 235–243.

Brodbek H., Funcke W., and Linnemann H., (1994). Langzeit-Probenahmesystem zur fortlaufenden Überwachung von PCDD/F-Emissionen. *WLB Wasser, Luft und Boden* **11** (12), 61–62.

- Bruckmann P., Kersten W., Hagedorn B., Ball M., Pöpke O., Funcke W., and Theisen J., (1989). Immissionsmessungen halogenierter organischer Verbindungen in Hamburg. *VDI-Berichte* **745**, 209–234.
- Bunge M., Lorenz A., Kraus A., and Opel M., (2002). Reductive dehalogenation of chlorinated dioxins by an anaerobic bacterium. *Letters to Nature* **421**, 357–360.
- Christensen CS., Brødsgaard S., Mortensen P., Egmos K., and Linde SA., (2000). Determination of hydrogen peroxide in work place air: Interferences and method validation. *Journal of Environmental Monitoring* **2**, 339–343.
- Descroix A., Bec A., Bourdier G., Sargos D., Sauvanet J., Misson B., and Desvillettes C., (2010). Fatty acids as biomarkers to indicate main carbon sources of four major invertebrate families in a large River (the Allier, France). *Fundamental and Applied Limnology* **177**, 39–55.
- Domingo JL., Granero S., Schuhmacher M., Llobet JM., Suenderhauf W., and Mueller L., (1998). Vegetation as a biomonitor of PCDD/PCDFs in the vicinity of a municipal solid waste incinerator. *Organohalogen Compounds* **33**, 157–160.
- Domingo JL., Llobet JM., Agramunt MC., Schumacher M., Gomez M., and Müller L., (2002). Biological monitoring of organic substances in workers at a HWI of Catalonia Spain. *Organohalogen Compounds* **55**, 263–266.
- Eaton A., Shannon R., and Morley K., (2015). Radionuclide rule compliance: Utility guidance on analytical methods. *American Water Works Association*.
- Effkemann S., Brødsgaard S., Mortensen P., Linde and Karst U., (1999). Determination of gas phase peroxyacetic acid using petroleum derivatization with organic sulfide reagents and liquid chromatography. *Journal of Chromatography* **855**(2), 551–61.
- Fabarius G., Wilken M., Borgas M., and Zeschmar-Lahl B., (1990). Release of organic pollutants during accidental fires. *Organohalogen Compounds* **3**, 373.
- Fiedler H., Chareonsong P., Mayer J., and Hartenstein HU., (2002). PCDD/PCDF emissions from stationary sources – first results from Thailand. *Organohalogen Compounds* **59**, 211–214.
- Fiedler H., Mangwiro A., Hovemann A., Moudachirou M., Ahilhan F., and Morakpai C., (2007). Concentrations of unintentional POPs in soils and ashes from Benin, Africa. *Organohalogen Compounds* **69**, 311–314.
- Freise R., König J., Cammann K., (1991). Untersuchung von Füllstoffen auf Nitrosamine und nitrosierende Substanzen. *Kautschuk und Gummi, Kunststoffe* **44** (5), 429–434.
- Freise R., König J., and Cammann K., (1991). Untersuchung zur Rolle der Füllstoffe bei der Bildung von Nitrosaminen in der Kautschukindustrie. *Kautschuk und Gummi, Kunststoffe* **44**, 744–746.
- Funcke W., and Hemminghaus HJ., (1993). Evaluation of PCDF/D, PBDF/D and PBCDF/D profiles in flue gas of combustion facilities using a statistical distribution function. *Organohalogen Compounds* **11**, 345–350.
- Funcke W., Linnemann H., Bröker G., and Geueke KJ., (1993). Performance characteristics of the adsorption method for sampling polychlorinated dibenzofurans (PCDFs) and dibenzo(p)dioxins (PCDDs) in emissions of combustion facilities. *Organohalogen Compounds* **11**, 45–52.

- Funcke W., Linnemann H., and Philipp C., (1993). Long-term sampling method for polychlorinated dibenzofurans (PCDFs), dibenzo(p)dioxins (PCDDs) and further organic compounds of similar volatility in flue gas of combustion facilities. *Chemosphere* **26** (12), 2097–2101.
- Funcke W., Mayer J., Dresch H., and Mark F., (1998). PCDF/D Emission from a municipal solid waste incinerator during co-combustion of automotive shredder residues. *Organohalogen Compounds* **36**, 171–174.
- Funcke W., Mayer J., and Wilken U., (1996). Analysis of polyhalogenated dibenzofurans and dibenzo(p)dioxins (PXDF/Ds) in the scope of an interlaboratory test. *Organohalogen Compounds* **23**, 311–314.
- Funcke W., Theisen J., Balfanz E., and König J., (1989). Entstehung halogener organischer Substanzen in Brandfällen. *VDI-Berichte* **745**, 195–208.
- Funcke W., Theisen J., Balfanz E., and König J., (1988). Polychlorierte Dibenzofurane (PCDF) und polychlorierte Dibenzo(p)dioxine (PCDD) in Rückständen und Emissionen eines Brandes in Anwesenheit von PVC-haltigen Materialien. *Reinhaltung der Luft* **48** (10), 393–396.
- Gardan I., Favaro N., Conte A., Zanato M., and Mueller L., (1999). Occurrence of PCDD/PCDF and PAH in different environmental matrices in the northeast region of Italy. *Organohalogen Compounds* **41**, 115–118.
- Haase I., Fischer M., Bacher A., Eisenreich W and Rohdich F., (2009). Cofactor biosynthesis. *Wiley Encyclopedia of Chemical Biology* **1**, 393–407.
- Haase I., Fischer M., Bacher A., Eisenreich W., and Rohdich F., (2012). Cofactors. *Products in Chemical Biology* 239–267.
- Jager E., Rüden H., and Zeschmar-Lahl B., (1994). Kompostierungsanlagen 2. Mitteilung: Aerogene Keimbelastung an verschiedenen Arbeitsbereichen von Kompostierungsanlagen. *Zentralblatt für Hygiene und Umweltmedizin* **196** (4), 367–379.
- Jager E., Zeschmar-Lahl B., and Rüden H., (1995). Mikrobielle Belastung der Luft an verschiedenen Arbeitsbereichen in Wertstoffsammellagern. *Müll und Abfall* **27** (3), 186–192.
- Jager J., Wilken M., Beyer A., Rakel H., Zeschmar-Lahl B., and Jager E., (1993). Practical concept to minimize the emission of halogenated organic compounds from municipal solid waste incinerators. *Chemosphere* **27** (1–3), 141–148.
- Jager J., Wilken M., and Zeschmar-Lahl B., (1992). Dioxin- und Furan-Emissionen in Berlin – eine Hochrechnung. *Organohalogen Compounds* **52** (3), 99–106.
- Jager J., (1992). PCDD/PCDF and PCB Emission at steel producing and reclamation plants with varying input. *Toxicological & Environmental Chemistry* **40** (1–4), 201–211.
- Theisen J., Maulshagen A., and Fuchs J., (1993). Organic and inorganic substances in the copper slag Kieselrot. *Chemosphere* **26** (5), 881–896.
- Juan M., Llobet JM., Bocio A., Domingo JL., Teixidó A., Casas C., and Müller L., (2002). Levels of PCDD/F in Food Samples from Catalonia. *Organohalogen Compounds* **57**, 105–108.
- Kauffman JS., Lakos Z., Dremina E., and Snyder JL., (2016). Glycosylation: A critical quality attribute for biopharmaceutical products. *American Pharmaceutical Review* **19**.

- Kelly T., (2011). Clarke's Analysis of Drugs and Poisons, 4th edition. *Australian Journal of Forensic Sciences* **44** (2), 213–214.
- Kolenda J., Gass H., Wilken M., Jager J., and Zeschmar-Lahl B., (1994). Determination and Reduction of PCDD/PCDF Emissions from Wood burning Facilities. *Chemosphere* **29** (9–11), 1927–1938.
- König J., Balfanz E., Funcke W., and Theisen J., (1988). Beurteilung der Deponierbarkeit von Gießereiformsanden anhand ihres Gehaltes an polycyclischen aromatischen Kohlenwasserstoffen. *Giesserei* **21**, 627–630.
- König J., Theisen J., Günther W., Liebl KH., and Büchen M., (1991). Immissionsbelastung durch polychlorierte Dibenzofurane und Dibenzo(p)dioxine an verschiedenen Standorten in Hessen. *Organohalogen Compounds* **7**, 291.
- König J., Theisen J., Günther W.J., Liebl KH., and Büchen M., (1993). Ambient air levels of polychlorinated biphenyls at different sites in Hessen, Germany. *Chemosphere* **26** (5), 851–861.
- König J., (1991). Immissionsbelastung durch polychlorierte Dibenzofurane, Dibenzo(p)dioxine und Biphenyle sowie durch Perchloroethylen. *VDI-Berichte* **888**, 671–691.
- Krause G., Beier R., Fürst P., Kirschmer P., König J., Hembrock-Heger A., and Theisen J., (1991). Dioxin-Untersuchungen in Nordrhein-Westfalen: 4. Transfer-Untersuchungen an Modellstandorten. *Organohalogen Compounds* **7**, 67.
- Lahl U., Wilken M., Zeschmar-Lahl B., and Jager J., (1991). PCDD/F balances of different municipal waste management methods. *Chemosphere* **23** (8–10), 1481–1489.
- Le Cohu R., Barthès A., Leflaive J., and Ten-Hage L., (2016). *Germainiella clandestina* sp. nov. (Bacillariophyta), a new species in a little known diatom genus. *Fottea, Olomouc* **16** (2), 184–188.
- Lichtenstein N., Stockmann R., Bogdoll B., Hosseinpour J., Jaeger K., Kieper H., Linde H., and Schramm K., (1996). Ringversuch zur Messung polychlorierter Dibenzodioxine und -furane an Arbeitsplätzen. *Gefahrstoffe - Reinhaltung der Luft* **56**, 239–245.
- Llobet JM., Bocio A., Domingo JL., Teixido A., Casas C., and Müller L., (2003). Levels of Polychlorinated Biphenyls in Foods from Catalonia, Spain: Estimated Dietary Intake. *Journal of Food Protection* **66** (3), 479–484.
- Llobet JM., Domingo JL., Bocio A., Casas C., Teixidó A., and Müller L., (2003). Human exposure to dioxins through the diet in Catalonia, Spain: carcinogenic and non-carcinogenic risk. *Chemosphere* **50** (9), 1193–1200.
- Martin YL., (1994). A global approach to accurate and automatic quantitative analysis of NMR spectra by complex least-squares curve fitting. *Journal of Magnetic Resonance A* **111**, 1–10.
- Mayer J., Linnemann H., Becker E., Rentschler W., Jockel W., Wilbring P., and Gerchel B., (2000). Certification of a long-term sampling system for PCDFs and PCDDs in the flue gas from industrial facilities. *Chemosphere* **40** (9–11), 1025–1027.
- Mayer J., and Manske E., (2001). Validation of a stack sampling method according to EN 1948 for PCDD/F and other semi-volatile organic compounds. *Organohalogen Compounds* **59**, 85–88.

- Mayer J., Rentschler W., and Sczech J., (1999). Long-term monitoring of dioxin emissions of a hazardous waste incinerator during lowered incineration temperature. *Organohalogen Compounds* **41**, 239–242.
- Müller L., Neugebauer F., and Fromme H., (1999). Levels of coplanar and non-coplanar polychlorinated biphenyls (PCB) in eel and sediment samples from Berlin/Germany. *Organohalogen Compounds* **42**, 397–400.
- Opel M., Geprägs S., Menzel EP., Nielsen A., Reisinger D., Nielsen KW., Brandlmaier A., Czeschka FD., Althammer M., Weiler M., and Goennenwein ST., (2011). Novel multifunctional materials based on oxide thin films and artificial heteroepitaxial multilayers. *physica status solidia* **208** (2), 232–251.
- Opel M., Nielsen KW., Bauer S., Goennenwein ST., Cezar JC., Schmeißer D., Simon J., Mader W., and Gross R., (2008). Nanosized superparamagnetic precipitates in cobalt-doped ZnO. *The European Physical Journal B* **63** 437.
- Opel M., (2011). Spintronic oxides grown by laser-MBE. *Journal of Physics D: Applied Physics* **45** (3), 033001.
- Roberson JA., and Eaton A., (2014). Retrospective analysis of mandated national occurrence monitoring and regulatory decision-making. *Journal of the American Water Works Association* **106** (3), 116–128.
- Rosen JS., Whelton AJ., McGuire MJ., Clancy JL., Bartrand T., Eaton A., Patterson J., Dourson M., Nance P., and Adams C., (2014). The crude MCHM chemical spill in Charleston, W.Va. (PDF). *Journal of the American Water Works Association* **106** (9), 65–74.
- Sather ME., Mukerjee S., Smith L., Mathew J., Jackson C., Callison R., Scrapper L., Hathcoat A., Adam J., Keese D., and Ketcher P., (2013). Gaseous oxidized mercury dry deposition measurements in the Four Corners area and Eastern Oklahoma, U.S.A. *Atmospheric Pollution Research* **4** (2), 168–180.
- Sauvanet J., Bourdier G., Colombet J., Viallefont A., Lemarchand C., and Desvillettes C., (2013). Estimating *Esox lucius* (Esocidae, Esociformes) density and populations structure in a large European alluvial river: the Allier (France). *Journal of Ichthyology* **53**, 617–627.
- Sauvanet J., Bourdier G., Jouve L., Bec A., and Desvillettes C., (2013). Feeding of pike larvae (*Esox lucius* L.) in an alluvial river backwater: Fatty acid as markers of two organic matter flows. *Fundamental and Applied Limnology, Archiv für Hydrobiologie* **183**, 337–350.
- Schechter A., Colacino J., Haffner D., Patel K., Opel M., Pöpke O and Birnbaum L., (2010). Perfluorinated compounds, polychlorinated biphenyls, and organochlorine pesticide contamination in composite food samples from Dallas, Texas, USA. *Environ Health Perspect* **118** (6), 796–802.
- Schuhmacher M., Domingo JL., Llobet JM., Müller L., Sünderhauf W., and Jager J., (1998). Baseline levels of PCDD/Fs in vegetation samples collected in the vicinity of a new hazardous waste incinerator in Catalonia, Spain. *Chemosphere* **36** (12), 2581–2591.
- Schuhmacher M., Domingo JL., Llobet JM., Sünderhauf W., and Müller L., (1998). Temporal variation of PCDD/F concentrations in vegetation samples collected in the vicinity of a municipal waste incinerator (1996–1997). *Science of The Total Environment* **218** (2–3), 175–183.
- Schuhmacher M., Granero S., Rivera J., Müller L., Llobet JM., and Domingo JL., (2000). Atmospheric deposition of PCDD/Fs near an old municipal waste incinerator: levels in soil and vegetation. *Chemosphere* **40** (6), 593–600.

- Schumacher M., Domingo JL., Llobet JM., Muèller L., and Jager J., (1997). Levels of PCDD/Fs in grasses and weeds collected near a municipal solid waste incinerator. *Science of the Total Environment* **201**, 53–62.
- Shanley JB., Engle MA., Scholl M., Krabbenhoft DP., Brunette R., Olson ML., and Conroy ME., (2015). High mercury wet deposition at a “Clean Air” Site in Puerto Rico. *Environmental Science and Technology* **49** (20), 12474–12482.
- Stuer-Lauridsen F., Kjølholt J., Høibye L., Hinge-Christensen S., Ingerslev F., Hansen M., Andersen Krogh K., Andersen HR., Halling-Sørensen B., Hansen N., and Køppen B., (2005). Survey of estrogenic activity in the Danish aquatic environment. *Danish Ministry of the Environmental Project 977*, 1–170.
- Sünderhauf W., Domingo JL., Llobet JM., and Müller L., (2002). Levels of PCDD/F and some selected mono-, di- and non-ortho substituted PCB in mussels and fish from a Mediterranean coastal area influenced by chemical industry. *Organohalogen Compounds* **59**, 33–36.
- Theisen J., Funcke W., Balfanz E., and König J., (1989). Determination of PCDFs and PCDDs in fire accidents and laboratory combustion tests involving PVC-containing materials. *Chemosphere* **19** (1–6), 423–428.
- Theisen J., Funcke W., Balfanz E., Poppe A., and Friege H., (1987). Entstehung von polychlorierten Dibenzofuranen (PCDFs) und Dibenz(o,p)dioxinen (PCDDs) durch Pyrolyse von Ugilec 141. *VDI-Berichte* **634**, 265–276.
- Theisen J., Maulshagen A., and Fuchs J., (1991). Untersuchungen zur Schadstoffbelastung der Kupferschlacke Kieselrot. *Organohalogen Compounds* **7**, 359.
- Theisen J., (1997). Source identification by congener-specific PCDF/D complete analysis taking real fire damage samples as an example. *Organohalogen Compounds* **31**, 99–103.
- Vanderford BJ., Drewes JE., Eaton A., Guo YC., Haghani A., Hoppe-Jones C., Schluesener MP., Snyder SA., Ternes T., and Wood CJ., (2014). Results of an interlaboratory comparison of analytical methods for contaminants of emerging concern in water. *Analytical Chemistry* **86** (1), 774–782.
- Venkateshvaran D., Althammer M., Nielsen A., Geprägs S., Rao MR., Goennenwein ST., Opel M., and Gross R., (2009). Epitaxial $Zn_xFe_{3-x}O_4$ thin films: A spintronic material with tunable electrical and magnetic properties. *Physical Review B* **79** (13), 79.
- Venkateshvaran D., Kaiser W., Boger A., Althammer M., Rao MR., Goennenwein ST., Opel M., and Gross R., (2008). Anomalous Hall effect in magnetite: Universal scaling relation between Hall and longitudinal conductivity in low-conductivity ferromagnets. *Physical Review B* **78** (9), 78.
- Weiler M., Althammer M., Czeschka FD., Huebl H., Wagner MS., Opel M., Imort IM., Reiss G., Thomas A., Gross R., and Goennenwein ST., (2012). Local charge and spin currents in magnetothermal landscapes. *Physical Review Letters* **108** (10), 108.
- Wilken M., Beyer A., and Jager J., (1990). Generation of brominated dioxins and furans in a municipal waste incinerator – results of a case study. *Organohalogen Compounds* **2**, 377.
- Wilken M., Böske J., Jager J., and Zeschmar-Lahl B., (1994). PCDD/F, PCB, Chlorbenzene and Chlorphenole Emissions of a municipal solid waste incinerator plant – variation with a five day performance and influence of $Mg(OH)_2$ addition. *Chemosphere* **29** (9–11), 2039–2050.

- Wilken M., Comelson B., Fabarius G., Zeschmar-Lahl B., and Jager J., (1992). Soil contamination with PCDD/PCDF and other organo halogen compounds in Bitterfeld/Wolfen (former GDR). *Organohalogen Compounds* **9**, 335–338.
- Wilken M., Cornelsen B., Zeschmar-Lahl B., and Jager J., (1992). Distribution of PCDD/PCDF and other organochlorine compounds in different municipal solid waste fractions. *Chemosphere* **25** (7–10), 1517–1523.
- Wilken M., Neugebauer F., Fabarius G., Zeschmar-Lahl B., and Jager J., (1992). PCDD/PCDF contamination of different pesticides produced in former GDR. *Chemosphere* **25** (7–10), 1525–1531.
- Wilken M., Neugebauer F., Zeschmar-Lahl B., and Jager J., (1990). PCDD/PCDF balance of different municipal waste management methods. *Organohalogen Compounds* **4**, 335–338.
- Wilken M., Sünderhauf W., and Zeschmar-Lahl B., (1990). FCKW in Kühlschranks-Dämmstoffen – ein unterschätztes Abfallproblem? *Müll und Abfall* **8**, 522–526.
- Wilken M., Walkow F., Jager E., and Zeschmar-Lahl B., (1994). Flooding area and sediment contamination of the River Mulde, an Elbe-Influx, with PCDD/PCDF and other organic pollutants. *Chemosphere* **29** (9–11), 2237–2252.
- Zeschmar-Lahl B., Jager E., and Rüden H., (1994). Die Hygieneproblematik in der Abfallwirtschaft. *Entsorgungspraxis* **1** (2), 20–25.

8 Agrosience Services

- Becker R., Vergnet C., Maus C., Pistorius J., Tornier I., and Wilkins S., (2010). Proposal of the ICPBR Bee Brood Group for testing and assessing potential side effects from the use of plant protection products on honey bee brood. *Julius-Kühn-Archiv*. **423**, 43.
- Dinter A., Oberwalder C., Kabouw P., Coulson M., Ernst G., Leicher T., Miles M., Weyman G., and Klein, O., (2013). Occurrence and distribution of earthworms in agricultural landscapes across Europe with regard to testing for responses to plant protection products. *Journal of Soils and Sediments* **13** (2), 278–293.
- Graef F., Roembke J., Binimelis R., Myhr A.I., Hilbeck A., Breckling B., Dalgaard T., Stachow U., Catacora-Vargas G., Bohn T., and Quist D., (2012). A framework for a European network for a systematic environmental impact assessment of genetically modified organisms (GMO). *BioRisk* **7**, 73–97.
- Kasiotis K.M., Tsakirakis A.N., Glass C.R., Charistou A.N., Anastassiadou P., Gerritsen-Ebben R., and Machera K., (2017). Assessment of field re-entry exposure to pesticides: A dislodgeable foliar residue study. *Science of the Total Environment* **596**, 178–186.
- Marcus B., (2008). Coming in from the cold. *Far Eastern Economic Review*, 14–16.
- Mónica João de BA., Pilar A., Gabor B. *et al.*, (2008). Toxicity testing with the collembolans *Folsomia fimetaria* and *Folsomia candida* and the results of a ringtest. *Miljo ministeriet*
- Pistorius J., Wehner A., Kriszan M., Bargen H., Knäbe S., Klein O., Frommberger M., Staehler M., and Heimbach U., (2015). Application of predefined doses of neonicotinoid containing dusts in field trials and acute effects on honey bees. *Bulletin of Insectology* **68** (2), 161–172.

Römbke J., Barrett K., Blanckenhorn WU., Hargreaves T., Kadiri N., Knäbe S., Lehmus J., Lumaret JP., Rosenkranz B., Scheffczyk A., and Sekine T., (2010). Results of an international ring test with the dung fly *Musca autumnalis* in support of a new OECD test guideline. *Science of the Total Environment* **408** (19), 4102–4106.

Römbke J., Floate KD., Jochmann R., Schäfer MA., Puniamoorthy N., Knäbe S., Lehmus J., Rosenkranz B., Scheffczyk A., Schmidt T., and Sharples A., (2009). Lethal and sublethal toxic effects of a test chemical (ivermectin) on the yellow dung fly (*Scathophaga stercoraria*) based on a standardized international ring test. *Environmental Toxicology and Chemistry* **28** (10), 2117–2124.

Römbke J., Schmelz RM., and Knaebe S., (2009). Field studies for the assessment of pesticides with soil mesofauna, in particular enchytraeids, mites and nematodes: Design and first results. *Soil Organisms* **81** (2), 237–264.

Tornier I., Kling A., and Schur A., (2003). Honey bee testing in Southern Europe: from the laboratory to the relevant crop in the field. *Bulletin of Insectology* **56**, 185–188.

Woodcock BA., Bullock JM., Shore RF., Heard MS., Pereira MG., Redhead J., Ridding L., Dean H., Sleep D., Henrys P., and Peyton J., (2017). Country-specific effects of neonicotinoid pesticides on honey bees and wild bees. *Science* **356**, 1–3.

9 Forensic Services

Blanckaert P., Coopman V., Van Calenbergh S., and Cordonnier J., (2017). Identification and characterization of 4-chloromethamphetamine (4-CMA) in confiscated ecstasy tablet – a risk to public health. *Forensic Science International (At Press)*.

Bresson M., Cirimele V., Villain M., and Kintz P., (2006). Doping control for metandienone using hair analyzed by gas chromatography-tandem mass spectrometry. *Journal of Chromatography B* **836** (1–2), 124–128.

Bresson M., Cirimele V., Villain M., and Kintz P., (2006). Stéroïdes anabolisants: usage thérapeutique ou usage détourné ? *Annales de Toxicologie Analytique* **18** (1), 65–75.

Chatterton C., Turner K., Klinger N., Etter M., Duez M., and Cirimele V., (2014). Interpretation of pharmaceutical drug concentrations in young children's head hair. *Journal of Forensic Sciences* **59** (1), 281–286.

Chèze M., and Gaulier JM., (2014). Drugs involved in DFC. In *Analytical aspects. 2 – hair. Chap 8. Toxicological aspects of drug-facilitated crimes* (Ed. P. Kintz), Elsevier.

Chèze M., Hoizey G., Deveaux M., Muckensturm A., Vayssette F., Billault F., and Pépin G., (2012). Une série de nouveaux cas d'intoxication par le GHB ou la GBL. *Annales de Toxicologie Analytique* **24** (2), 59–65.

Cirimele V., (2006). Amphetamine determination in hair. In *Analytical and practical aspects of drug testing in hair*, (P. Kintz éditeur), CRC Taylor & Francis Group, 143–161.

Cirimele V., Baumgartner M., Vallet E., and Duez M., (2010). Interprétation des concentrations de GHB mesurées dans les cheveux. *Annales de Toxicologie Analytique* **22** (4), 161–4.

- Cirimele V., Etienne S., Villain M., Ludes B., and Kintz P., (2004). Evaluation of the One-step ELISA kit for the detection of buprenorphine in urine, blood and hair specimens. *Forensic Science International* **143** (2–3), 153–156.
- Cirimele V., Etter M., Villain M., and Kintz P., (2008). Analyses des COV dans l'air ambiant par HS-GC/MS après désorption chimique. *Annales de Toxicologie Analytique* **20**, 67–72.
- Cirimele V., Kintz P., Lohner S., and Ludes B., (2003). Enzyme immunoassay validation for the detection of buprenorphine in urine. *Journal of Analytical Toxicology* **27** (2), 103–105.
- Cirimele V., Mandel A., Villain M., and Kintz P., (2009). Utilisation en routine des tests ELISA One-Step™ (International Diagnostic Systems Corp). *Annales de Toxicologie Analytique* **21** (1), 9–12.
- Cirimele V., and Pélissier AL., (2011). Le dépistage urinaire, Drogues et Accidentalité. EDP Sciences.
- Cirimele V., Villain M., Mura P., Bernard M., and Kintz P., (2006). Oral fluid testing for cannabis: On-site OraLine® IV s.a.t. device versus GC/MS. *Forensic Science International* **161** (2–3), 180–184.
- Cirimele V., Villain M., Pepin G., Ludes B., and Kintz P., (2003). Screening procedure for 8 quaternary nitrogen muscle relaxants in blood by HPLC-ESI-MS. *Journal of Chromatography B* **789** (1), 107–113.
- Cirimele V., Villain M., Salquèbre G., Staub C., and Kintz P., (2008). Hair analysis to document a clinical case of TCDD over-exposure. *Forensic Science International* **176** (1), 51–53.
- Coopman V., Blanckaert P., Van Parys G., Van Calenbergh S., and Cordonnier J., (2016). A case of acute intoxication due to combined use of fentanyl and 3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide (U-47700). *Forensic Science International* **266**, 68–72.
- Coopman V., and Cordonnier J., (2012). Counterfeit drugs and pharmaceutical preparations seized in the illegal market among bodybuilders. *Annales de Toxicologie Analytique* **24** (2), 73–80.
- Coopman V., and Cordonnier J., (2012). Analysis of counterfeit drugs and pharmaceutical preparations seized in the illegal market among bodybuilders. *Annales de Toxicologie Analytique* **24** (2), 73–80.
- Coopman V., Cordonnier J., De Leeuw M., and Cirimele V., (2016). Ocfentanil overdose fatality in the recreational drug scene. *Forensic Science International* **266**, 469–473.
- Coopman V., and Cordonnier J. (2017) 'Spice-like' herbal incense laced with the synthetic opioid U-47700. *Toxicologie Analytique et Clinique*.
- Coopman V., Delbeke P., Van Ingelgem A., De Leeuw M., and Cordonnier J., (2012). Spectroscopic characterization of 4-methylamphetamine: formaldehyde adduct formation hindered the identification by mass spectrometry. *Annales de Toxicologie Analytique* **24** (4), 159–163.
- Delannoy Y., Sec I., Deveaux M., Plu I., and Ludes B., (2016). Les cathinones de synthèse: une nouvelle classe de substances psychoactives. *Experts* 51–54.
- Deveaux M., and Pépin G., (2012). Noyade: dosage du strontium et d'autres métaux dans le sang comme marqueurs spécifiques de la noyade. *Traité de Toxicologie Médico-Judiciaire*. (P. Kintz coordinateur), Elsevier Masson: Issy les Moulineaux.

- Djezzar S., Richard N., and Deveaux M., (2014). Epidemiology of drug-facilitated crimes and drug-facilitated sexual assaults. In *Chap 2. Toxicological aspects of drug-facilitated crimes* (Ed. P. Kintz). Elsevier.
- Duhem C., Villain M., Pellissier AL., Cirimele V., and Kintz P., (2004). Détermination du GHB dans les poils pubiens par chromatographie gazeuse couplée à la spectrométrie de masse en tandem. *Annales de Toxicologie Analytique* **16** (4), 253–256.
- Etienne S., Cirimele V., Ludes B., and Kintz P., (2003). Lettre à la rédaction: Suicide par ingestion massive d'acébutolol. *Annales de Toxicologie Analytique* **15** (1), 63–66.
- Gilbert P., (2014). The history of drug-facilitated crimes in France. In *Chap 1. Toxicological aspects of drug-facilitated crimes* (Ed. P. Kintz). Elsevier.
- Gilbert Pépin., (2003). Cannabis et conduite automobile. *Journal de Médecine Légale Droit Médical* **42** (58), 27–35.
- Hoizey G., Chèze M., Muckensturm A., Eliot E., Borlot AL., Pépin G., and Deveaux M., (2017). Ayahuasca et vulnérabilité chimique: à propos d'un cas. *Tox Anal Clin* **29** (2), 241–245.
- Hoizey G., Cheze M., Villa A., Muckensturm A., Pepin G., Garnier R., and Deveaux M., (2016). Intoxication volontaire par la ricine: description d'un cas avec détermination des concentrations de ricinine dans le sang et l'urine. *Tox Anal Clin* **28** (1), 43–49.
- Humbert L., Hoizey G., and Lhermitte M., (2014). Drugs involved in DFC. In *Analytical aspects. 1- blood and urine. Chap 7. Toxicological aspects of drug-facilitated crimes* (Ed. P. Kintz). Elsevier.
- Huys G., Coopman V., Van Varenbergh D., and Cordonnier J., (2012). Selective culturing and genus-specific PCR detection for identification of *Aeromonas* in tissue samples to assist the medico-legal diagnosis of death by drowning. *Forensic Science International* **221** (1–3), 11–15.
- Kintz P., (2006). Soumission chimique: à la recherche de l'indétectable. *Journal de Médecine Légale, Droit Médical* **49** (156), 77–83.
- Kintz P., Alvarez JC., Deveaux M., Dumestre V., Gaillard Y., and Gaulier JM., (2014). Conflicting hair testing results can have an impact in courts: interpretation of single exposure to zolpidem. *J Anal Toxicol* **38** (5), 304–305.
- Kintz P., Bernhard W., Villain M., Gasser M., Aebi B., and Cirimele V., (2005). Testing drivers under the influence of cannabis in oral fluid using the Drugwipe device and confirmation by GC/MS after Intercept device collection. *Journal of Analytical Toxicology* **29**, 724–727.
- Kintz P., Brunet B., Muller JF., Serra W., Villain M., Cirimele V., and Mura P., (2009). Evaluation of the Cozart DDSV test for cannabis in oral fluid. *Therapeutic Drug Monitoring* **31** (1), 131–134.
- Kintz P., Cirimele V., Jamey C., and Ludes B., (2003). Testing for GHB in hair by GC/MS/MS after a single exposure. Application to document sexual assault. *Journal of Forensic Sciences* **48** (1), 195–200.
- Kintz P., Evans J., Villain M., Chatterton C., and Cirimele V., (2009). Hair analysis to demonstrate administration of sildenafil to a woman in a case of drug-facilitated sexual assault. *Journal of Analytical Toxicology* **33** (8), 553–556.
- Kintz P., Evans J., Villain M., and Cirimele V., (2009). Smoking cessation with varenicline: a suicidal fatality. *Journal of Analytical Toxicology* **33** (2), 118–120.

- Kintz P., Evans J., Villain M., Salquebre G., and Cirimele V., (2007). Hair analysis for diphenhydramine after surreptitious administration to a child. *Forensic Science International* **173** (2–3), 171–174.
- Kintz P., Ginet M., and Cirimele V., (2006). Multi-elementary screening by ICP-MS in two specimens of Napoleon's hair. *Journal of Analytical Toxicology* **30** (6), 621–623.
- Kintz P., Ginet M., Marques N., and Cirimele V., (2007). Arsenic speciation of two specimens of Napoleon's hair. *Forensic Science International* **170** (2–3), 204–206.
- Kintz P., Salquebre G., Villain M., and Cirimele V., (2008). Détection du 7-aminoflunitrazépam dans de la matière cérébrale par UPLC-ToF/MS. *Annales de Toxicologie Analytique* **20** (2), 103–105.
- Kintz P., Vayssette F., and Deveaux M., (2014). Compendium of results from hair tested for anabolics. *Tox Anal Clin* **26** (4), 197–200.
- Kintz P., Villain M., Bargul Y., Charlot JY., and Cirimele V., (2006). Testing for atropine and scopolamine in hair by LC-MS/MS after *Datura innoxia* abuse. *Journal of Analytical Toxicology* **30** (7), 454–457.
- Kintz P., Villain M., and Cirimele V., (2008). External post mortem artefact: a key issue in hair result interpretation. *Annales de Toxicologie Analytique* **20** (3), 121–126.
- Kintz P., Villain M., and Cirimele V., (2004). Soumission chimique par le zolpidem: discrimination par analyse des cheveux. *Journal de Médecine Légale, Droit Médical* **47** (6–7), 308–311.
- Kintz P., Villain M., and Cirimele V., (2006). Analytical approaches for drugs in biological matrices other than urine. In *Drug Abuse Handbook*, Steven Karch éditeur, CRC Taylor & Francis, 800–813.
- Kintz P., Villain M., and Cirimele V., (2008). Chemical abuse in the elderly: evidence from hair analysis. *Therapeutic Drug Monitoring* **30** (2), 218–224.
- Kintz P., Villain M., and Cirimele V., (2008). Cyclisme et hypnotiques (zolpidem): incompatibles? *Annales de Toxicologie Analytique* **20** (4), 181–182.
- Kintz P., Villain M., and Cirimele V., (2006). Dépistage des conduites addictives; Intérêt de l'analyse des cheveux. *Spectra Biologie* **150**, 40–43.
- Kintz P., Villain M., and Cirimele V., (2006). Determination of trimeprazine-facilitated sedation in children by hair analysis. *Journal of Analytical Toxicology* **30** (6), 400–402.
- Kintz P., Villain M., and Cirimele V., (2005). Dioxins and furans determination in post mortem blood by gas chromatography – high resolution mass spectrometry. *Journal of Analytical Toxicology* **29** (2), 90–94.
- Kintz P., Villain M., and Cirimele V., (2008). Ethylglucuronide (marqueur de l'éthylisme chronique) et poils. *Annales de Toxicologie Analytique* **20**, 55–56.
- Kintz P., Villain M., and Cirimele V., (2006). Hair analysis for drug detection. *Therapeutic Drug Monitoring* **28** (3), 442–446.
- Kintz P., Villain M., and Cirimele V., (2004). Hair analysis in clinical toxicology. *Clinical Chemistry and Laboratory Medicine* **42**, 1265–1272.

Kintz P., Villain M., Cirimele V., Janey C., and Ludes B., (2003). Décret n° 2003-293 du 31 mars 2003. Restitution de permis de conduire à partir d'analyses de cheveux. *Annales de Toxicologie Analytique* **15**, 117–122.

Kintz P., Villain M., Cirimele V., and Ludes B., (2003). Cheveux et criminalité routière en matière de stupéfiants. *Journal de Médecine Légale Droit Médical* **46** (2), 155–159.

Kintz P., Villain M., Cirimele V., and Ludes B., (2004). GHB in postmortem toxicology: Discrimination between endogenous production from exposure using multiple specimens. *Forensic Science International* **143** (2–3), 177–181.

Kintz P., Villain M., Cirimele V., Pépin G., and Ludes B., (2004). Windows of detection of lorazepam in urine, oral fluid and hair, with a special focus on drug-facilitated crimes. *Forensic Science International* **145** (2–3), 131–135.

Kintz P., Villain M., Concheiro M., and Cirimele V., (2005). Screening and confirmatory method for benzodiazepines and hypnotics in oral fluid by LC-MS/MS. *Forensic Science International* **150** (2–3), 213–220.

Kintz P., Villain M., Dumestre V., Cirimele V., (2005). Evidence of addiction of anesthesiologists as documented by hair analysis. *Forensic Science International* **153** (1), 81–84.

Kintz P., Villain M., Dumestre-Toulet V., Capolaghi B., and Cirimele V., (2005). Methadone as a chemical weapon: Two fatal cases involving babies. *Therapeutic Drug Monitoring* **27** (6), 741–743.

Kintz P., Villain M., Dumestre-Toulet V., and Cirimele V., (2005). Utilité de la LC-MS/MS dans les agressions sexuelles sous l'emprise de molécules psychoactives; Etude d'un cas impliquant le zolpidem. *Annales de Toxicologie Analytique* **17** (4), 263–268.

Kintz P., Villain M., Evans J., Pujol ML., Salquebre G., and Cirimele V., (2007). A case of abuse in which children were forced to take tablets containing scopolamine: segmental analysis of hair for scopolamine by ultra performance liquid chromatography – mass spectrometry. *Forensic Toxicology* **25** (1), 49–52.

Kintz P., Villain M., Jamey C., Cirimele V., Tracqui A., and Ludes B., (2004). GHB dans le sang postmortem, Critères d'interprétation. *Annales de Toxicologie Analytique* **16** (2), 133–138.

Kintz P., Villain M., and Ludes B., (2004). Testing for the undetectable in drug-facilitated sexual assault using hair – analyzed by tandem mass spectrometry – as an evidence. *Therapeutic Drug Monitoring* **26** (2), 211–214.

Kintz P., Villain M., Mandel A., and Cirimele V., (2009). Les marqueurs de l'éthylisme chronique. Focus sur les approches immuno-chimiques. *Annales de Toxicologie Analytique* **21** (1), 21–26.

Kintz P., Villain M., Simonin J., and Cirimele V., (2006). Aspects médico-légaux de la prolifération des médicaments destinés au traitement des troubles de l'érection. *Annales de Toxicologie Analytique* **18** (1), 17–23.

Kintz P., Villain M., Tracqui A., Cirimele V., and Ludes B., (2003). Buprenorphine as a drug-facilitated sexual abuse. A fatal case involving a 14-year-old boy. *Journal of Analytical Toxicology* **27** (7), 527–529.

Kintz P., Villain M., Vallet E., Etter M., Salquebre G., and Cirimele V., (2008). Ethyl glucuronide: Unusual distribution between head hair and pubic hair. *Forensic Science International* **176** (1), 87–90.

- Langrand J., Robin A., Deveaux M., Alvarez JC., and Castot-Villepelet A., (2015). Décès toxiques en Île-de-France. *Bulletin de Veille Sanitaire*, 24–27.
- Legout C., Villa A., Baud F., Baffert E., Eftekhari P., Langrand J., Robin A., Alvarez JC., Blanc I., Deveaux M., Aegerter P., Galichon B., Castot-Villepelet A., Garnier R., (2016). Observatoire multisources des intoxications aiguës en Ile de France: une étude exploratoire. *Bulletin Epidémiologique Hebdomadaire*, 32–33.
- Legout C., Villa A., Baud F., Baffert E., Eftekhari P., Langrand J., Robin A., Alvarez JC., Deveaux M., Aegerter P., Galichon B., Laouar H., Castot-Villepelet A., and Garnier R., (2015). Bilan de l'expérimentation: vers la mise en place d'une surveillance multi-sources des intoxications aiguës en Île-de-France ? *Bulletin de Veille Sanitaire*, 29–33.
- Maillaud C., Barguil Y., Chèze M., Mikulski M., Le Coq St Gilles H., Lapostolle F., Hnawia E., Levoucier N., Pivert C., Deveaux M., and Nour M., (2015). Caractérisation des intoxications par le crabe de cocotier *Birgus latro* L. *Médecine et Santé Tropicales* **25**, 285–290.
- Maillaud C., Barguil Y., Mikulski M., Cheze M., Pivert C., Deveaux M., and Lapostolle F., (2012). First successful curative use of digoxin-specific Fab antibody fragments in a life-threatening coconut crab (*Birgus latro* L) poisoning. *Toxicon* **60** (6), 1013–1017.
- Marc B., Kintz P., Cirimele V., Riad C., and Jeleff C., (2006). L'herbe du diable à l'heure d'Internet. *Journal de Médecine Légale Droit Médical* **49**, 227–234.
- Martin M., Muller JF., Turner K., Duez M., and Cirimele V., (2012). Evidence of chronic mephedrone abuse through hair analysis using GC/MS. *Forensic Science International* **218**, 44–48.
- Moreau E., Rérolle C., Deveaux M., Paraf F., and Saint-Martin P., (2014). Exogenous lipid pneumonia as a contributory factor in a drug-related death. *J Forensic Sci* **60** (2), 514–517.
- Payen C., Dellinger A., Pulce C., Cirimele V., Carbonnel V., Kintz P., and Descotes J., (2010). Intoxication by large amounts of barium nitrate overcome by early massive K supplementation and oral administration of magnesium sulphate. *Human and Experimental Toxicology* **30** (1), 34–37.
- Pélessier AL., Eysseric H., Deveaux M., Gaulier JM., Alvarez JC., Fanton L., Beydon L., and Kintz P., (2016). Recommandations pour la réalisation d'une expertise toxicologique médico-judiciaire dans le cadre d'un décès en condition de sédation profonde. *Tox Anal Clin* 333–334.
- Pépin G., Chèze M., Hoizey G., and Deveaux M., (2012). Soumission chimique. *Traité de Toxicologie Médico-Judiciaire*. P. Kintz (coordinateur), Elsevier Masson: Issy les Moulineaux.
- Pujol ML., Cirimele V., Tritsch PJ., Villain M., and Kintz P., (2007). Evaluation of the IDS One-Step ELISA kits for the detection of illicit drugs in hair. *Forensic Science International* **170** (2–3), 189–192.
- Pujol ML., Tritsch PJ., Cirimele V., and Kintz P., (2006). Dépistage de 4 classes de stupéfiants dans les cheveux par technique ELISA à l'aide du test One-Step et confirmation par GC/MS. *Annales de Toxicologie Analytique* **18** (4), 291–296.
- Pujol ML., Villain M., Salquère G., Vallet E., Cirimele V., and Kintz P., (2006). Scopolamine: un nouveau cas de soumission médicamenteuse sur des enfants. *Annales de Toxicologie Analytique* **18** (3), 207–212.
- Raul JS., Cirimele V., Ludes B., Kintz P., (2004). Detection of physiological concentrations of cortisol and cortisone in human hair. *Clinical Biochemistry* **37** (12), 1105–1111.

- Rechnitzer H., Brzuszkiewicz E., Strittmatter A., Liesegang H., Lysnyansky I., Daniel R., Gottschalk G., and Rottem S., (2011). Genomic features and insights into the biology of *Mycoplasma fermentans*. *Microbiology* **157**, 760–773.
- Risseuw MD., Blanckaert P., Coopman V., Van Quekelberghe S., Van Calenbergh S., and Cordonnier J., (2017). Identification of a new tert-leucinate class synthetic cannabinoid in powder and 'spice-like' herbal incenses: methyl 2-[[1-(5-fluoropentyl)indole-3-carbonyl]amino]-3,3-dimethylbutanoate (5F-MDMB-PICA). *Forensic Science International* **273**, 45–52.
- Rolf B., Bulander N., and Wiegand P., (2011). Insertion-/deletion polymorphisms close to the repeat region of STR loci can cause discordant genotypes with different STR kits. *Forensic Science International: Genetics* **5** (4), 339–341.
- Salquère G., Bresson M., Villain M., Cirimele V., and Kintz P., (2007). Clenbuterol determination in calf hair by UPLC-MS-MS: case report of a fraudulent use from cattle growth. *Journal of Analytical Toxicology* **31** (2), 114–118.
- Saoudi A., Zeghnoun A., Bidondo ML., Garnier R., Cirimele V., Persoons R., and Fréry N., (2012). Urinary arsenic levels in the French adult population the French National Nutrition and Health Study, 2006–2007. *Science of the Total Environment* **433**, 206–215.
- Sastre C., Baillif-Couniou V., Kintz P., Cirimele V., Bartoli C., Christia-Lotter MA., Piercecchi-Marti MD., Leonetti G., and Pelissier-Alicot AL., (2013). Fatal accidental hydrogen sulfide poisoning: A domestic case. *Journal of Forensic Sciences* **58** (1), S280–S284.
- Sastre C., Chèze M., Baillif-Couniou V., Deveaux M., Pépin G., Leonetti G., and Pélissier-Alicot AL., (2012). Amnésie antérograde consécutive à l'absorption de MDMA et d'alcool: à propos d'un cas. *Annales de Toxicologie Analytique* **24** (1), 23-27.
- Simonin J., Salquebre G., Cirimele V., and Kintz P., (2007). Criblage de 4 classes de stupéfiants dans la salive par LC-MS/MS. *Annales de Toxicologie Analytique* **19** (2), 141–150.
- Villain M., Cirimele V., and Kintz P., (2005). Soumission chimique, Recherche des benzodiazépines et hypnotiques dans les cheveux par LC-MS/MS. *Annales de Toxicologie Analytique* **17** (1), 33–42.
- Villain M., Cirimele V., and Kintz P., (2004). Substance abuse in sports: detection of doping agents in hair by mass spectrometry. In *Advances in Forensic Applications of Mass spectrometry*, Jehuda Yinon éditeur, CRC Press publisher, 129–148.
- Villain M., Cirimele V., Ludes B., and Kintz P., (2003). Ultra-rapid procedure to test for GHB in blood and urine by GC/MS. *Journal of Chromatography B* **792**, 83–87.
- Villain M., Cirimele V., Tracqui A., Ludes B., and Kintz P., (2004). Racine de kava dans les cheveux: dosage de la kavaine par CG-SM/SM. *Annales de Toxicologie Analytique* **16** (1), 85–87.
- Villain M., Cirimele V., Tracqui A., Ricaut FX., Ludes B., and Kintz P., (2003). Testing for kavain in human hair using gas chromatography–tandem mass spectrometry. *Journal of Chromatography B* **798** (2), 351–354.
- Villain M., Concheiro M., Cirimele V., and Kintz P., (2005). Screening method for benzodiazepines and hypnotics in hair at pg/mg level by LC-MS/MS. *Journal of Chromatography B* **825** (1), 72–78.
- Villain M., Dumestre V., Cirimele V., Ludes B., and Kintz P., (2003). Attention: faux positifs en GC/MS. *Annales de Toxicologie Analytique* **15**, 60–62.

Villain M., Evans J., Cirimele V., and Kintz P., (2008). Arrêter de fumer peut tuer ! *Annales de Toxicologie Analytique* **20** (4), 223–226.

Villain M., Tournoud C., Flesch F., Cirimele V., and Kintz P., (2006). Hair to document exposure to glibenclamide. *Journal of Chromatography B* **842** (2), 111–115.

Villain M., Vallet E., Cirimele V., and Kintz P., (2008). Mise en évidence d'une soumission chimique à la niaprazine chez des enfants par analyse des cheveux en CL-SM/SM. *Annales de Toxicologie Analytique* **20** (2), 85–87.

Zehethofer K., and Rolf B., (2011). A molecular analysis of three amelogenin negative males in two routine paternity tests. *Forensic Science International: Genetics* **5** (5), 550–551.

10 Genomic Services

Bauser C., and Kumar Y., (2012). Sequencing and analysis of micro-RNAs. *BIOspektrum* **18** (3), 294–296.

Beloqui A., Nechitaylo TY., López-Cortés N., Ghazi A., Guazzaroni ME., Polaina J., Strittmatter AW., Reva O., Waliczek A., Yakimov MM., and Golyshina OV., (2010). Diversity of glycosyl hydrolases from cellulose-depleting communities enriched from casts of two earthworm species. *Appl. Environ. Microbiol* **76** (17), 5934–5946.

Dawczynski C., Schubert R., and Jahreis G., (2007). Amino acids, fatty acids, and dietary fibre in edible seaweed products. *Food Chemistry* **103** (3), 891–899.

De Schutter K., Lin YC., Tiels P., Van Hecke A., Glinka S., Weber-Lehmann J., Rouzé P., Van de Peer Y., and Callewaert N., (2009). Genome Sequence of the recombinant protein production host *Pichia pastoris*. *Nature Biotechnology* **27**, 561–566.

Dietrich G., Kurz S., Hübner C., Aepinus C., Theiss S., Guckenberger M., Panzner U., Weber J., Frosch M., (2003). Transcriptome analysis of *Neisseria meningitidis* during infection. *Journal of Bacteriology* **185** (1), 155–164.

Doerfler W., Schubert R., Heller H., Hertz J., Remus R., Schröer J., Kämmer C., Hilger-Eversheim KR., Gerhardt U., Schmitz B., and Renz D., (1998). Foreign DNA in mammalian systems. *APMIS* **106** (84), 62–68.

Ferrari S., Ischer F., Calabrese D., Posteraro B., Sanguinetti M., Fadda G., Rohde B., Bauser C., Bader O., and Sanglard D., (2009). Gain of function mutations in *CgPDR1* of *Candida glabrata* not only mediate antifungal resistance but also enhance virulence. *PLOS pathogens* **5** (1), e1000268.

Frank S., Klockgether J., Hagendorf P., Geffers R., Schöck U., Pohl T., Davenport CF., and Tümmler B., (2011). *Pseudomonas putida* KT2440 genome update by cDNA sequencing and microarray transcriptomics. *Environmental Microbiology* **13** (5), 1309–1326.

Haase I., (2014). Next Generation Sequencing: Em Tool für die Lebens- und Futtermittelanalytik. *Deutsche Lebensmittelrundschau* **110**, 278–282.

Haase I., Brendel T., Eisner J., Schubert R., (2015). Pinienkern-Authentizitätskontrolle: Hoch genuss oder bitterer Nachgeschmack? *Deutsche Lebensmittelrundschau* **111**, 154–157.

- Haase I., Gräwert T., Illarionov B., Bacher A., and Fischer M., (2014). Recent advances in riboflavin biosynthesis. *Methods in Molecular Biology* **1146**, 15–40.
- Haase I., and Käppel C., (2015). Metabarcoding Die nächste Generation in Speziesbarcoding. *Food Lab* 10–12.
- Haase I., Sarge S., Illarionov B., Laudert., D., Hohmann., H.-P., Bacher., A., and Fischer., M., (2013). Enzymes from the haloacid dehalogenase (HAD) superfamily catalyse the elusive dephosphorylation step of riboflavin biosynthesis. *Chem. Bio. Chem* **14** (17), 2272–2275.
- Haase I., Vaagt F., and Fischer M., (2013). Food-Profilung: DNA -basierte Authentizitätskontrolle mit innovativen Detektionssystemen. *Food Lab* **4**, 32–35.
- Hauser H., Richter DC., van Tonder A., Clark L., and Preston A., (2012). Comparative genomic analyses of the Taylorellae. *Veterinary Microbiology* **159** (1–2), 195–203.
- Herrmann L., Blauhut M., Barz N., Haase I., Hünninger T., and Fischer M., (2014). Food-Profilung: DNA-basierte Authentizitätsüberprüfung des Edelkakao aus Ecuador. *Lebensmittelrundschau* **110**, 210–214.
- Herrmann L., Felbinger C., Haase I., Rudolph B., Biermann B., and Fischer M., (2015). Food Fingerprinting: Characterization of the Ecuadorean Type CCN-51 of *Theobroma cacao* L. Using Microsatellite Markers. *J. Agric. Food Chem* **63** (18), 4539–4544.
- Herrmann L., Felbinger C., Haase I., Rudolph B., Biermann B., and Fischer M., (2009). Functional analysis of cis- and transacting elements of the *Candida albicans* CDR2 promoter with a novel promoter reporter system. *Eukaryotic Cell* **8** (8), 1250–1267.
- Herrmann L., Haase I., Blauhut M., Barz N., Fischer M., (2014). DNA-based differentiation of the Ecuadorian cocoa types CCN-51 and Arriba based on sequence differences in the chloroplast genome. *Agricultural and Food Chemistry* **62** (50), 12118–12127.
- Herrmann L., Haase I., and Fischer M., (2014). Food-Profilung für den edlen Genuss. *Labor&more* **3**, 2–7.
- Horn M., Collingro A., Schmitz-Esser S., Beier CL., Purkhold U., Fartmann B., Brandt P., Nyakatura GJ., Droege M., Frishman D., and Rattei T., (2004). Illuminating the evolutionary history of chlamydiae. *Science* **304** (5671), 728–730.
- Hünninger T., Fischer C., Wessels H., Hoffmann A., Paschke-Kratzin A., Haase I., and Fischer M., (2015). Food sensing: selection and characterization of DNA aptamers to *Alicyclobacillus* spores for trapping and detection from orange juice. *J. Agric. Food Chem* **63** (8), 2189–2197.
- Kappel K., Haase I., Käppel C., Sotelo CG., and Schröder U., (2017). Species identification in mixed tuna samples with next-generation sequencing targeting two short cytochrome *b* gene fragments. *Food Chemistry* **234** (1), 212–219.
- Kappel K., Haase I., Käppel C., Sotelo CG., Schröder U., (2017). Species identification in mixed tuna samples with next-generation sequencing targeting two short cytochrome *b* gene fragments. *Food Chemistry* **234**, 212–219.
- Lange A., Jost S., Heider D., Bock C., Budeus B., Schilling E., Strittmatter A., Boenigk J., and Hoffmann D., (2015). AmpliconDuo: A split-sample filtering protocol for high-throughput amplicon sequencing of microbial communities. *PLOS One* **10** (11), e0141590.

Mahé F., Mayor J., Bunge J., Chi J., Siemensmeyer T., Stoeck T., Wahl B., Paprotka T., Filker S., and Dunthorn M., (2015). Comparing high-throughput platforms for sequencing the V4 region of SSU-rDNA in environmental microbial eukaryotic diversity surveys. *Journal of Eukaryot Microbiology* **62** (3), 338–345.

Medinger R., Nolte V., Pandey RV., Jost S., Ottenwaelder B., Schloetterer C., and Boenigk J., (2010). Diversity in a hidden world: potential and limitation of next generation sequencing for surveys of molecular diversity of Eukaryotic microorganisms. *Molecular Ecology* **19** (1), 32–40.

Morgenstern D., Rohde BH., King GF., Tal T., Sher D., and Zlotkin E., (2011). The tale of a resting gland: Transcriptome of a replete venom gland from the scorpion *Hottentotta judaicus*. *Toxicon*. **57** (5), 695–703.

Nader WF., Brendel T., and Schubbert R., (2016). Advances in DNA fingerprinting for food authenticity testing. In *Advances in Food Authenticity Testing*. Woodhead Publishing, 7–33. 10.1016/B978-0-08-100220-9.00002-3.

Nolte V., Pandey RV., Jost S., Medinger R., Ottenwaelder B., Boenigk J., and Schloetterer C., (2010). Contrasting seasonal niche separation between rare and abundant taxa conceals the extent of protist diversity. *Molecular Ecology* **19** (14), 2908–2915.

O'Connell RJ., Thon MR., Hacquard S., Amyotte SG., Kleemann J., Torres MF., Damm U., Buiaite EA., Epstein L., Alkan N., and Altmüller J., (2012). Lifestyle transitions in plant pathogenic *Colletotrichum* fungi deciphered by genome and transcriptome analyses. *Nature Genetics* **44** (9), 1060–1065.

Paprotka T., Monne Parera D., Kumar Y., and Stangier K., (2012). New possibilities for *de novo* assemblies. *BIOspektrum* **18** (5), 524–526.

Pfeffer A., Schubbert R., Orend G., Hilger-Eversheim K., and Doerfler W., (1999). Integrated viral genomes can be lost from adenovirus type 12-induced hamster tumor cells in a clone-specific, multistep process with retention of the oncogenic phenotype. *Virus Research* **59** (1), 113–127.

Pison C., Magnan A., Botturi K., Sève M., Brouard S., Marsland BJ., Ernst F., Paprotka T., Deplanche K., Fritz A., and Siroux V., (2014). SysCLAD consortium, Prediction of chronic lung allograft dysfunction: a systems medicine challenge. *European Respiratory Journal* **43** (3), 689–693.

Sarge S., Haase I., Illarionov B., Laudert D., Hohmann HP., Bacher A., and Fischer M., (2015). Catalysis of an essential step in vitamin B2 biosynthesis by a consortium of broad spectrum hydrolases. *Chem. Bio. Chem* **16** (17), 2466–2469.

Schelm S., Haase I., Fischer C., and Fischer M., (2017). Development of a multiplex real-time PCR for determination of apricot in marzipan using the plexor system. *J. Agric. Food Chem.* **65** (2), 516–522.

Schoen C., Weber-Lehmann J., Blom J., Joseph B., Goesmann A., Strittmatter A., and Frosch M., (2011). Whole-genome sequence of the transformable *Neisseria meningitidis* serogroup A strain WUE2594. *Journal of Bacteriology* **193** (8), 2064–2065.

Schubbert R., and Wiehler J., (2010). DNA-Forensik. *Nachrichten aus der Chemie* **58** (12), 1036–1037.

Schubbert R., and Wiehler J., (2010). DNA-Forensik schützt Biotech-Patente (DNA Forensics protects Biotech patents). *Nachrichten aus der Chemie* **58** (10), 1036–1037.

Shimizu M., Iwano S., Uno Y., Uehara S., Inoue T., Murayama N., Onodera J., Sasaki E., and Yamazaki H., (2014). Qualitative de novo analysis of full length cDNA and quantitative analysis of gene expression for common marmoset (*Callithrix jacchus*) transcriptomes using parallel long-read technology and short-read sequencing. *PLoS One* **9** (6), e100936.

Stangier K., (2008). Overview article on next generation DNA sequencing technologies and their applications. *Chem Manager* 14–16.

Torres TT., Metta M., Ottenwalder B., and Schlotterer C., (2009). Gene expression profiling by massively parallel sequencing. *Genome Research* **18**, 172–177.

Towbin H., Wenter P., Guennewig B., Imig J., Zagalak JA., Gerber AP., and Hall J., (2013). Systematic screens of proteins binding to synthetic microRNA precursors. *Nucleic Acids Research* **41** (3), e47.

Weber-Lehmann J., Schilling E., Gradl G., Richter DC., Wiehler J., and Rolf B., (2014). Finding the needle in the haystack: Differentiating “identical” twins in paternity testing and forensics by ultra-deep next generation sequencings. *Forensic Science International: Genetics* **9**, 42–46.

Wittenberger T., Sleigh S., Reisel D., Zikan M., Wahl B., Alunni-Fabroni M., Jones A., Evans I., Koch J., Paprotka T., and Lempiainen H., (2014). DNA methylation markers for early detection of women’s cancer: promise and challenges. *Epigenomics* **6** (3), 311–327.

Eurofins GSC Lux SARL
Val Fleuri 23
L-1526 Luxembourg
Phone : +352 26 18 53 20
Fax : +352 26 18 53 31
info@eurofins.com